PB81-201675

Historical Visibility Over the Eastern U.S. Appendix F. Daily Extinction Coefficient Contour Maps, 1973-1977

Washington Univ.
St. Louis, MO

Prepared for

Environmental Sciences Research Lab.
Research Triangle Park, NC

May 80

U.S. Department of Commerce
National Technical Information Service
NTIS

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/3-80-043g		PB81 201675

4. TITLE AND SUBTITLE	5. REPORT DATE
HISTORICAL VISIBILITY OVER THE EASTERN U.S. Appendix F. Daily Extinction Coeffieient Contour Maps 1973-1977	May 1980 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) David E. Patterson, Janet M. Holloway and Rudolf Husar	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Washington University CAPITA, Box 1185 Lindell and Skinker Blvds. St. Louis, Missouri 63130	10. PROGRAM ELEMENT NO. 1AA603A AA-149 (FY-79) 11. CONTRACT/GRANT NO. Grant No. R803896
12. SPONSORING AGENCY NAME AND ADDRESS Environmental Science Research Laboratory--RTP, NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, NC 27711	13. TYPE OF REPORT AND PERIOD COVERED Final 1/78 - 1/79 14. SPONSORING AGENCY CODE EPA/600/09

15. SUPPLEMENTARY NOTES

Reference: EPA-600/3-80-043a

16. ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1973-1977. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution *Visibility *Haze *Absorptivity *Trends *Nomographs *Meteorological data *Seasonal variations *Air masses	Regional haziness Long range transport Eastern U.S.	13B 04B 12A

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS (This Report)	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	
	20. SECURITY CLASS (This page)	22. PRICE
	UNCLASSIFIED	

EPA Form 2220-1 (9-73)

EPA-600/3-80-043g
May 1980

PB81-201675

HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix F
Daily Extinction Coefficient Contour Maps
1973-1977

by

David E. Patterson, Janet M. Holloway and Rudolf B. Husar
Center for Air Pollution Impact and Trend Analysis (CAPITA)
Washington University
St. Louis, MO 63130

Grant No. R803896

Project Officer

William E. Wilson, Jr.
Atmospheric Chemistry and Physics Division
Environmental Sciences Research Laboratory
Research Triangle Park, NC 27711

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement of recommendation for use.

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.) (4-76)

ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1973-1977. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

This report was submitted in partial fulfillment of EPA Grant No. R803896 by the Center for Air Pollution Impact and Trend Analysis (CAPITA) under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from January 1, 1978 to June 30, 1979, and work was completed as of July 31, 1979.

Appendix F
Daily and Quarterly Extinction Coefficient Contour Maps
1973-1977

NOTE:

Appendices A-F are continuations of a published report entitled HISTORICAL VISIBILITY OVER THE EASTERN U.S. Daily and Quarterly Extinction Coefficient Contour Maps, EPA-600/3-80-043a. This report contains background information and documentation of the data volume for the study and presents daily contour maps of light extinction coefficients for the Eastern U.S. in 1978; these are supplemented by tables and stripcharts of regional meteorological parameters. Plots of quarterly average extinction coefficients from 1948-1978 are also included.

This report is available from the

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161


Bavg= 2.60
JAN. 1 1973


Bavg= 2.15
JAN. 2 1973


Bavg= 6.55
JAN. 3 1973


Bavg= 3.36
JAN. 4 1973


Bavg= 4.04
JAN. 5 1973


Bavg= 2.76
JAN. 6 1973

CAPITA


JAN. 7 1973


JAN. 8 1973


JAN. 9 1973


JAN. 10 1973


JAN. 11 1973


JAN. 12 1973

CAPITA


JAN. 13 1973


JAN. 14 1973


JAN. 15 1973


JAN. 16 1973


JAN. 17 1973


JAN. 18 1973

CAPITA


JAN. 19 1973


JAN. 20 1973


JAN. 21 1973


JAN. 22 1973


JAN. 23 1973


JAN. 24 1973

CAPITA


JAN. 25 1973
JAN. 26 1973
JAN. 27 1973
JAN. 28 1973
JAN. 29 1973
JAN. 30 1973

CAPITA













CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	87	-0.87	-0.46
2	12	2.26	85	4.87	-4.38
3	21	5.68	72	3.85	-0.01
4	18	8.05	76	-4.76	-0.66
5	28	6.27	78	14.11	8.13
6	12	6.09	78	13.06	8.37
7	17	5.76	89	18.87	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.87	78	0.86	-0.47
2	12	4.51	75	3.86	-0.47
3	21	11.06	88	-0.31	-3.69
4	16	3.38	68	-0.12	-12.66
5	28	3.42	68	14.68	8.68
6	12	4.25	88	11.75	8.16
7	17	7.58	87	14.78	12.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.44	88	2.38	0.88
2	12	7.32	88	2.68	-0.88
3	21	8.81	89	-0.82	-12.88
4	16	1.48	81	-0.81	-15.08
5	28	6.78	76	14.28	8.78
6	12	6.77	82	9.78	1.88
7	17	8.81	76	8.88	-0.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	91	-7.87	-15.68
2	12	1.81	82	-4.71	-13.28
3	21	3.07	82	-0.97	-12.59
4	18	1.55	88	-5.10	-11.78
5	28	3.93	58	5.67	-2.48
6	12	3.27	84	-3.23	-9.25
7	17	1.82	97	0.52	-7.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	89	-2.83	-15.55
2	12	2.79	58	-3.83	-12.03
3	21	3.02	88	-4.29	-11.08
4	18	2.37	68	-4.98	-10.37
5	28	6.73	61	1.26	-5.84
6	12	1.98	51	-0.81	-9.98
7	17	1.97	47	4.88	-6.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.52	98	-10.68	-20.58
2	12	1.51	98	-7.17	-17.77
3	21	2.38	68	-4.69	-11.47
4	18	2.18	89	0.58	-8.08
5	28	1.88	98	3.13	0.67
6	12	2.13	95	2.55	-0.48
7	17	2.88	91	9.11	-0.88

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	50	-0.02	-10.00
2	12	1.46	41	-4.06	-16.52
3	21	2.00	53	-0.00	-9.30
4	10	4.27	74	1.00	-9.20
5	20	2.12	37	0.20	-7.60
6	12	1.32	42	0.52	-6.09
7	17	2.50	63	14.00	7.04



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.20	61	-4.00	-11.52
2	12	1.56	36	0.00	-13.70
3	21	5.51	50	2.27	-5.73
4	10	11.29	62	-1.52	-4.10
5	20	2.42	48	10.01	-2.01
6	12	2.50	63	0.00	-0.30
7	17	0.60	60	15.00	0.70



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	24	3.33	-10.24
2	12	2.02	37	3.66	-10.56
3	21	12.39	66	2.35	0.05
4	10	8.00	70	-0.87	-13.01
5	20	6.73	70	11.05	7.60
6	12	5.90	65	10.10	7.77
7	17	2.22	60	0.40	0.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.11	91	2.64	1.24
2	12	5.37	81	3.79	0.83
3	21	3.27	78	-4.03	-7.[illegible]
4	10	2.10	83	-11.17	-10.[illegible]
5	20	3.87	71	13.40	7.90
6	12	3.67	71	4.21	-0.87
7	17	2.14	53	7.74	-1.83



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.40	75	-5.60	-9.43
2	12	8.23	70	-0.20	-12.82
3	21	3.69	60	-11.07	-18.14
4	10	1.70	53	-12.53	-20.27
5	20	2.70	47	5.40	-5.43
6	12	2.95	55	0.13	-8.05
7	17	2.30	53	0.17	-2.71



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	40	-12.01	-23.00
2	12	1.47	43	-10.07	-21.56
3	21	2.50	50	-9.04	-18.42
4	10	3.00	71	-4.33	-8.00
5	20	1.81	54	2.00	-12.40
6	12	1.74	47	-2.54	-12.49
7	17	0.40	70	3.60	-0.22

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	49	-8.80	-17.77
2	12	1.58	47	-6.25	-16.38
3	21	3.52	87	-2.18	-7.72
4	18	0.00	81	1.11	-8.16
5	29	2.12	41	6.72	-7.56
6	12	1.87	38	5.15	-8.52
7	17	0.00	68	0.00	3.24



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	88	1.24	-7.77
2	12	2.38	83	2.03	-7.07
3	21	3.38	88	2.62	-2.52
4	18	3.04	78	1.79	-3.76
5	29	3.06	61	10.04	-6.46
6	12	2.05	53	10.31	-5.52
7	17	0.00	70	10.04	0.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	57	9.02	-2.06
2	12	2.71	61	6.47	-3.05
3	21	4.56	75	1.58	-2.48
4	18	3.31	62	2.68	-4.68
5	29	2.32	38	13.44	-1.38
6	12	3.01	63	8.05	0.03
7	17	2.22	88	12.81	8.87



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.94	58	5.41	-0.83
2	12	4.09	61	5.04	-1.88
3	21	0.45	87	-1.10	-8.68
4	18	1.43	97	-2.48	-8.96
5	29	4.35	41	11.81	-1.35
6	12	2.23	48	9.02	-1.70
7	17	0.00	68	0.93	3.09



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.39	75	2.83	-1.38
2	12	3.03	67	1.29	-4.57
3	21	5.32	83	-1.69	-7.95
4	13	1.39	86	0.62	-2.29
5	29	2.03	31	9.01	-7.06
6	12	1.88	33	8.93	-8.78
7	17	0.27	77	7.12	2.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	58	1.11	-7.08
2	12	2.28	62	-0.27	-8.25
3	21	4.61	88	1.29	-4.57
4	18	1.88	94	0.88	-2.70
5	29	2.19	38	11.58	-2.85
6	12	2.13	43	11.86	-0.27
7	17	2.58	72	9.14	6.34

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	57	0.00	-13.00
2	12	2.09	48	0.50	-8.21
3	21	2.50	57	2.11	-5.70
4	18	3.70	60	0.00	-2.70
5	29	1.04	52	14.21	-2.00
6	12	2.05	54	16.40	-1.57
7	17	2.60	67	12.70	0.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.88	54	-8.38	-17.21
2	12	1.60	43	0.13	-11.28
3	21	4.00	66	2.43	-4.87
4	18	5.70	78	0.31	-8.40
5	29	2.61	45	16.05	9.40
6	12	2.57	43	15.27	2.40
7	17	2.70	69	16.98	8.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.76	57	-8.38	-10.13
2	12	3.43	66	1.01	-4.00
3	21	3.01	60	-1.21	-6.71
4	18	5.00	78	0.17	-8.00
5	29	4.36	66	16.60	10.07
6	12	4.00	56	15.27	8.20
7	17	5.40	67	14.88	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.19	48	-8.00	-10.13
2	12	1.53	45	-2.91	-13.56
3	21	2.79	57	-0.50	-8.27
4	18	9.77	80	2.22	-1.21
5	29	4.80	64	13.50	4.19
6	12	5.85	87	8.20	2.00
7	17	5.50	73	12.25	7.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.52	55	-9.05	-16.66
2	12	2.18	32	1.00	-13.55
3	21	5.28	61	4.09	-2.93
4	18	7.83	71	7.40	1.96
5	29	3.67	61	12.02	1.70
6	12	4.27	58	9.67	1.71
7	17	5.41	68	14.11	8.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.75	41	6.30	-6.10
2	12	2.54	42	9.25	-3.33
3	21	5.50	60	9.38	1.74
4	16	10.75	81	6.45	3.05
5	29	2.58	44	16.41	3.90
6	12	3.39	51	15.73	5.41
7	17	5.36	72	17.25	11.40

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.84	61	8.80	-1.90
2	12	4.20	47	12.81	1.81
3	21	9.48	71	10.47	5.02
4	10	9.80	85	9.70	4.08
5	29	2.70	53	10.16	8.82
6	12	7.38	77	14.30	9.98
7	17	2.40	62	16.42	10.22



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.86	62	2.01	0.00
2	12	6.12	70	7.12	3.79
3	21	11.66	88	10.20	8.08
4	10	8.90	80	5.80	2.14
5	29	5.10	75	18.50	13.63
6	12	4.30	75	17.63	13.00
7	17	6.14	72	17.80	12.06



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.25	80	6.80	4.90
2	12	6.78	84	10.82	8.18
3	21	8.35	78	8.81	6.34
4	10	8.81	76	4.78	0.00
5	29	4.97	70	20.05	14.05
6	12	4.02	73	18.19	12.95
7	17	2.08	62	15.94	8.19



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	59	8.30	-1.38
2	12	3.10	71	9.16	3.97
3	21	10.60	85	8.27	5.86
4	10	9.04	85	4.50	2.25
5	29	4.61	74	19.53	14.55
6	12	2.84	63	19.11	13.09
7	17	3.41	67	17.77	10.91



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	61	5.98	-1.11
2	12	2.25	68	9.25	3.51
3	21	8.40	63	10.05	10.18
4	10	8.84	80	8.28	4.65
5	29	6.62	78	18.04	13.65
6	12	2.22	65	21.58	14.71
7	17	2.87	66	19.30	12.12



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.75	68	5.53	3.89
2	12	7.91	77	10.73	6.61
3	21	1.98	66	14.17	7.85
4	10	1.98	59	9.98	0.98
5	29	8.09	63	16.91	13.77
6	12	2.39	68	20.31	14.07
7	17	2.22	62	20.12	5.81

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.08	86	11.10	10.18
2	12	4.27	69	10.16	7.68
3	21	2.01	48	19.66	2.08
4	18	2.55	66	6.70	0.20
5	29	4.43	75	20.03	16.03
6	12	2.52	60	21.19	12.08
7	17	4.51	71	16.48	12.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	86	8.76	8.18
2	12	2.18	67	10.66	2.81
3	21	4.98	73	7.37	2.46
4	18	7.18	89	4.50	1.68
5	29	5.48	77	18.26	14.68
6	12	2.01	65	21.96	14.55
7	17	5.16	77	17.96	13.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.80	84	5.61	-0.07
2	12	1.86	54	12.68	2.77
3	21	10.05	78	12.78	8.88
4	16	8.48	68	6.96	5.04
5	28	6.31	78	18.71	13.63
6	12	2.25	68	20.82	14.85
7	17	2.75	64	18.11	11.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	78	8.30	2.77
2	12	9.68	83	10.32	7.95
3	21	2.09	68	17.37	11.18
4	18	3.78	78	7.11	2.16
5	29	7.11	88	18.83	15.16
6	12	3.38	73	18.80	13.33
7	17	1.84	48	20.81	6.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.84	65	15.88	9.38
2	12	2.98	73	12.77	7.81
3	21	2.11	78	8.19	2.90
4	18	2.31	87	8.98	3.86
5	29	1.98	58	23.78	12.14
6	12	1.76	49	20.58	9.08
7	17	2.18	46	29.29	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	48	10.98	-1.28
2	12	2.18	58	9.81	1.75
3	21	5.43	67	11.47	5.28
4	18	5.25	75	12.28	7.67
5	28	2.28	58	22.06	10.98
6	12	2.17	55	22.07	12.28
7	17	3.78	71	21.58	15.71

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.57	40	8.90	-4.60
2	12	6.94	68	8.11	3.23
3	21	6.68	70	14.04	10.66
4	10	4.87	65	10.70	5.04
5	20	2.74	55	26.30	15.41
6	12	2.55	62	23.79	16.08
7	17	2.10	46	21.72	7.84



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	58	7.40	-0.14
2	12	5.20	77	12.86	8.60
3	21	1.73	57	15.30	8.23
4	10	2.10	60	5.40	0.00
5	20	3.36	63	24.32	16.66
6	12	2.64	75	20.50	15.69
7	17	2.64	62	17.89	10.25



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	55	19.00	6.00
2	12	3.71	62	14.30	6.00
3	21	4.81	79	7.63	3.00
4	10	2.70	69	8.20	-3.80
5	20	2.60	60	23.55	17.16
6	12	7.95	80	15.92	14.11
7	17	2.76	60	15.60	6.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.35	92	8.40	7.21
2	12	7.10	87	12.63	10.55
3	21	9.70	76	-0.85	-3.96
4	10	1.30	50	9.89	-6.00
5	20	2.03	47	14.26	2.50
6	11	5.90	81	8.40	-1.31
7	17	1.95	94	17.29	1.17



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	61	2.77	-4.10
2	12	7.76	78	0.41	-4.71
3	21	2.62	57	1.00	-8.30
4	10	1.40	42	8.31	-0.21
5	20	1.92	36	13.25	-2.60
6	12	1.06	41	11.84	-1.24
7	17	1.03	44	21.17	0.13

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	53	8.30	-2.91
2	12	1.00	57	3.19	-4.71
3	21	2.17	63	3.32	-3.22
4	10	1.00	55	5.41	-9.32
5	20	1.01	33	16.81	-0.07
6	12	1.01	43	16.47	3.79
7	17	2.21	61	20.10	11.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.32	57	2.00	-6.00
2	12	1.76	46	4.16	-6.00
3	21	2.01	57	4.17	-5.77
4	10	1.60	56	6.62	-2.11
5	20	2.00	55	15.26	8.07
6	12	5.50	81	13.60	10.13
7	17	1.07	90	14.70	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	67	2.22	-5.41
2	12	1.57	61	5.51	-6.70
3	21	1.50	56	3.05	-6.75
4	10	1.40	43	6.50	-9.67
5	20	5.67	70	12.16	7.06
6	12	6.15	85	8.25	1.71
7	17	2.10	86	15.30	8.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.32	70	-0.65	-5.50
2	12	1.09	68	2.56	-6.23
3	21	2.17	56	4.56	-5.72
4	10	0.70	66	7.66	0.33
5	20	2.10	65	12.06	0.23
6	12	1.65	45	11.60	-0.73
7	17	0.06	61	17.61	8.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	27	0.15	-10.97
2	12	1.35	38	0.92	-8.08
3	21	2.45	52	0.15	-1.32
4	10	3.21	68	10.25	4.36
5	20	2.08	38	15.51	0.26
6	12	1.58	41	14.96	1.38
7	17	5.30	73	18.45	13.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	28	19.93	-9.96
2	12	1.42	28	12.17	-8.67
3	21	2.58	49	11.52	-0.15
4	10	0.47	83	7.25	4.51
5	20	2.01	36	17.30	1.26
6	12	2.35	43	17.88	4.07
7	17	4.32	82	18.08	8.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	32	13.80	-2.84
2	12	1.00	22	13.42	-3.06
3	21	4.19	67	6.93	2.84
4	10	2.91	72	7.48	2.42
5	20	4.26	68	16.84	10.05
6	12	2.05	68	17.17	9.02
7	17	1.80	58	15.77	9.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.02	60	0.00	0.10
2	12	2.01	74	11.57	0.00
3	21	3.52	62	10.80	3.40
4	10	2.50	50	11.69	2.70
5	20	2.06	58	10.06	0.45
6	12	3.15	70	12.17	7.95
7	17	1.70	81	16.74	5.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	27	0.30	-11.90
2	12	1.27	33	10.60	-5.22
3	21	2.16	44	13.34	-0.00
4	10	2.44	51	15.00	3.15
5	20	2.45	60	17.20	6.70
6	12	3.60	62	14.30	7.07
7	17	2.37	67	16.78	7.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	30	7.40	-7.80
2	12	1.64	32	11.75	-6.00
3	21	5.08	62	12.13	4.50
4	10	4.20	71	8.57	3.30
5	20	2.30	40	17.23	5.97
6	12	2.34	55	10.60	9.40
7	17	3.30	60	10.94	11.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	50	0.04	-3.00
2	12	2.17	46	11.75	0.41
3	21	7.50	73	12.13	2.27
4	10	3.60	84	5.70	-0.51
5	20	4.70	72	14.82	9.51
6	12	4.00	83	14.53	11.61
7	17	2.04	70	10.60	11.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	70	0.33	2.40
2	12	6.51	80	10.13	6.30
3	21	4.17	70	12.59	5.97
4	10	3.51	82	8.10	1.10
5	20	6.27	79	18.11	14.29
6	12	4.12	81	16.04	13.51
7	17	5.61	80	17.25	13.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.76	52	10.13	8.94
2	12	5.14	68	14.62	8.03
3	21	9.01	83	9.03	6.92
4	10	3.51	68	9.44	3.57
5	20	5.31	82	19.54	16.47
6	12	2.31	70	21.52	15.22
7	17	1.60	41	19.57	4.54

CAPITA


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 3.17
APR. 1 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 1
Bave= 2.88
APR. 2 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 1
Bave= 3.14
APR. 3 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 4
Bave= 3.80
APR. 4 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.09
APR. 5 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 1
Bave= 2.14
APR. 6 1973

CAPITA


Bave= 4.22
APR. 7 1973


Bave= 3.52
APR. 8 1973


Bave= 4.78
APR. 9 1973


Bave= 2.78
APR. 10 1973


Bave= 2.24
APR. 11 1973


Bave= 2.34
APR. 12 1973

CAPITA


Bave= 2.15
APR. 13 1973


Bave= 2.52
APR. 14 1973


Bave= 2.85
APR. 15 1973


Bave= 2.97
APR. 16 1973


Bave= 3.26
APR. 17 1973


Bave= 3.32
APR. 18 1973

CAPITA


Bavg= 3.21
APR. 19 1973


Bavg= 2.25
APR. 20 1973


Bavg= 2.61
APR. 21 1973


Bavg= 2.18
APR. 22 1973


Bavg= 2.38
APR. 23 1973


Bavg= 2.70
APR. 24 1973

CAPITA


Rmax= 3.84
APR. 25 1973


Rmax= 3.41
APR. 26 1973

Rmax= 3.28
APR. 27 1973


Rmax= 2.06
APR. 28 1973

Rmax= 2.06
APR. 29 1973


Rmax= 3.55
APR. 30 1973

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.74	50	14.44	8.34
2	12	2.40	51	16.57	8.58
3	21	2.95	60	19.94	13.91
4	18	3.51	72	11.46	5.83
5	20	2.30	48	24.60	13.36
6	12	3.36	58	23.28	13.60
7	18	3.15	64	24.14	15.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.17	67	18.60	12.36
2	12	3.45	65	20.32	13.51
3	21	3.39	75	15.84	10.01
4	18	2.23	57	9.05	-0.20
5	20	2.61	58	24.34	15.47
6	12	2.01	69	22.12	18.06
7	17	2.01	57	20.42	11.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.12	61	22.68	16.08
2	12	3.46	76	15.60	11.10
3	21	1.51	58	9.20	1.29
4	18	1.47	51	15.58	-1.52
5	20	3.30	66	22.36	15.11
6	12	2.70	67	18.88	10.45
7	17	1.86	41	20.81	8.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	50	14.33	4.02
2	12	1.78	62	10.13	2.82
3	21	2.07	45	11.47	-0.83
4	18	1.62	35	18.98	2.80
5	20	2.06	41	19.93	6.12
6	12	1.74	33	19.34	2.82
7	17	1.63	37	22.90	7.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	58	10.69	2.83
2	12	1.30	52	10.92	1.20
3	21	1.64	38	15.15	0.92
4	18	1.75	63	17.94	7.00
5	20	1.98	31	20.47	2.68
6	12	1.93	31	20.50	2.62
7	17	2.52	58	22.18	13.49



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	55	12.83	3.74
2	12	1.28	41	16.43	3.14
3	21	2.24	50	16.26	5.04
4	18	3.83	77	15.58	11.41
5	20	2.11	58	21.64	6.66
6	12	2.33	54	18.80	9.02
7	17	3.75	70	22.80	10.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.60	68	14.10	2.84
2	12	1.45	38	18.20	6.38
3	21	4.10	63	17.74	8.49
4	16	4.00	70	15.88	9.47
5	20	2.20	48	26.09	17.68
6	12	2.85	85	21.75	16.62
7	17	1.81	84	24.21	12.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.01	58	18.80	8.26
2	12	2.36	70	16.82	8.65
3	21	4.00	78	17.58	13.56
4	16	1.69	48	23.00	8.46
5	20	3.58	71	22.68	16.56
6	12	1.86	86	24.11	18.75
7	17	1.64	58	28.78	10.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.60	90	12.21	11.11
2	12	6.70	84	16.60	13.67
3	21	2.11	58	21.58	12.74
4	16	1.58	48	18.78	7.48
5	20	2.46	61	25.61	17.27
6	12	1.88	48	24.95	13.16
7	17	1.75	62	28.68	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.08	78	17.77	13.19
2	12	3.71	56	21.82	12.40
3	21	2.25	57	19.85	10.47
4	16	1.52	68	18.50	9.78
5	20	2.36	68	27.09	16.78
6	12	1.97	53	28.47	15.09
7	17	2.33	51	30.95	16.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.81	81	19.48	12.07
2	12	3.62	57	18.18	8.83
3	21	1.78	48	17.58	6.37
4	16	1.64	46	17.25	4.30
5	20	2.21	43	28.48	16.36
6	12	3.55	58	26.71	16.21
7	17	2.70	38	27.47	17.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.21	58	18.18	8.05
2	12	1.78	62	15.36	7.06
3	21	2.06	59	13.27	5.15
4	16	1.58	61	14.68	6.68
5	20	2.21	48	25.64	13.96
6	12	1.78	53	22.88	12.31
7	17	2.19	58	23.48	12.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.46	48	18.10	6.86
2	12	1.48	65	14.86	6.86
3	21	1.78	56	13.25	2.66
4	18	1.46	82	16.61	-1.46
5	29	2.06	49	24.80	10.78
6	12	1.78	45	19.96	8.08
7	17	1.71	41	22.16	8.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.56	47	18.00	6.57
2	12	2.00	58	15.55	5.06
3	21	1.50	48	12.05	1.56
4	18	1.46	28	16.00	-9.50
5	29	2.62	50	23.23	12.12
6	12	1.68	37	20.52	5.78
7	17	1.62	48	20.46	7.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.10	70	12.01	7.40
2	12	0.01	70	11.60	6.28
3	21	1.77	58	13.90	-1.00
4	18	1.56	24	20.87	-1.17
5	29	2.00	47	22.10	8.66
6	12	1.56	56	19.16	2.72
7	17	1.62	80	21.49	8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	48	18.30	3.76
2	12	1.46	38	16.66	2.72
3	21	2.08	46	14.91	2.43
4	18	1.50	32	15.51	-1.50
5	29	2.22	38	20.74	5.78
6	12	1.62	33	21.15	4.11
7	17	1.62	37	25.00	8.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.11	58	17.49	8.00
2	12	3.58	62	12.72	6.22
3	21	1.08	39	12.85	-1.15
4	18	1.52	25	19.62	-0.93
5	29	2.27	43	22.06	8.67
6	12	1.70	38	19.25	6.46
7	17	1.91	37	24.89	8.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.43	68	10.63	8.33
2	12	1.88	68	10.27	2.03
3	21	2.03	58	16.35	1.58
4	18	1.67	23	24.62	0.97
5	29	2.03	37	20.51	5.18
6	12	1.75	23	20.62	5.03
7	17	2.15	42	28.00	13.08

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	66	19.00	4.02
2	12	1.58	48	17.44	3.86
3	21	3.60	65	16.42	9.62
4	18	1.62	86	20.90	8.01
5	29	2.71	46	23.76	10.76
6	12	2.57	57	24.40	14.94
7	17	1.82	48	30.36	15.51



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.22	81	10.00	10.00
2	12	5.82	90	12.86	11.20
3	21	2.87	51	18.35	7.57
4	18	1.82	98	25.40	9.29
5	29	3.23	63	23.06	16.14
6	12	3.06	83	22.54	15.04
7	17	1.82	53	28.00	17.18

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.00	81	14.57	10.00
2	12	3.10	78	13.87	8.81
3	21	2.78	45	21.45	8.75
4	18	2.21	66	25.19	12.68
5	29	2.84	46	24.62	12.12
6	12	3.02	48	24.05	15.18
7	17	1.80	48	28.73	17.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	64	14.50	7.77
2	12	1.72	41	20.13	6.33
3	21	7.96	79	17.85	14.01
4	18	3.65	52	19.40	7.42
5	29	2.91	44	27.10	13.63
6	12	3.00	57	25.92	16.47
7	17	1.80	58	27.51	17.74



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	48	17.81	5.96
2	12	6.68	78	14.85	10.69
3	21	8.90	79	18.90	13.22
4	18	1.78	45	21.97	8.04
5	29	4.86	61	26.91	18.25
6	12	2.62	60	27.21	18.70
7	17	2.18	58	28.76	17.28



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	55	17.49	8.53
2	12	3.73	72	16.33	11.01
3	21	7.02	63	19.78	12.03
4	18	2.52	65	17.80	10.03
5	29	4.62	71	23.48	17.67
6	12	3.07	69	22.31	18.19
7	17	2.29	58	28.13	17.74

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.17	76	19.52	8.18
2	12	2.37	70	16.81	10.13
3	21	3.50	71	18.40	12.90
4	18	2.54	66	17.58	7.77
5	29	3.56	68	23.40	16.01
6	12	2.87	61	25.78	17.77
7	17	2.15	60	27.10	17.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	67	12.63	8.88
2	12	2.76	70	14.86	9.44
3	21	2.90	69	19.08	11.83
4	18	3.66	80	18.09	12.42
5	29	3.67	71	23.53	17.66
6	12	3.21	66	26.01	18.00
7	17	2.34	56	29.53	18.66



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	67	15.88	7.21
2	12	2.38	73	14.91	8.90
3	21	7.31	85	17.27	14.78
4	18	4.58	77	14.29	10.17
5	29	3.88	74	24.74	18.47
6	12	3.54	80	23.65	18.84
7	17	2.24	41	27.02	10.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.22	62	12.91	12.35
2	12	4.39	66	19.53	16.04
3	21	3.54	69	19.40	13.03
4	18	2.58	80	18.60	10.16
5	29	2.40	65	20.40	20.00
6	12	2.05	54	25.55	15.31
7	17	2.10	43	24.88	11.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	52	26.10	15.13
2	12	1.82	56	23.14	13.74
3	21	3.26	70	18.00	11.76
4	18	1.77	58	16.84	7.04
5	29	2.37	63	27.33	19.42
6	12	2.09	58	29.32	14.53
7	17	1.03	59	27.16	11.56

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	59	22.91	13.60
2	12	3.32	61	21.04	13.03
3	21	4.04	69	16.13	9.91
4	18	1.64	45	21.28	8.36
5	29	2.61	56	26.95	17.37
6	12	2.18	51	25.09	14.67
7	17	1.88	42	27.21	12.90

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.87	69	21.30	13.00
2	12	2.20	63	20.04	12.03
3	21	2.02	48	22.11	10.60
4	10	1.50	46	23.57	10.02
5	20	2.24	40	26.00	15.12
6	12	2.50	50	25.95	16.50
7	17	2.16	67	28.62	17.06

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.02	45	23.60	8.86
2	12	2.23	52	22.77	12.21
3	21	2.29	51	24.20	13.43
4	10	1.86	51	25.88	14.47
5	20	2.52	51	26.62	15.66
6	12	2.87	66	25.62	18.42
7	17	2.70	64	27.34	19.66



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	34	10.10	1.00
2	12	1.47	48	20.67	9.76
3	21	2.98	58	25.20	18.02
4	10	2.38	67	22.60	18.51
5	20	2.51	58	28.36	16.80
6	12	2.91	59	28.85	19.50
7	17	2.00	58	27.57	17.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	35	19.50	3.74
2	12	2.68	54	20.62	10.73
3	21	3.63	68	25.19	13.77
4	10	2.33	61	21.24	13.35
5	20	3.03	54	29.39	13.98
6	12	2.35	55	29.95	20.04
7	17	1.91	57	26.95	17.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.10	77	20.90	18.86
2	12	4.00	63	26.15	18.32
3	21	2.91	70	24.62	18.87
4	10	2.08	65	20.20	12.70
5	20	2.64	53	30.07	19.45
6	12	2.45	58	29.99	19.85
7	17	2.11	57	28.27	18.91

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.07	72	22.21	18.00
2	12	2.60	58	27.60	18.65
3	21	3.01	69	24.83	18.77
4	10	1.41	43	22.52	9.19
5	20	2.51	55	29.99	19.97
6	12	2.52	61	27.72	19.25
7	17	2.08	58	26.40	17.10

CAPITA

REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.20	70	23.90	17.21
2	12	2.88	88	26.70	18.62
3	21	5.28	85	22.87	15.45
4	10	1.48	80	24.89	8.30
5	28	2.62	82	28.15	20.08
6	12	5.21	70	26.36	18.08
7	17	1.89	48	27.83	16.04



REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.22	84	26.80	18.74
2	12	2.50	88	25.31	18.70
3	21	1.98	53	24.70	15.48
4	10	1.67	68	26.16	12.25
5	28	2.33	82	27.29	19.22
6	12	2.65	58	26.84	18.06
7	17	1.62	48	28.80	16.04

REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.41	93	28.76	14.08
2	12	2.66	68	27.77	18.56
3	21	2.26	93	27.71	15.87
4	10	1.84	62	27.87	18.57
5	28	2.58	83	28.62	20.70
6	12	2.96	81	28.88	18.81
7	17	1.87	48	28.88	16.80



REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.75	90	28.72	17.77
2	12	3.68	52	29.86	18.36
3	21	2.91	47	28.35	15.81
4	10	1.82	91	29.93	15.46
5	28	2.67	65	28.23	20.98
6	12	2.67	80	28.83	20.58
7	17	2.28	53	28.86	16.05



REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.75	36	27.21	10.09
2	12	1.52	38	29.62	11.80
3	21	2.47	50	30.36	18.93
4	10	1.76	96	29.33	15.55
5	29	3.72	61	28.19	20.66
6	12	2.81	57	30.19	20.83
7	17	1.98	56	28.62	18.55



REGION	# STNS	DIST	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.52	95	33.05	19.30
2	12	3.49	97	31.84	18.16
3	21	2.71	52	30.65	19.03
4	10	1.64	98	27.14	18.94
5	29	4.08	63	29.28	21.26
6	12	3.03	58	30.22	21.38
7	17	3.26	84	28.76	18.91

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	57	30.60	20.55
2	12	6.53	60	20.00	18.30
3	21	3.63	62	27.13	19.22
4	10	1.68	65	29.77	15.76
5	20	2.02	63	20.23	21.46
6	12	4.80	75	28.50	21.52
7	17	2.75	68	28.33	18.04

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	66	21.60	10.02
2	12	2.82	64	24.85	17.56
3	21	2.25	48	24.98	12.18
4	10	1.71	52	26.07	15.16
5	20	3.77	65	28.70	21.54
6	12	5.04	67	28.19	21.43
7	17	2.48	68	28.78	20.16

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	40	25.27	10.00
2	12	1.31	38	24.05	9.50
3	21	2.30	41	26.47	11.98
4	10	2.28	59	27.80	18.10
5	20	2.04	52	28.55	18.81
6	12	4.89	65	28.58	21.43
7	17	1.90	68	28.17	20.87



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	40	19.43	4.71
2	12	1.45	37	24.16	7.68
3	21	3.08	56	28.47	16.80
4	10	2.18	58	28.19	16.70
5	20	3.45	54	29.21	18.73
6	12	4.15	67	28.60	21.81
7	17	2.24	68	30.00	20.55



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.63	81	16.94	13.47
2	12	7.06	80	21.84	18.32
3	21	5.92	73	27.95	22.81
4	10	2.79	58	25.79	18.41
5	20	4.07	68	28.40	21.75
6	12	3.36	71	28.48	22.83
7	17	2.07	57	30.32	20.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	52	19.74	8.00
2	12	1.70	57	19.84	11.10
3	21	3.59	71	24.38	18.83
4	10	1.56	42	28.41	11.60
5	20	3.32	61	29.13	20.78
6	12	2.37	62	29.53	21.38
7	17	1.93	66	30.61	19.27

CAPITA


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 3.01
JUN. 18 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 1
Bave= 2.85
JUN. 19 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.89
JUN. 20 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 1
Bave= 2.95
JUN. 21 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.85
JUN. 22 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.46
JUN. 23 1973

CAPITA


Bave= 2.80
JUN. 24 1973


Bave= 3.29
JUN. 25 1973


Bave= 3.65
JUN. 26 1973


Bave= 3.06
JUN. 27 1973


Bave= 2.60
JUN. 28 1973


Bave= 2.51
JUN. 29 1973

CAPITA


Bave= 3.00
JUN. 30 1973


Bave= 2.97
JUL. 1 1973


Bave= 3.62
JUL. 2 1973


Bave= 3.32
JUL. 3 1973


Bave= 3.06
JUL. 4 1973


Bave= 2.33
JUL. 5 1973

CAPITA


Bavg= 2.92
JUL. 6 1973


Bavg= 3.00
JUL. 7 1973


Bavg= 3.68
JUL. 8 1973


Bavg= 4.13
JUL. 9 1973


Bavg= 3.66
JUL. 10 1973


Bavg= 2.90
JUL. 11 1973

CAPITA


Rmax= 2.30
JUL. 12 1973


Rmax= 2.81
JUL. 13 1973


Rmax= 3.67
JUL. 14 1973


Rmax= 2.96
JUL. 15 1973


Rmax= 2.60
JUL. 16 1973


Rmax= 2.79
JUL. 17 1973

CAPITA


JUL. 18 1973
JUL. 19 1973
JUL. 20 1973
JU.. 21 1973
JUL. 22 1973
JUL. 23 1973
CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	37	20.76	12.01
2	12	1.70	41	28.42	13.80
3	21	5.74	60	27.11	20.75
4	10	2.60	64	25.96	18.40
5	20	3.25	63	30.50	20.70
6	12	2.71	64	30.32	22.01
7	17	2.04	56	31.00	21.70



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	48	20.40	15.06
2	12	2.02	58	20.30	16.06
3	21	5.27	67	20.54	21.03
4	10	1.04	64	26.13	17.50
5	20	2.00	62	20.80	20.01
6	12	3.90	71	20.00	22.91
7	17	2.00	50	30.46	20.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.04	80	20.77	18.10
2	12	4.07	70	26.40	20.04
3	21	4.27	70	20.20	20.20
4	10	1.06	70	26.51	18.07
5	20	3.17	66	20.10	22.00
6	12	3.55	75	20.00	23.06
7	17	1.00	69	31.40	20.50

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.77	76	20.25	21.50
2	12	3.26	60	20.42	19.05
3	21	2.13	55	27.98	17.01
4	10	2.17	54	25.72	16.40
5	20	2.06	64	29.97	22.35
6	12	3.20	53	29.67	20.73
7	17	2.15	51	31.03	20.15

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.13	57	20.09	20.37
2	12	2.40	60	20.90	18.00
3	21	2.21	60	25.50	15.25
4	10	1.60	67	24.62	16.00
5	20	3.05	60	20.30	21.50
6	12	2.47	55	30.92	20.67
7	17	1.90	54	31.43	21.00

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.03	71	25.00	19.70
2	12	1.94	65	26.30	16.52
3	21	2.00	57	24.40	15.47
4	10	2.06	59	20.42	17.62
5	20	2.00	56	30.05	20.12
6	12	2.40	54	30.45	20.00
7	17	1.07	60	20.54	21.00

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	90	27.35	18.00
2	12	2.02	68	27.21	15.86
3	21	3.03	69	28.20	18.01
4	10	1.07	88	28.00	18.00
5	28	2.26	57	30.10	20.60
6	12	6.02	83	29.10	21.20
7	17	2.50	64	29.07	21.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	81	28.00	18.10
2	12	6.05	63	27.05	17.05
3	21	5.53	71	24.40	18.00
4	10	1.00	88	28.50	19.01
5	28	6.00	65	29.57	22.01
6	12	5.10	78	27.00	22.72
7	17	1.70	68	28.04	21.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	88	26.05	18.00
2	12	7.62	75	26.67	18.01
3	21	5.00	78	22.10	18.71
4	10	1.00	98	24.40	12.00
5	28	6.00	78	28.20	20.21
6	12	5.55	72	27.55	21.06
7	17	2.47	84	28.00	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.25	80	24.43	21.04
2	12	5.58	76	26.10	21.35
3	21	2.52	59	25.51	15.04
4	10	1.00	48	28.70	12.00
5	28	3.00	74	27.62	22.10
6	12	5.21	59	27.12	18.37
7	17	2.28	84	28.62	17.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.70	74	26.80	21.00
2	12	4.70	66	26.01	19.11
3	21	2.52	52	25.07	14.50
4	10	1.02	48	27.77	14.02
5	28	5.20	70	27.90	21.60
6	12	4.53	59	27.31	18.90
7	17	2.07	81	28.59	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.12	48	28.10	17.40
2	12	2.38	50	27.02	16.30
3	21	2.44	51	26.37	15.20
4	10	2.01	48	28.01	10.40
5	28	8.02	62	29.15	21.02
6	12	4.74	51	28.00	16.00
7	17	2.07	47	28.27	16.00

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	38	29.72	14.02
2	12	1.81	41	28.16	13.68
3	21	5.17	38	28.87	17.24
4	18	2.23	62	27.78	18.64
5	29	4.68	61	29.07	20.65
6	12	4.81	53	28.42	17.69
7	17	3.14	64	28.75	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	48	27.81	13.88
2	12	2.68	42	28.44	15.31
3	21	5.08	48	28.32	16.58
4	18	3.83	56	27.11	17.25
5	29	4.36	60	29.72	20.85
6	12	7.72	57	28.88	19.38
7	17	2.78	84	30.68	28.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.88	48	31.25	18.06
2	12	6.13	48	28.67	17.67
3	21	5.06	58	29.48	17.88
4	18	2.86	86	28.40	18.67
5	28	4.03	63	28.58	21.48
6	12	4.53	57	30.18	20.75
7	17	1.88	84	33.48	31.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.25	58	30.41	20.69
2	12	6.91	51	30.33	18.97
3	21	4.20	58	30.83	21.68
4	18	2.48	80	26.87	17.73
5	29	3.73	67	30.85	21.06
6	12	5.21	80	30.50	21.98
7	17	1.88	97	31.27	21.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.65	52	31.94	20.68
2	12	6.17	56	31.10	21.15
3	21	2.06	85	28.35	20.94
4	18	1.71	57	25.88	16.21
5	29	4.28	59	30.60	21.47
6	12	3.51	80	30.89	22.07
7	17	1.04	94	31.63	20.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.85	84	33.19	28.43
2	12	5.08	59	29.85	20.78
3	21	2.95	69	28.95	18.06
4	18	1.80	81	27.43	18.31
5	29	5.08	62	30.28	22.12
6	12	2.78	85	29.30	21.93
7	17	1.05	88	31.49	21.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.00	84	28.10	21.80
2	12	3.65	86	27.21	18.58
3	21	5.08	58	27.80	19.01
4	18	1.76	87	26.46	17.14
5	28	3.27	82	30.74	22.58
6	12	4.42	88	30.50	22.68
7	17	2.86	85	31.65	20.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.27	68	28.80	17.36
2	12	2.01	87	28.80	18.60
3	21	2.81	68	28.58	17.95
4	18	1.05	85	27.14	17.28
5	28	3.00	58	31.37	22.08
6	12	3.11	78	29.36	23.16
7	17	2.62	84	31.38	20.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	47	28.84	16.66
2	12	2.46	64	26.38	18.01
3	21	3.28	55	28.58	18.06
4	18	2.87	68	24.62	17.14
5	28	2.77	66	30.86	21.47
6	12	4.82	68	28.93	22.46
7	17	2.02	64	30.76	20.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.16	64	29.80	16.24
2	12	4.12	63	26.17	17.31
3	21	6.59	76	23.90	18.45
4	18	2.11	53	28.34	15.66
5	28	3.13	65	29.55	22.23
6	12	2.70	65	28.23	20.32
7	17	1.99	62	31.43	20.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.27	97	18.85	17.49
2	12	6.33	75	24.16	19.03
3	21	3.81	61	25.33	17.21
4	18	2.65	59	25.98	16.38
5	28	2.76	84	28.96	21.26
6	12	3.39	59	28.00	19.34
7	17	2.08	52	31.43	19.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	68	23.85	16.80
2	12	3.02	62	24.62	16.75
3	21	3.77	54	25.95	16.89
4	18	2.27	52	28.76	17.21
5	28	3.56	62	29.36	21.30
6	12	3.72	59	28.33	19.38
7	17	1.95	57	30.89	19.89

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.57	60	26.24	17.77
2	12	3.31	61	25.62	17.68
3	21	8.11	56	28.74	17.74
4	18	2.38	54	29.40	18.08
5	29	5.52	67	28.69	21.88
6	12	8.81	68	27.17	20.89
7	17	2.00	55	30.84	18.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.31	58	27.21	18.19
2	12	4.28	71	23.83	18.14
3	21	8.83	57	27.85	18.54
4	18	2.23	52	30.37	18.78
5	29	3.78	68	27.78	21.31
6	12	4.56	59	29.07	20.27
7	17	2.02	67	30.26	20.18

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	63	24.90	17.96
2	12	3.86	61	25.80	18.04
3	21	8.90	66	26.50	19.78
4	18	2.18	51	29.64	18.28
5	29	4.10	58	28.88	20.28
6	12	8.52	55	29.62	19.71
7	17	2.01	62	31.40	18.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.32	60	25.27	16.80
2	12	3.86	65	23.89	16.52
3	21	2.33	57	26.07	16.63
4	18	1.74	50	28.01	16.41
5	29	5.03	64	27.67	19.97
6	12	5.53	59	29.25	19.39
7	17	2.66	48	32.54	19.68

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	52	24.99	14.44
2	12	2.18	64	22.21	14.76
3	21	1.86	55	21.95	12.43
4	18	2.05	54	26.62	15.86
5	29	3.07	63	26.85	18.86
6	12	2.21	50	27.45	15.32
7	17	3.34	48	32.54	18.24

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.13	64	18.47	15.69
2	12	1.06	64	20.27	13.08
3	21	1.83	49	21.82	10.47
4	18	2.09	60	25.88	18.76
5	29	3.18	61	25.83	17.61
6	12	2.50	51	26.47	15.64
7	17	2.91	41	32.55	17.25

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	40	21.04	10.41
2	12	1.67	62	21.75	11.47
3	21	3.67	68	20.10	13.90
4	18	3.20	66	24.20	17.14
5	29	3.24	62	26.12	18.00
6	12	3.30	51	28.05	18.90
7	17	2.52	40	32.04	18.82

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	47	29.32	11.24
2	12	2.06	48	24.36	12.83
3	21	4.55	67	22.60	18.07
4	18	4.01	71	22.04	18.68
5	29	3.80	60	27.04	18.22
6	12	4.41	57	28.05	18.42
7	17	2.60	41	29.19	17.26



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	62	23.00	19.30
2	12	3.20	48	26.24	14.62
3	21	6.90	62	27.95	18.00
4	18	5.20	54	28.49	18.76
5	29	3.72	64	28.10	20.40
6	12	3.57	53	29.99	18.34
7	17	2.56	43	32.91	17.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.73	52	27.77	16.94
2	12	6.35	55	28.69	18.79
3	21	5.48	59	31.81	22.85
4	18	5.02	48	31.24	18.48
5	29	3.35	58	30.01	20.89
6	12	3.89	54	30.55	20.19
7	17	2.57	40	31.20	18.49

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.49	68	28.19	21.30
2	12	8.00	66	29.02	21.04
3	21	4.63	54	32.85	22.45
4	18	2.62	47	32.29	19.03
5	29	3.72	57	31.24	21.64
6	12	3.57	53	31.52	20.78
7	17	2.65	53	30.30	18.47

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.32	65	30.27	23.05
2	12	4.79	54	32.77	22.03
3	21	5.12	49	32.91	20.83
4	18	3.19	44	30.90	17.28
5	29	4.35	55	32.27	22.02
6	12	4.94	52	31.93	20.87
7	17	2.02	55	29.03	19.86

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.10	48	31.00	17.00
2	12	5.08	60	32.50	20.50
3	21	6.56	51	32.01	20.71
4	10	2.06	48	30.00	17.26
5	20	4.56	58	31.72	22.31
6	12	5.10	57	31.15	21.47
7	17	2.10	60	28.17	20.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.10	48	34.17	20.03
2	12	8.68	46	32.00	19.00
3	21	7.50	65	27.55	20.20
4	10	2.30	65	28.87	18.71
5	20	6.00	57	31.00	22.00
6	12	6.77	55	31.01	20.90
7	17	2.02	67	29.00	20.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.00	64	31.00	21.00
2	12	7.30	48	32.00	20.10
3	21	6.06	57	30.05	20.00
4	10	2.00	60	27.50	18.00
5	20	3.00	64	30.15	22.10
6	12	2.20	55	30.52	21.00
7	17	2.00	64	31.10	20.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.26	56	30.13	20.07
2	12	5.32	53	31.36	20.56
3	21	5.01	53	31.55	21.00
4	10	3.07	66	29.75	18.44
5	20	3.66	61	30.70	22.21
6	12	1.79	56	30.06	20.50
7	17	2.32	61	28.70	21.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.20	67	29.60	22.07
2	12	5.30	61	32.12	20.73
3	21	2.27	51	31.74	20.52
4	10	2.00	75	24.33	18.37
5	20	4.30	61	30.11	21.52
6	12	2.26	55	30.41	19.05
7	17	2.70	66	30.75	21.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.30	56	32.00	21.00
2	12	4.00	52	31.52	20.04
3	21	3.16	50	31.37	19.30
4	10	2.00	66	25.16	18.00
5	20	4.04	56	30.03	21.12
6	12	2.70	54	30.27	19.05
7	17	2.36	60	29.00	20.74

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.66	67	30.88	21.10
2	12	4.15	48	31.94	18.58
3	21	4.35	61	28.41	19.59
4	18	1.70	54	24.40	19.84
5	20	4.76	60	30.30	21.81
6	12	3.59	58	31.57	18.78
7	17	2.00	69	28.62	20.95



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.50	77	24.30	19.88
2	12	6.02	57	30.00	20.58
3	21	4.50	58	27.45	18.58
4	18	1.66	46	25.10	9.96
5	20	4.67	61	29.70	21.30
6	12	4.00	60	29.81	21.08
7	17	2.70	68	24.68	17.74



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.75	65	29.08	20.58
2	12	4.74	64	26.82	18.18
3	21	1.87	45	24.12	11.42
4	18	1.53	43	23.40	9.88
5	20	3.21	61	30.81	21.68
6	12	3.99	69	28.00	21.57
7	17	3.86	78	24.47	18.24



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	40	22.77	8.40
2	12	1.38	42	23.76	10.18
3	21	1.90	44	23.32	10.52
4	18	2.00	53	22.18	11.90
5	20	2.05	54	30.22	19.74
6	12	4.00	63	28.60	20.84
7	17	2.24	72	25.94	20.20



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	51	18.33	7.01
2	12	1.33	41	22.72	8.00
3	21	3.25	57	21.50	12.21
4	18	7.05	63	20.08	10.94
5	20	2.50	53	29.86	19.03
6	12	3.28	54	30.55	20.27
7	17	2.34	68	28.62	21.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	48	17.69	8.24
2	12	1.33	44	20.58	7.77
3	21	4.58	68	19.89	13.40
4	18	2.07	74	22.11	17.21
5	20	3.57	63	28.42	20.38
6	12	3.34	65	29.48	22.12
7	17	2.04	61	30.48	22.06

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	41	18.99	4.71
2	12	1.42	40	20.65	8.48
3	21	2.45	52	22.85	12.27
4	18	3.66	69	23.48	15.00
5	20	2.00	61	26.47	17.00
6	12	3.95	65	28.00	20.00
7	17	3.85	66	28.81	22.00

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	47	24.50	12.48
2	12	2.33	48	24.76	12.45
3	21	3.50	51	22.77	11.55
4	18	2.00	48	21.17	8.00
5	20	3.12	58	28.00	18.00
6	12	5.38	62	27.31	18.48
7	17	5.85	66	28.72	21.43

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	48	20.98	8.06
2	12	1.27	38	21.38	5.64
3	21	1.78	48	21.82	7.42
4	18	2.01	61	18.88	8.61
5	20	3.46	55	20.57	18.38
6	12	4.25	53	20.18	17.58
7	17	4.08	66	20.16	20.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	41	20.82	7.21
2	12	1.39	39	21.84	7.12
3	21	2.34	47	22.50	10.28
4	18	4.15	73	17.11	11.99
5	20	4.06	64	27.86	20.28
6	12	7.09	70	25.41	20.04
7	17	2.54	62	29.37	20.04

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	79	17.07	12.07
2	12	6.48	86	18.42	16.01
3	21	4.41	58	22.50	13.54
4	18	2.11	80	17.60	8.00
5	20	5.14	77	27.80	22.38
6	12	3.89	71	28.38	20.73
7	17	2.01	64	26.20	18.72



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.34	68	18.19	11.04
2	12	2.07	63	20.41	13.08
3	21	2.17	48	22.03	10.63
4	18	4.84	70	12.84	8.85
5	20	3.10	69	27.63	18.86
6	12	5.42	58	26.84	17.01
7	17	2.04	58	26.82	17.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.25	56	20.87	11.26
2	12	2.10	60	20.55	12.40
3	21	2.21	65	17.18	9.85
4	16	2.01	70	16.55	9.62
5	20	3.75	55	20.06	10.29
6	12	4.48	51	27.00	10.96
7	17	5.00	61	28.17	17.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.39	61	16.13	6.00
2	12	1.30	60	17.40	8.05
3	21	5.57	77	15.97	12.52
4	16	1.00	62	12.10	6.40
5	20	6.02	68	26.02	18.46
6	12	6.42	58	27.81	18.05
7	17	6.08	64	29.00	19.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.07	95	15.87	15.00
2	12	2.66	77	17.64	13.32
3	21	1.68	51	10.50	0.02
4	16	1.85	48	14.60	3.70
5	20	3.83	58	26.81	18.11
6	12	2.82	58	30.22	12.50
7	17	5.34	68	22.10	15.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	55	18.54	7.48
2	12	1.41	46	17.82	5.06
3	21	2.08	50	16.19	7.56
4	16	1.50	62	17.35	6.88
5	20	2.77	51	26.21	14.26
6	12	2.30	40	21.75	10.10
7	17	5.00	57	27.57	10.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.12	55	18.00	9.10
2	12	2.37	66	17.01	8.76
3	21	2.29	60	16.47	8.59
4	16	2.00	65	15.00	8.12
5	20	3.21	52	27.02	16.16
6	12	2.00	40	25.10	13.57
7	17	5.21	57	29.03	18.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	30	14.10	0.27
2	12	1.25	42	15.55	2.72
3	21	3.35	69	19.75	11.55
4	16	5.75	72	20.27	14.04
5	20	3.47	57	26.47	17.20
6	12	3.02	56	27.62	17.48
7	17	2.02	66	20.60	16.06

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	76	11.10	8.52
2	12	4.70	72	18.30	14.31
3	21	2.78	58	24.51	15.65
4	10	1.00	55	20.20	9.00
5	29	3.00	62	27.04	18.05
6	12	3.72	53	30.50	19.05
7	17	2.06	60	28.05	20.15

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	68	22.40	15.02
2	12	2.11	60	29.66	14.00
3	21	2.00	55	21.61	11.70
4	10	3.32	74	17.70	12.04
5	29	3.32	58	28.67	20.20
6	12	3.82	57	29.70	20.50
7	17	3.22	65	28.72	20.71

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.11	89	12.00	11.00
2	12	4.04	72	18.74	13.32
3	21	2.83	57	23.68	14.67
4	10	3.00	74	18.68	14.70
5	29	3.48	58	28.66	18.74
6	12	4.28	53	29.98	20.00
7	17	2.38	58	28.87	18.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	60	10.52	9.00
2	12	2.00	67	18.46	12.21
3	21	4.23	63	20.60	19.01
4	10	2.17	67	20.70	14.44
5	29	3.78	67	26.54	19.00
6	12	3.43	58	30.50	18.00
7	17	2.08	58	30.20	20.40



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.34	61	19.02	11.90
2	12	3.30	60	21.47	13.46
3	21	4.50	58	27.74	18.09
4	10	3.27	62	17.80	14.57
5	29	3.50	65	25.85	18.46
6	12	2.90	57	27.72	18.34
7	17	2.21	62	27.61	18.95



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.54	56	22.35	13.00
2	12	3.65	60	24.20	15.96
3	21	3.83	64	25.92	18.48
4	10	2.93	73	17.10	11.90
5	29	2.86	67	27.10	20.32
6	12	2.42	67	26.06	20.16
7	17	3.24	77	22.77	18.23

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	41	20.60	8.04
2	12	2.40	63	21.00	11.00
3	21	7.65	81	21.13	17.50
4	10	4.55	77	16.15	18.77
5	20	2.46	60	20.75	10.40
6	12	2.18	66	20.04	21.26
7	17	1.04	67	20.69	14.40

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.42	43	21.60	8.00
2	12	2.77	66	21.43	14.20
3	21	3.04	81	19.90	18.47
4	10	2.29	60	17.10	10.62
5	20	2.46	61	20.13	20.76
6	12	4.07	70	20.00	21.00
7	17	2.50	64	20.00	19.02

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	83	17.03	8.88
2	12	1.90	38	18.23	4.02
3	21	2.80	68	19.68	13.30
4	10	2.74	70	18.01	11.90
5	20	2.62	66	20.31	18.76
6	12	2.69	71	25.73	20.06
7	17	1.62	68	20.50	17.11



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	42	17.01	4.71
2	12	1.53	47	20.10	8.14
3	21	5.02	70	19.70	16.05
4	10	3.00	74	17.87	12.00
5	20	3.50	72	24.26	10.00
6	12	4.09	73	24.93	19.05
7	17	1.07	68	27.61	18.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	68	18.80	12.49
2	12	2.07	70	20.96	16.56
3	21	4.00	75	20.47	15.60
4	10	3.97	70	20.30	14.57
5	20	4.10	74	25.20	20.05
6	12	2.42	67	25.50	18.83
7	17	1.90	60	20.70	20.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.95	68	19.02	10.93
2	12	2.70	68	22.50	16.30
3	21	4.51	67	21.84	15.44
4	10	2.00	70	18.00	12.77
5	20	2.46	62	27.71	19.65
6	12	3.00	64	27.31	19.70
7	17	1.04	67	20.70	18.84

CAPITA


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 3.18
OCT. 4 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.28
OCT. 5 1973

NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 2.78
OCT. 6 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 3.82
OCT. 7 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 4.64
OCT. 8 1973


NUMBER OF STATIONS 111
ADJUSTED STATIONS 0
Bave= 4.90
OCT. 9 1973

CAPITA


Dave= 3.64
OCT. 10 1973


Dave= 3.72
OCT. 11 1973


Dave= 3.18
OCT. 12 1973


Dave= 3.56
OCT. 13 1973


Dave= 1.99
OCT. 14 1973


Dave= 2.11
OCT. 15 1973

CAPITA

REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	38	12.81	-1.31
2	12	1.27	85	16.16	-0.27
3	21	1.88	48	12.27	-1.38
4	16	1.58	41	11.48	-1.42
5	29	2.31	48	26.85	12.37
6	12	2.36	56	20.79	11.15
7	17	2.48	89	22.24	16.27

REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	69	10.95	0.41
2	12	1.43	66	10.67	2.03
3	21	1.86	62	12.08	-0.55
4	16	1.58	68	15.98	9.40
5	29	1.98	36	19.80	6.09
6	12	1.57	28	18.62	-0.41
7	17	1.83	47	21.10	8.14



REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	58	10.88	1.24
2	12	2.67	68	10.13	3.85
3	21	1.85	56	13.62	3.08
4	16	1.67	47	17.07	8.38
5	29	2.03	38	21.70	8.38
6	12	1.79	52	21.58	3.69
7	17	1.78	44	25.28	10.12



REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	98	11.10	-0.41
2	12	1.58	46	12.35	0.73
3	21	2.08	49	18.43	7.40
4	16	1.68	43	19.37	8.31
5	29	1.97	43	22.02	8.30
6	12	1.77	33	23.37	8.29
7	17	1.78	30	25.09	9.03

REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.78	91	9.18	7.77
2	12	2.04	62	14.04	7.58
3	21	2.11	58	14.57	5.78
4	16	1.61	48	18.67	8.59
5	29	2.21	47	24.55	12.06
6	12	2.32	41	24.20	10.08
7	17	1.08	39	25.45	10.19

REGION	%	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	45	11.03	0.27
2	12	1.50	50	13.00	3.51
3	21	2.37	53	16.37	8.78
4	16	1.79	49	21.14	9.85
5	29	2.58	52	23.00	12.33
6	12	2.00	49	23.76	10.64
7	17	1.98	41	25.65	11.28

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	82	14.30	8.18
2	12	2.27	66	17.21	5.22
3	21	2.87	48	19.09	7.98
4	10	2.22	58	27 71	11.10
5	20	3.23	57	22.68	19.63
6	12	2.88	68	24.40	12.88
7	17	2.17	48	28.20	11.04



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.06	46	10.30	0.30
2	12	3.10	61	10.46	7.01
3	21	3.82	47	23.45	8.73
4	10	3.43	84	21.80	11.95
5	20	3.03	66	20.20	15.73
6	12	3.38	47	24.74	12.17
7	17	2.36	48	28.38	11.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	48	10.82	7.22
2	12	4.78	46	20.82	6.61
3	21	4.00	45	23.18	10.85
4	10	2.84	51	10.12	7.84
5	20	2.88	48	23.04	11.88
6	12	3.47	42	24.94	11.01
7	17	2.87	46	26.17	12.87

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.14	74	14.02	8.51
2	12	3.59	41	20.31	6.15
3	21	2.81	53	20.18	10.10
4	10	1.67	56	18.17	8.88
5	20	2.84	43	24.84	10.45
6	12	3.28	45	24.95	11.08
7	17	2.49	54	24.83	14.47

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.56	81	12.49	7.77
2	12	2.58	54	19.11	9.53
3	21	2.66	54	17.85	7.78
4	10	1.38	58	14.75	8.31
5	22	3.02	49	25.22	11.36
6	12	3.14	45	25.18	12.31
7	17	2.58	60	26.45	16.43



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.65	52	12.91	2.77
2	12	1.45	50	14.84	3.78
3	21	5.73	75	13.19	8.67
4	10	2.61	65	10.17	3.50
5	20	2.53	41	24.42	10.26
6	12	2.69	48	24.67	12.55
7	17	2.64	63	23.94	13.58

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.85	53	7.77	-1.80
2	12	3.70	60	10.10	4.40
3	21	6.63	61	9.30	8.10
4	18	2.60	60	8.10	0.90
5	20	3.33	64	21.43	14.13
6	12	3.27	73	14.40	9.25
7	17	1.81	50	18.37	8.16



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.47	75	8.46	5.13
2	12	4.32	90	10.41	8.03
3	21	4.11	87	8.64	6.55
4	18	2.40	82	9.30	2.01
5	20	2.81	56	17.02	7.37
6	12	2.08	58	10.75	2.60
7	17	1.71	44	18.94	8.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.63	70	14.02	10.27
2	12	2.61	68	11.24	5.38
3	21	3.97	78	11.34	7.42
4	18	2.71	64	10.44	3.64
5	20	2.08	56	15.70	6.33
6	12	4.15	64	13.05	5.73
7	17	3.07	65	18.88	12.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.17	65	13.40	7.95
2	12	2.14	61	13.42	5.60
3	21	6.78	87	9.40	7.42
4	18	1.79	52	11.31	1.42
5	20	3.29	63	18.27	10.91
6	12	8.70	67	13.05	10.82
7	17	1.71	41	20.12	5.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.50	84	11.52	8.88
2	12	1.35	55	12.03	2.77
3	21	1.69	51	9.99	0.15
4	18	2.20	58	8.43	0.34
5	20	1.04	42	20.12	6.50
6	12	1.76	41	18.42	4.99
7	17	1.66	38	23.65	7.54

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	58	14.57	0.41
2	12	1.37	45	16.62	4.11
3	21	3.59	73	11.21	8.31
4	18	2.84	62	5.37	-1.62
5	20	1.95	41	24.38	9.76
6	12	2.04	57	21.81	12.35
7	17	2.00	58	21.56	11.05

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	37	10.27	-9.74
2	12	1.30	48	11.06	0.00
3	21	1.03	54	8.38	-0.47
4	18	2.76	60	2.91	-4.40
5	29	2.38	62	29.04	12.41
6	12	3.34	65	20.31	13.48
7	17	3.12	66	18.40	12.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	32	7.40	-8.47
2	12	1.27	48	8.37	-2.48
3	21	1.78	56	6.62	-1.45
4	18	3.66	68	-0.20	-8.00
5	29	2.38	50	21.10	10.13
6	12	4.67	81	20.78	12.82
7	17	8.87	74	21.39	15.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	37	5.00	-0.10
2	12	1.90	59	5.64	-2.03
3	21	1.71	51	3.09	-8.21
4	18	2.01	58	-0.60	-8.80
5	29	3.36	71	18.50	12.73
6	12	2.81	75	12.12	7.66
7	17	8.51	78	14.40	9.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	39	2.83	-9.09
2	12	2.66	51	3.51	-6.38
3	21	1.78	43	3.01	-8.51
4	18	4.42	64	1.24	-6.17
5	29	1.91	41	15.14	1.30
6	12	1.72	33	11.47	-1.85
7	17	7.84	70	13.95	9.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	43	6.10	-5.69
2	12	2.30	54	5.64	-3.37
3	21	2.42	55	5.10	-3.38
4	18	5.73	70	2.98	-0.59
5	29	2.28	48	15.30	3.86
6	12	3.84	64	11.75	4.62
7	17	8.11	72	18.88	13.56



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	45	6.52	-4.71
2	12	1.77	46	8.70	-2.54
3	21	2.14	51	4.46	-4.97
4	18	3.24	65	-2.07	-8.01
5	29	3.21	58	18.61	9.90
6	12	7.33	78	15.68	11.43
7	17	4.83	73	20.84	19.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	89	5.19	-0.71
2	12	3.00	95	3.98	-5.18
3	21	4.47	58	-0.18	-8.22
4	18	2.45	53	-1.14	-8.92
5	29	2.27	56	17.23	8.17
6	12	2.08	55	12.17	3.23
7	17	2.00	80	16.81	8.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	41	1.52	-10.69
2	12	1.52	48	2.03	-7.95
3	21	1.88	52	2.21	-8.92
4	18	1.65	54	3.50	-5.48
5	29	1.98	42	10.80	-1.83
6	12	1.82	48	7.17	-5.45
7	17	2.54	58	14.60	8.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	58	3.19	-9.85
2	12	1.52	52	4.85	-6.53
3	21	2.28	54	4.06	-6.73
4	18	2.56	63	6.78	1.96
5	29	2.08	41	11.65	-1.16
6	12	1.68	55	10.98	-3.97
7	17	1.91	53	16.59	8.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.88	49	5.55	-4.57
2	12	1.93	47	7.69	-3.14
3	21	2.38	54	10.84	1.77
4	18	2.75	63	13.15	5.86
5	29	2.19	38	15.99	1.28
6	12	1.98	38	15.15	0.13
7	17	2.30	58	20.84	11.99

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.09	47	9.85	-0.03
2	12	2.35	46	13.23	1.47
3	21	2.43	59	15.12	6.10
4	18	2.68	48	16.55	4.61
5	29	2.33	40	20.93	6.56
6	12	2.10	44	20.04	7.28
7	17	2.33	58	24.80	16.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.91	43	18.60	5.83
2	12	2.35	48	18.51	7.35
3	21	3.20	61	17.37	9.54
4	18	8.52	70	12.14	6.52
5	29	2.35	45	23.63	10.95
6	12	2.59	63	21.66	14.34
7	17	1.95	87	24.70	19.12

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.90	66	13.40	8.00
2	12	5.75	68	16.75	10.04
3	21	6.67	64	11.79	9.00
4	18	2.22	71	6.31	1.07
5	20	2.30	51	24.47	13.61
6	12	3.40	70	21.61	15.70
7	17	1.75	41	23.00	8.10

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.56	78	7.40	4.02
2	12	2.62	72	5.66	0.51
3	21	3.92	68	3.22	-2.61
4	18	3.11	66	5.09	-1.52
5	20	1.00	46	10.73	6.45
6	12	1.64	52	13.18	3.42
7	17	1.60	41	10.24	4.89

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	49	2.77	-8.00
2	12	1.44	53	4.38	-4.00
3	21	1.99	55	7.05	-1.29
4	18	2.20	60	10.34	2.96
5	20	1.83	42	16.30	2.24
6	12	1.82	40	13.58	0.18
7	17	2.08	56	20.61	10.52



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	41	6.30	-5.97
2	12	1.79	55	6.24	-2.26
3	21	2.68	67	10.97	5.02
4	18	4.21	71	5.88	0.72
5	20	2.30	50	18.21	7.14
6	12	2.44	64	14.90	7.88
7	17	2.62	50	23.00	13.03



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	49	5.27	-4.85
2	12	3.79	68	8.18	2.31
3	21	8.77	70	9.25	5.47
4	18	7.08	62	6.00	3.15
5	20	2.40	54	20.89	11.14
6	12	2.66	62	19.48	11.75
7	17	3.43	60	23.00	16.79



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	53	2.91	-8.60
2	12	1.96	53	7.26	-2.08
3	21	5.77	73	11.80	8.92
4	18	8.82	60	3.81	2.04
5	20	2.72	60	19.72	11.66
6	12	3.34	64	21.08	13.08
7	17	2.33	54	16.23	8.14

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	86	8.10	-2.22
2	12	2.10	80	10.06	4.30
3	21	3.10	70	10.00	6.70
4	18	2.00	72	2.40	-2.25
5	20	3.61	71	10.45	13.67
6	12	2.10	80	15.67	8.25
7	17	1.60	80	10.40	4.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.41	86	10.00	0.92
2	12	1.06	61	14.80	7.31
3	21	2.09	59	13.77	5.80
4	18	1.70	66	8.37	-1.07
5	20	2.77	65	20.70	13.77
6	12	2.60	70	10.65	12.02
7	17	4.04	62	22.62	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.96	86	6.60	4.90
2	12	3.60	60	13.60	6.60
3	21	5.41	74	11.10	8.60
4	18	2.40	70	3.65	-1.11
5	20	3.48	64	20.67	13.06
6	12	5.25	77	19.90	15.73
7	17	2.76	72	23.85	18.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.97	60	8.10	2.95
2	12	6.86	82	10.36	7.36
3	21	9.29	92	15.22	11.90
4	18	8.09	80	4.94	0.97
5	20	2.87	61	22.86	14.57
6	12	3.23	70	21.57	17.12
7	17	4.12	73	20.64	15.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.04	75	10.55	6.24
2	12	7.09	82	11.62	8.14
3	21	2.73	82	6.80	3.70
4	19	3.18	76	3.10	-0.66
5	20	2.45	63	24.09	16.47
6	12	2.10	70	18.48	12.86
7	17	2.03	67	17.20	10.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.95	49	5.27	-4.71
2	12	2.04	60	6.66	1.06
3	21	4.48	64	7.93	5.39
4	18	8.16	62	6.14	3.01
5	20	4.33	68	20.87	14.47
6	12	6.29	63	20.90	17.77
7	17	2.50	66	21.39	11.90

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.63	62	5.27	2.36
2	12	10.30	92	12.21	10.06
3	21	8.08	90	12.53	11.02
4	10	4.97	75	9.12	-1.14
5	20	5.10	71	29.32	17.23
6	12	4.43	66	20.41	18.00
7	17	2.22	90	10.86	8.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.52	82	9.00	7.83
2	12	3.93	64	16.06	13.20
3	21	2.54	72	5.57	0.79
4	10	1.70	61	2.86	-4.28
5	20	2.47	60	21.40	14.93
6	12	1.67	54	11.80	5.08
7	17	1.40	32	14.01	-2.77

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	60	7.01	-1.94
2	12	1.57	57	6.30	-1.04
3	21	2.37	62	3.19	-3.43
4	10	1.62	54	8.57	-0.06
5	20	1.60	30	11.75	-2.60
6	12	1.71	43	10.50	-1.00
7	17	1.40	26	10.00	-1.92

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	55	8.10	-2.49
2	12	1.75	54	8.69	-0.83
3	21	1.85	54	10.15	1.10
4	10	1.56	62	4.40	-4.90
5	20	1.81	36	17.23	1.43
6	12	2.08	37	15.73	1.15
7	17	1.50	31	18.63	1.40

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	47	2.83	-7.40
2	12	1.32	60	3.00	-5.70
3	21	1.60	57	5.31	-2.61
4	10	3.32	67	4.23	-1.79
5	20	1.95	30	17.71	3.10
6	12	1.94	45	16.58	4.40
7	17	1.95	40	20.15	7.41

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	40	0.00	-11.24
2	12	1.31	47	3.55	-6.66
3	21	2.70	60	11.23	3.03
4	10	7.00	79	8.70	4.00
5	20	2.07	47	16.63	4.21
6	12	2.10	45	18.37	8.24
7	17	2.00	56	20.61	10.71

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	81	6.91	-1.06
2	12	1.83	53	11.81	1.53
3	21	2.57	84	14.17	7.24
4	10	5.00	60	2.00	-1.21
5	20	2.36	64	18.98	8.24
6	12	2.08	63	17.95	10.68
7	17	3.26	78	18.14	13.62



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	60	10.02	3.10
2	12	4.11	56	14.81	5.73
3	21	5.60	62	10.94	7.74
4	10	8.70	74	-0.87	-5.27
5	20	2.76	60	21.45	12.01
6	12	3.57	78	17.49	12.01
7	17	1.60	47	18.86	1.60



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.43	87	19.10	10.00
2	12	5.01	68	14.90	12.06
3	21	7.70	81	3.19	0.18
4	10	3.04	72	-5.61	-8.78
5	20	3.74	70	20.20	14.32
6	12	1.94	63	10.65	3.48
7	17	1.48	45	12.15	0.98



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	40	12.22	1.00
2	12	2.67	53	6.66	-2.50
3	21	2.30	70	-0.95	-5.73
4	10	1.01	62	-5.05	-11.07
5	20	1.03	45	14.63	2.43
6	12	1.00	51	8.93	-1.20
7	17	1.50	44	10.04	-1.50



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	50	4.30	-5.19
2	12	3.17	66	3.37	-2.77
3	21	3.57	71	0.87	-4.51
4	10	1.00	63	-0.65	-6.03
5	20	2.25	53	11.64	2.12
6	12	2.25	58	4.07	-3.48
7	17	1.70	43	0.69	-2.41



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	63	1.52	-4.05
2	12	1.93	60	1.94	-3.20
3	21	3.05	67	1.47	-4.04
4	10	2.30	60	3.67	-2.04
5	20	5.07	77	8.11	4.21
6	12	2.72	59	6.24	-1.30
7	17	1.72	44	11.58	-0.61

CAPITA


Bave= 5.02
DEC. 9 1973


Bave= 2.86
DEC. 10 1973

Bave= 2.34
DEC. 11 1973

Bave= 2.71
DEC. 12 1973


Bave= 4.27
DEC. 13 1973


Bave= 4.52
DEC. 14 1973

CAPITA


Bave= 5.21
DEC. 15 1973


Bave= 4.37
DEC. 16 1973


Bave= 4.22
DEC. 17 1973


Bave= 2.87
DEC. 18 1973


Bave= 5.13
DEC. 19 1973


Bave= 6.16
DEC. 20 1973

CAPITA


Bave= 4.44
DEC. 21 1973

Bave= 2.29
DEC. 22 1973


Bave= 3.83
DEC. 23 1973


Bave= 4.03
DEC. 24 1973


Bave= 5.69
DEC. 25 1973


Bave= 7.10
DEC. 26 1973

CAPITA


Bavg= 3.68
DEC. 27 1973


Bavg= 3.05
DEC. 28 1973


Bavg= 3.16
DEC. 29 1973


Bavg= 4.09
DEC. 30 1973


Bavg= 5.60
DEC. 31 1973

CAPITA


REGION 1, QTR 1 1973
REGION 1, QTR 2 1973
REGION 1, QTR 3 1973
REGION 1, QTR 4 1973
100 15
0 0
RH
DEXT
TEMP
30
-20
40
-10
50
0
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC

COPITA


REGION 2, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1973
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1973
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1973
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

70

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.90	86	0.19	-0.86
2	12	3.90	83	1.62	-1.01
3	21	5.62	63	-11.85	-17.88
4	16	2.00	62	-21.80	-27.07
5	29	4.55	80	14.67	11.02
6	12	3.81	75	-0.25	-4.07
7	17	1.01	60	-1.20	-8.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	51	-4.00	-10.74
2	12	1.00	52	-2.77	-11.43
3	21	0.10	60	-10.41	-15.81
4	16	0.00	65	-15.27	-20.51
5	29	6.30	72	10.74	6.60
6	12	8.05	63	3.19	0.80
7	17	0.00	80	1.40	-2.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.94	66	-2.40	-8.10
2	12	6.60	77	-1.66	-6.10
3	21	5.11	72	-6.34	-10.52
4	16	2.02	66	-14.20	-18.67
5	29	8.07	67	11.20	8.04
6	12	11.30	80	7.45	5.83
7	17	4.10	70	-1.07	-8.17



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.47	60	-1.94	-7.04
2	12	2.35	73	-1.75	-6.01
3	21	3.20	62	-7.16	-13.27
4	16	2.37	68	-14.54	-19.19
5	29	6.03	81	13.25	9.88
6	12	8.70	86	2.22	0.09
7	17	2.24	58	0.87	-7.25



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	52	-3.19	-11.60
2	12	2.84	65	-3.19	-8.97
3	21	5.90	63	-5.52	-11.50
4	16	2.57	64	-13.60	-19.02
5	29	5.54	70	10.70	6.79
6	12	12.98	68	4.02	2.17
7	17	4.30	68	5.58	-0.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.03	58	-1.80	-9.30
2	12	5.73	69	-1.15	-6.20
3	21	7.70	72	-6.21	-10.52
4	16	2.43	63	-15.00	-20.82
5	29	5.40	70	13.68	9.93
6	12	9.50	68	7.95	6.06
7	17	6.23	74	0.05	4.16

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.00	85	-0.80	-7.40
2	12	6.08	87	-3.10	-5.70
3	21	5.91	82	-10.04	-15.84
4	10	2.20	88	-10.82	-12.87
5	20	4.17	72	14.87	8.83
6	12	3.58	71	4.80	0.86
7	17	4.16	84	7.84	0.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	41	-7.81	-18.00
2	12	3.20	62	-6.60	-16.20
3	21	4.51	62	-8.33	-16.50
4	10	0.29	66	-14.13	-19.46
5	20	2.67	63	12.62	3.20
6	12	5.29	66	8.62	1.71
7	17	8.87	79	14.88	10.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.21	88	-10.88	-18.38
2	12	8.78	86	-4.83	-8.71
3	21	6.81	88	-6.88	-11.88
4	10	3.47	86	-10.10	-88.88
5	20	8.08	78	16.10	12.38
6	12	7.28	87	12.88	10.58
7	17	8.88	88	8.88	8.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.20	85	-8.30	-10.41
2	12	11.21	89	-3.62	-4.99
3	21	9.19	79	-4.65	-7.72
4	10	7.38	70	-15.55	-19.78
5	20	5.85	79	17.10	13.10
6	12	8.75	83	15.84	12.72
7	17	7.07	83	8.13	5.12



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.09	85	-5.13	-7.22
2	12	11.48	91	-1.20	-2.48
3	21	5.38	74	-5.71	-9.87
4	10	2.28	58	-18.99	-25.98
5	20	4.33	76	10.61	14.03
6	12	8.01	85	8.46	5.80
7	17	5.18	78	3.62	0.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	81	-6.52	-12.91
2	12	3.84	63	-3.70	-8.85
3	21	3.04	68	-13.43	-19.62
4	10	0.28	63	-18.82	-25.19
5	20	2.38	51	10.76	0.67
6	12	2.81	58	1.52	-5.69
7	17	8.28	71	0.52	-4.34

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.01	88	-10.87	-10.18
2	12	1.98	81	-7.81	-10.00
3	21	5.09	83	-8.11	-10.07
4	10	6.39	78	-8.12	-12.11
5	20	2.18	48	7.60	-2.62
6	12	1.86	58	5.10	-4.38
7	17	0.87	76	7.88	2.44



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.71	82	-5.82	-11.84
2	12	1.07	68	-3.88	-8.87
3	21	0.23	78	0.84	-2.58
4	10	3.41	68	-0.68	-8.88
5	20	4.02	68	8.61	2.78
6	12	7.86	85	8.38	5.92
7	17	8.58	81	10.80	8.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.44	76	0.88	-8.82
2	12	6.08	76	4.08	0.08
3	21	5.42	78	4.16	-0.86
4	10	8.43	66	-0.87	-8.86
5	20	6.63	72	10.22	10.87
6	12	8.38	88	13.83	11.71
7	17	8.21	72	13.82	7.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.35	87	-5.83	-7.83
2	12	3.68	72	4.81	0.27
3	21	5.25	71	8.00	1.21
4	10	1.93	85	4.30	-1.98
5	20	2.72	62	20.32	12.68
6	12	5.10	85	17.03	14.18
7	17	6.73	88	18.40	8.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.35	45	-14.88	-26.30
2	12	3.17	58	-4.88	-11.06
3	21	8.13	81	1.50	-1.38
4	10	4.75	88	5.18	-0.26
5	20	2.66	57	16.57	10.66
6	12	5.82	78	18.08	14.02
7	17	2.68	85	20.42	12.87



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.86	48	-12.77	-21.88
2	12	2.62	58	-7.40	-14.21
3	21	14.20	83	4.83	3.16
4	10	7.35	81	3.16	-1.88
5	20	6.18	68	13.77	8.06
6	12	9.62	78	10.80	14.16
7	17	6.18	73	18.36	13.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	82	0.87	-5.05
2	12	2.68	76	2.69	-1.43
3	21	7.86	82	8.11	-0.69
4	18	10.43	86	-0.86	-9.48
5	29	6.22	78	16.35	12.26
6	12	5.25	83	17.21	14.25
7	17	8.57	76	18.28	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	88	-0.68	-10.74
2	12	2.74	88	-0.98	-8.68
3	21	12.63	90	7.93	8.02
4	18	7.84	88	1.84	-0.27
5	29	8.86	76	16.41	10.66
6	12	3.58	82	17.68	13.83
7	17	2.84	68	16.62	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.66	81	1.26	0.66
2	12	8.81	81	6.66	4.28
3	21	5.46	83	3.58	0.73
4	18	8.57	81	-0.68	-8.68
5	29	8.52	71	18.28	12.66
6	12	2.58	68	14.23	8.23
7	17	2.84	67	16.46	8.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.75	81	5.55	-1.52
2	12	2.52	72	6.33	1.24
3	21	11.82	87	9.17	2.14
4	18	4.65	79	-2.21	-8.98
5	29	9.06	56	19.88	10.70
6	12	2.72	63	17.86	10.55
7	17	3.81	73	14.78	9.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	78	9.30	4.98
2	12	5.53	81	8.32	5.08
3	21	2.88	78	1.10	-3.06
4	18	2.32	72	-2.81	-7.25
5	29	2.96	62	21.25	13.15
6	12	5.03	87	12.07	9.85
7	17	3.48	68	8.85	2.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	43	3.33	-0.52
2	12	1.66	56	3.61	-4.67
3	21	3.20	66	3.25	-2.66
4	18	2.81	64	-1.38	-8.88
5	29	4.36	78	16.06	12.00
6	12	8.28	88	10.06	7.77
7	17	2.43	67	9.21	2.94

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	46	8.30	-4.88
2	12	2.00	53	6.20	-2.72
3	21	2.33	57	8.31	-1.02
4	10	2.16	66	8.40	-3.01
5	20	4.33	77	15.02	11.50
6	12	5.00	84	12.09	8.30
7	17	2.70	80	10.15	1.00

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.72	42	8.80	-3.00
2	12	3.70	53	7.60	-1.75
3	21	10.00	62	5.80	2.62
4	10	4.20	77	2.11	-1.02
5	20	7.96	81	16.33	12.50
6	12	3.98	87	17.20	15.04
7	17	1.00	82	14.21	8.89



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	71	13.60	8.40
2	12	1.01	65	14.01	5.60
3	21	3.71	78	4.94	1.05
4	10	3.01	79	-2.30	-0.87
5	20	2.04	60	22.50	14.06
6	12	2.42	65	17.17	10.45
7	17	6.02	72	15.60	8.89



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	58	8.47	0.13
2	12	4.51	70	7.43	2.26
3	21	10.42	84	1.34	-1.00
4	10	3.58	75	0.30	-3.83
5	20	5.29	75	20.16	15.36
6	12	2.65	81	16.43	13.19
7	17	2.41	57	12.34	3.49

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.56	80	8.10	-0.27
2	12	1.79	63	5.86	-0.46
3	21	3.50	80	2.10	-0.95
4	10	2.12	85	4.82	-1.87
5	20	2.80	67	17.90	11.64
6	12	3.58	74	13.97	9.25
7	17	2.60	58	13.91	4.03

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	50	9.72	1.00
2	12	2.18	50	10.10	2.54
3	21	2.74	87	8.62	2.00
4	10	3.58	58	5.95	-2.70
5	20	2.06	66	18.50	11.64
6	12	3.44	65	14.02	7.35
7	17	1.83	54	17.83	1.07

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.12	89	11.12	4.96
2	12	2.30	60	12.17	3.07
3	21	1.00	53	2.66	-0.10
4	10	1.00	50	-6.85	-17.00
5	20	2.46	65	10.04	10.37
6	12	1.00	46	10.05	5.41
7	17	2.70	46	10.46	6.74



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	83	-9.00	-17.77
2	12	2.17	44	-8.32	-11.04
3	21	0.38	84	-2.00	-0.55
4	10	0.17	64	-6.85	-11.10
5	20	2.10	46	17.30	4.05
6	12	2.55	55	17.00	0.23
7	10	2.76	67	20.70	0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.60	80	-10.10	-10.82
2	12	7.76	86	-4.11	-7.12
3	21	2.96	73	-2.10	-0.51
4	10	7.74	75	-4.02	-7.04
5	20	3.32	72	10.17	12.77
6	12	3.95	83	10.00	16.00
7	10	2.56	54	17.60	0.47



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	56	-9.43	-16.79
2	12	10.30	82	-6.43	-9.02
3	21	4.43	87	-3.98	-5.29
4	10	3.06	84	-9.01	-16.31
5	20	6.52	77	15.20	10.05
6	12	5.37	79	8.10	4.62
7	10	2.15	45	13.30	1.25



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	40	-7.01	-17.40
2	12	3.02	66	-7.05	-13.46
3	21	3.77	84	-7.00	-12.03
4	10	5.16	86	-5.72	-11.52
5	20	2.07	52	9.40	-0.47
6	12	2.23	54	5.27	-3.37
7	10	1.00	36	14.70	-0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	40	-11.10	-19.00
2	12	2.67	67	-8.97	-16.20
3	21	5.35	65	-4.73	-10.47
4	10	5.51	67	-1.20	-7.25
5	20	2.14	41	8.56	-3.06
6	12	1.83	42	10.60	-1.71
7	10	2.00	47	10.25	0.07

CAPITA


NUMBER OF STATIONS 110
ADJUSTED STATIONS 10
Bave= 5.74
FEB. 6 1974


NUMBER OF STATIONS 110
ADJUSTED STATIONS 9
Bave= 4.05
FEB. 7 1974

NUMBER OF STATIONS 110
ADJUSTED STATIONS 10
Bave= 4.35
FEB. 8 1974


NUMBER OF STATIONS 110
ADJUSTED STATIONS 6
Bave= 2.73
FEB. 9 1974


NUMBER OF STATIONS 110
ADJUSTED STATIONS 6
Bave= 3.62
FEB. 10 1974

NUMBER OF STATIONS 110
ADJUSTED STATIONS 8
Bave= 2.53
FEB. 11 1974

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	57	-2.77	-12.77
2	12	2.42	50	1.71	-6.48
3	21	2.45	55	0.50	-2.00
4	18	3.41	88	7.21	-2.40
5	29	2.01	32	14.61	-2.20
6	12	1.82	36	14.85	-0.87
7	18	1.89	86	10.92	9.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	83	0.00	0.00
2	12	2.72	56	0.80	0.06
3	21	5.40	73	0.13	1.34
4	18	3.42	80	1.10	-0.31
5	29	2.12	48	10.05	6.63
6	12	2.58	81	17.72	9.50
7	18	2.08	46	21.31	7.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	57	-7.00	-10.50
2	12	1.64	60	-2.12	-11.00
3	21	2.07	88	-3.32	-8.41
4	18	3.74	78	-4.04	-7.50
5	29	3.61	66	15.50	8.45
6	12	3.58	82	14.65	11.60
7	18	2.61	90	10.00	10.50



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	97	-5.80	-10.32
2	12	1.20	48	-9.19	-14.36
3	21	2.38	56	-2.58	-10.28
4	18	8.10	79	-0.48	-4.02
5	29	3.61	65	12.90	6.07
6	12	5.89	78	10.92	6.66
7	18	4.61	83	14.78	8.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	39	-2.48	-15.13
2	12	1.79	52	1.98	-7.35
3	21	3.32	62	5.14	-3.98
4	18	2.03	60	3.87	-3.01
5	29	5.33	78	10.20	5.78
6	12	3.28	71	10.81	6.98
7	18	2.56	85	14.54	9.65

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.71	68	0.41	-4.89
2	12	2.83	52	2.26	-6.89
3	21	2.13	55	3.05	-5.38
4	18	2.13	53	5.33	-1.07
5	29	2.33	96	12.19	0.13
6	12	1.81	41	10.92	-2.21
7	18	3.04	50	18.69	5.44

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	48	-1.04	-12.21
2	12	1.63	47	-0.10	-10.36
3	21	3.23	82	8.85	-0.92
4	10	2.04	88	4.80	-1.21
5	20	2.15	37	13.84	-1.16
6	12	1.04	44	13.74	1.61
7	10	2.00	80	10.00	0.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	58	0.89	-0.06
2	12	4.43	77	4.40	0.88
3	21	8.21	77	3.40	-0.34
4	10	1.94	66	4.06	-4.01
5	20	4.10	74	16.31	11.22
6	12	3.27	69	12.77	8.93
7	10	1.07	94	16.24	-0.41

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.50	76	0.24	2.00
2	12	1.01	67	5.00	-0.74
3	21	2.02	53	5.20	-3.02
4	10	1.04	55	6.21	-2.00
5	20	2.20	40	14.00	3.44
6	12	2.34	47	10.70	-0.13
7	10	2.09	42	20.72	6.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	41	4.71	-7.49
2	12	2.14	45	6.61	-4.53
3	21	2.95	57	7.72	-0.80
4	10	7.35	82	0.40	-2.25
5	20	2.91	52	17.84	7.52
6	12	2.14	52	17.72	7.44
7	10	4.00	81	11.93	3.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.10	89	6.24	4.57
2	12	5.43	84	12.07	9.34
3	21	5.45	78	2.56	-0.92
4	10	1.61	83	-2.25	-9.70
5	20	2.68	63	18.23	10.72
6	12	2.20	64	7.31	0.83
7	10	1.71	35	11.45	-4.19



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	45	-0.41	-10.97
2	12	3.00	48	0.64	-9.62
3	21	2.59	59	-3.99	-10.09
4	10	5.05	65	-5.82	-11.36
5	20	1.85	38	12.61	-2.33
6	12	1.74	47	8.55	-2.17
7	10	1.70	50	15.89	0.31

CAPITA

REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	40	-0.89	-12.01
2	12	2.04	47	-0.10	-10.45
3	21	3.77	67	-8.02	-11.20
4	10	1.97	60	-7.42	-14.00
5	20	2.00	40	14.40	8.50
6	12	1.98	55	10.22	1.26
7	10	1.70	58	7.04	-6.72



REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.28	71	-1.52	-8.24
2	12	7.26	77	-1.98	-6.45
3	21	3.84	58	-5.04	-12.74
4	10	1.88	68	-1.28	-8.71
5	20	3.20	46	5.70	-6.70
6	12	1.89	47	-1.11	-11.19
7	10	1.87	81	7.70	-0.87

REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	41	0.13	-11.06
2	12	2.58	56	-1.08	-8.25
3	21	2.33	57	-0.52	-8.03
4	10	1.70	52	8.17	-4.02
5	20	1.86	36	4.40	-10.08
6	12	1.83	30	3.16	-10.04
7	10	1.85	27	13.48	-6.70



REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	42	2.21	-0.43
2	12	1.86	41	4.82	-0.23
3	21	1.97	52	8.50	-2.72
4	10	2.00	57	7.49	-1.07
5	20	2.00	32	10.90	-5.73
6	12	1.81	28	11.70	-5.50
7	10	1.75	47	10.22	5.34



REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	44	0.00	-3.00
2	12	2.26	44	8.37	-3.00
3	21	2.00	62	8.90	1.02
4	10	1.00	49	4.23	-0.94
5	20	2.23	34	16.04	0.15
6	12	2.59	63	12.88	5.04
7	10	2.00	52	20.59	0.02

REGION	= STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.73	57	0.00	0.55
2	12	2.46	64	6.01	-0.50
3	21	3.55	67	3.77	-1.92
4	10	2.11	60	0.01	-0.24
5	20	2.24	41	10.00	5.41
6	12	2.82	62	17.54	9.90
7	10	3.08	51	22.68	10.55

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.31	55	2.77	-6.66
2	12	6.24	70	4.34	0.07
3	21	8.17	70	12.95	9.25
4	10	3.00	55	14.10	3.00
5	20	2.56	62	20.05	9.00
6	12	2.46	64	20.13	13.10
7	10	2.10	48	24.20	10.54



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.60	70	2.60	-0.00
2	12	6.23	77	10.10	6.16
3	21	2.00	59	20.05	12.32
4	10	1.70	62	10.61	0.10
5	20	2.70	61	22.37	11.70
6	12	2.15	50	21.60	13.19
7	10	1.67	48	25.10	12.20



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.15	69	14.90	0.00
2	12	6.47	77	13.23	0.07
3	21	8.20	61	9.44	0.50
4	10	2.43	66	6.31	-0.50
5	20	2.11	45	24.16	11.32
6	12	2.03	54	22.12	12.07
7	10	1.00	48	23.12	10.72



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	62	13.05	5.00
2	12	1.73	62	12.03	4.76
3	21	1.60	58	10.44	2.35
4	10	1.50	41	11.03	-2.40
5	20	2.08	53	22.51	12.37
6	12	3.24	74	17.35	12.35
7	10	2.25	54	21.62	10.44

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	90	13.00	-3.00
2	12	1.79	46	13.00	1.47
3	21	3.73	72	13.00	8.75
4	10	2.61	49	13.40	1.10
5	20	2.36	60	20.90	12.23
6	12	3.47	69	21.75	15.41
7	10	2.20	43	25.19	8.64



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.06	58	18.52	0.00
2	12	3.09	72	15.13	9.00
3	21	3.43	58	15.00	7.24
4	10	2.21	55	7.25	-1.70
5	20	2.42	54	25.03	14.03
6	12	2.09	60	24.10	15.92
7	10	2.11	55	24.00	14.02

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	52	2.30	-13.80
2	12	3.33	58	4.05	-3.23
3	21	8.24	76	10.04	6.34
4	18	3.98	87	11.21	4.06
5	20	2.48	47	25.55	13.10
6	12	2.15	58	24.99	13.74
7	18	2.10	60	24.60	15.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	47	-0.27	-10.41
2	12	6.76	80	4.30	1.16
3	21	7.60	62	13.58	10.39
4	18	2.81	69	7.07	1.48
5	20	3.40	54	22.73	12.00
6	12	2.10	52	24.05	14.11
7	18	8.07	65	20.04	10.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	41	3.61	-0.40
2	12	1.31	45	6.24	-4.00
3	21	1.77	58	5.39	-2.77
4	18	2.64	57	4.10	-3.00
5	20	2.10	42	24.00	9.83
6	12	2.50	82	22.30	16.44
7	18	4.10	72	20.30	14.61



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	38	1.00	-11.52
2	12	1.27	33	5.31	-9.90
3	21	4.71	61	4.51	-2.02
4	18	4.06	78	5.59	1.77
5	20	2.74	52	16.16	5.33
6	12	3.99	68	20.32	13.80
7	18	2.25	58	22.70	12.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	23	-1.10	-10.05
2	12	1.27	38	3.80	-13.23
3	21	1.98	57	4.25	-3.75
4	18	2.09	71	4.12	-0.80
5	23	3.72	63	16.34	8.60
6	12	4.35	68	18.42	11.61
7	19	2.02	94	20.00	9.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	38	-5.19	-15.02
2	12	1.20	39	-0.60	-13.00
3	21	1.68	45	0.79	-10.12
4	18	2.95	61	6.10	-1.80
5	20	2.12	43	12.36	-0.01
6	12	2.03	56	10.27	1.34
7	18	2.21	60	10.31	0.25

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	34	3.61	-10.00
2	12	1.20	34	5.04	-8.71
3	21	1.09	44	4.20	-8.82
4	16	4.52	64	5.80	-1.32
5	20	1.80	35	13.04	-1.60
6	12	1.09	41	15.20	0.13
7	10	3.14	61	17.50	9.64



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	27	6.10	-11.00
2	12	1.60	25	6.66	-12.21
3	21	3.85	68	6.42	0.10
4	16	4.50	67	3.20	-2.67
5	20	2.40	40	17.05	3.51
6	12	2.80	52	18.32	8.23
7	10	5.00	67	18.60	11.00



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.69	60	9.40	1.00
2	12	6.53	66	7.07	4.00
3	21	3.60	74	2.90	-1.63
4	16	2.04	61	-0.80	-7.70
5	20	6.70	77	17.10	12.67
6	12	2.14	62	10.55	3.47
7	10	2.10	40	10.83	5.94



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	62	2.40	-4.10
2	12	3.03	55	2.12	-6.43
3	21	2.20	60	2.08	-5.26
4	16	1.92	57	4.10	-3.90
5	20	2.00	30	12.77	-1.56
6	12	2.03	50	8.00	-1.30
7	10	2.21	40	21.14	0.12



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	40	0.83	-9.60
2	12	1.30	37	5.32	-9.21
3	21	2.62	59	5.86	-1.61
4	16	2.93	60	7.32	1.21
5	20	1.90	32	15.57	-1.52
6	12	2.27	52	14.20	4.25
7	15	2.20	53	25.23	19.20



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.67	62	6.52	-0.20
2	12	2.50	62	6.19	1.01
3	21	2.40	62	3.22	-3.40
4	16	2.06	60	0.27	-0.60
5	20	3.00	60	20.73	12.02
6	12	7.00	66	16.94	14.62
7	10	2.37	50	20.75	11.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.54	82	2.00	-12.77
2	12	1.72	62	4.63	-7.35
3	21	2.58	85	5.81	-4.49
4	10	0.48	86	-3.20	-8.84
5	20	2.81	64	10.20	10.87
6	12	6.84	79	15.04	11.53
7	10	4.35	78	16.67	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	15.62	90	1.80	0.27
2	12	12.54	83	4.72	3.76
3	21	9.38	87	-0.44	-5.83
4	10	1.62	51	-0.60	-10.08
5	20	2.52	73	17.45	12.38
6	12	2.38	73	8.68	2.17
7	10	1.00	62	8.40	-1.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.41	48	2.65	-7.21
2	12	1.48	47	4.83	-2.10
3	21	3.15	55	4.35	-4.80
4	10	4.75	66	-2.77	-10.60
5	20	2.18	43	13.46	0.73
6	12	1.80	43	6.78	-3.00
7	10	2.64	46	10.00	2.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	52	7.01	-1.86
2	12	1.46	47	10.63	-0.41
3	21	3.04	61	-2.93	-9.46
4	10	3.36	48	-8.93	-18.18
5	20	3.58	60	17.82	8.65
6	12	2.20	48	16.29	3.22
7	10	2.64	52	13.71	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.22	82	7.77	4.86
2	12	1.78	55	3.10	-5.36
3	21	3.01	53	-8.96	-18.08
4	10	1.88	47	-9.17	-18.69
5	20	2.37	58	17.80	8.09
6	12	1.38	56	5.00	-3.56
7	10	5.10	64	4.80	-2.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	27	-9.92	-19.71
2	12	1.48	48	-3.00	-15.06
3	21	2.04	48	-2.11	-11.47
4	10	2.18	46	4.82	-5.06
5	20	4.63	67	8.65	1.88
6	12	2.84	59	8.42	0.55
7	10	9.86	69	9.85	2.36

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	30	4.60	-0.30
2	12	4.07	46	6.05	-0.10
3	21	2.20	54	7.19	-1.71
4	10	2.07	54	8.70	-3.20
5	20	3.95	64	14.24	6.72
6	12	4.57	74	12.44	7.50
7	18	5.55	68	15.72	8.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	20	1.00	-14.00
2	12	1.47	30	3.00	-0.44
3	21	2.63	56	6.71	-1.55
4	10	3.10	50	9.04	1.00
5	20	3.31	58	17.55	9.00
6	12	4.42	78	15.55	11.43
7	18	3.66	85	21.14	12.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	38	-0.27	-14.05
2	12	1.38	56	4.86	-0.67
3	21	5.38	77	8.42	2.40
4	10	8.13	67	11.07	3.00
5	20	2.86	67	21.50	12.96
6	12	5.32	82	18.97	15.78
7	18	3.61	69	23.22	14.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	30	-2.35	-15.13
2	12	8.55	74	-0.70	-5.18
3	21	10.40	63	7.68	4.83
4	10	5.30	50	11.10	1.45
5	20	6.10	76	16.72	12.03
6	12	2.82	71	20.45	14.94
7	18	2.02	32	26.14	6.39



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.32	78	2.40	-1.30
2	12	4.69	85	4.53	2.26
3	21	6.10	83	5.02	2.35
4	10	1.80	48	11.90	-1.04
5	20	4.30	57	17.91	6.02
6	12	1.09	39	17.91	2.55
7	18	1.07	27	20.62	6.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	82	4.05	1.04
2	12	3.37	83	4.53	1.04
3	21	2.47	67	6.07	1.13
4	10	2.63	53	12.95	1.00
5	20	1.95	40	19.83	4.54
6	12	1.03	43	20.09	8.61
7	18	2.08	39	29.90	11.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	8.48	-1.08
2	12	2.20	67	8.88	-0.13
3	21	2.58	66	15.54	7.24
4	16	4.76	58	12.13	1.81
5	28	2.21	65	20.27	12.25
6	12	2.01	58	20.10	10.52
7	16	1.98	48	25.19	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.24	74	8.68	1.24
2	12	5.17	78	8.97	5.31
3	21	1.93	48	15.37	5.41
4	16	2.26	65	14.97	0.78
5	28	2.01	63	22.69	14.12
6	12	2.04	55	21.10	11.61
7	16	2.26	56	26.69	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	85	10.71	9.47
2	12	1.61	90	20.50	6.88
3	21	3.55	78	17.38	11.15
4	16	4.89	73	8.89	0.73
5	28	2.50	62	25.62	17.83
6	12	2.72	67	25.10	19.98
7	16	2.56	56	26.40	8.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.38	83	10.26	19.19
2	12	2.38	83	21.83	16.07
3	21	3.05	83	10.96	2.93
4	16	1.83	58	9.23	-4.12
5	28	3.54	72	23.38	17.77
6	12	2.64	65	17.56	9.82
7	16	2.08	58	28.87	8.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.87	85	14.18	11.88
2	12	3.85	88	10.88	6.71
3	21	3.87	88	4.12	-1.88
4	16	1.47	62	8.88	-4.81
5	28	2.55	83	18.98	10.85
6	12	1.88	51	10.88	0.88
7	16	1.68	27	17.68	-1.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.52	78	4.57	0.33
2	12	2.36	85	4.25	-1.84
3	21	1.88	67	8.72	-2.21
4	16	2.55	61	19.57	-0.35
5	28	1.87	78	18.38	-0.77
6	12	1.65	57	13.65	-1.81
7	16	1.71	28	22.32	1.86

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	94	11.00	-0.00
2	12	1.84	47	11.04	0.00
3	21	3.40	88	9.17	2.13
4	10	2.06	60	7.53	0.19
5	20	1.80	33	10.36	1.36
6	12	1.76	37	10.32	2.77
7	10	2.15	50	24.90	7.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	57	5.41	-2.04
2	12	2.03	68	5.55	-1.11
3	21	5.70	68	2.00	-4.12
4	10	1.00	44	7.42	-5.08
5	20	4.11	73	17.05	12.31
6	12	3.40	73	17.00	11.00
7	10	1.77	90	10.50	4.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	14.56	86	0.41	-1.11
2	12	8.67	86	1.06	-0.64
3	21	2.93	58	4.51	-4.73
4	10	1.71	80	14.00	0.00
5	20	2.70	50	13.32	4.01
6	12	1.00	45	10.45	-1.24
7	10	1.83	81	20.56	2.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.22	60	0.69	-6.24
2	12	1.38	46	5.36	-5.45
3	21	2.14	44	12.37	0.50
4	10	2.27	42	15.37	2.21
5	20	1.85	34	16.44	0.57
6	12	1.71	37	17.07	2.17
7	10	3.59	50	21.35	10.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	55	11.26	-3.74
2	12	1.42	50	13.83	-0.09
3	21	3.65	60	13.56	5.73
4	10	3.37	76	11.87	7.63
5	20	2.67	39	20.29	5.57
6	12	2.06	45	21.87	8.60
7	10	2.31	52	21.06	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.06	50	10.13	0.19
2	12	1.81	50	16.33	5.78
3	21	2.32	60	18.77	10.04
4	10	2.61	60	10.20	4.28
5	20	2.44	50	22.89	13.50
6	12	3.30	50	19.82	14.90
7	10	2.26	50	24.82	11.80

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.05	88	0.90	0.38
2	12	0.06	77	16.39	11.75
3	21	1.95	58	18.56	9.38
4	18	3.08	70	8.77	3.38
5	20	2.61	70	23.08	18.07
6	12	2.08	75	21.01	16.29
7	18	2.61	81	25.91	11.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	70	14.80	8.80
2	12	4.02	68	18.55	11.29
3	21	2.44	64	13.99	8.84
4	18	1.60	65	7.32	-1.52
5	20	2.86	65	25.02	18.54
6	12	2.27	65	23.03	16.43
7	18	1.60	48	17.68	5.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	88	19.60	8.88
2	12	1.61	58	10.19	3.21
3	21	2.41	58	6.03	-0.81
4	18	1.63	50	8.64	-1.07
5	20	2.14	48	22.03	10.15
6	12	2.38	58	13.37	5.38
7	18	2.00	48	17.69	8.20

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	37	11.80	-0.32
2	12	1.33	50	12.81	-1.30
3	21	2.27	39	12.60	-1.74
4	18	1.64	42	12.35	-0.80
5	20	2.34	49	18.84	5.77
6	12	2.10	43	18.70	3.88
7	18	1.80	42	18.33	5.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	28	17.07	-2.77
2	12	1.38	32	16.01	-0.73
3	21	1.93	34	18.29	0.26
4	18	1.59	37	18.45	1.46
5	20	2.26	41	20.15	6.08
6	12	1.53	49	15.95	4.53
7	18	1.61	48	21.98	7.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	54	17.21	0.33
2	12	1.77	55	17.81	1.80
3	21	3.20	53	14.40	4.59
4	18	1.92	42	18.62	9.29
5	20	2.20	35	21.26	5.33
6	12	2.26	37	18.42	3.50
7	18	2.00	51	24.28	12.48

CAPITA


NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.68
APR. 19 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 1
Bave= 2.71
APR. 20 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.55
APR. 21 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 2
Bave= 3.52
APR. 22 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 1.96
APR. 23 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 1.86
APR. 24 1974

CAPITA


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bavg= 1.94
APR. 25 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bavg= 2.23
APR. 26 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bavg= 2.36
APR. 27 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 1
Bavg= 2.64
APR. 28 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bavg= 2.53
APR. 29 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 1
Bavg= 2.88
APR. 30 1974

CAPITA

Bavg= 2.33
MAY. 1 1974

Bavg= 3.50
MAY. 2 1974


Bavg= 3.23
MAY. 3 1974


Bavg= 2.37
MAY. 4 1974


Bavg= 2.70
MAY. 5 1974

Bavg= 2.27
MAY. 6 1974

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.25	78	8.69	4.88
2	12	1.48	48	8.87	-0.82
3	21	2.08	47	9.88	-1.55
4	18	2.13	82	16.81	8.88
5	28	2.16	48	20.15	6.08
6	12	1.87	37	19.20	4.30
7	18	2.28	58	84.88	13.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	87	13.18	-1.24
2	12	1.61	38	14.07	0.41
3	21	0.27	69	8.11	5.41
4	18	2.53	87	14.06	8.72
5	28	2.83	48	22.85	11.18
6	12	2.48	58	21.57	11.75
7	18	2.58	82	27.28	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	14.18	0.18
2	12	3.16	68	16.52	10.41
3	21	1.88	75	8.58	4.25
4	18	3.48	78	19.85	8.67
5	28	4.21	63	29.38	16.43
6	12	3.75	84	22.21	16.88
7	18	2.28	88	27.88	17.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.25	92	9.71	8.88
2	12	5.61	78	13.32	9.16
3	21	3.19	58	13.83	5.83
4	18	5.08	79	14.75	10.18
5	28	3.47	56	25.75	16.18
6	12	4.28	56	23.48	16.47
7	18	3.53	81	28.38	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.48	85	12.81	8.28
2	12	2.88	63	17.21	7.31
3	21	4.32	88	20.28	14.07
4	18	2.88	57	15.78	8.52
5	28	4.21	58	26.88	17.18
6	12	3.29	67	24.25	17.58
7	18	2.38	88	28.48	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.33	88	9.85	8.18
2	12	5.72	88	16.98	14.16
3	21	1.94	88	13.72	5.78
4	18	1.51	48	18.48	9.32
5	28	4.22	73	23.82	18.48
6	12	1.71	45	23.37	10.58
7	18	1.81	48	28.88	18.14

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	62	13.00	8.00
2	12	1.40	56	13.66	6.30
3	21	2.03	63	12.11	4.00
4	10	2.66	62	10.00	8.40
5	20	1.06	41	23.60	9.20
6	12	1.60	41	25.85	9.53
7	10	2.49	55	20.00	17.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	46	20.18	7.36
2	12	1.70	42	24.70	10.73
3	21	2.05	50	22.30	15.32
4	10	3.13	69	11.09	4.00
5	20	2.07	47	27.27	14.57
6	12	1.66	44	27.20	19.03
7	10	2.55	57	26.40	19.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	42	27.40	19.10
2	12	1.64	54	24.20	19.03
3	21	1.64	56	16.37	7.61
4	10	1.67	46	16.00	8.86
5	20	2.22	58	27.71	18.16
6	12	4.00	70	22.35	18.00
7	10	2.04	66	29.80	17.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	35	22.03	5.96
2	12	1.69	46	22.26	9.90
3	21	4.94	70	19.75	15.10
4	10	3.05	62	19.85	11.07
5	20	2.74	57	28.40	19.04
6	12	3.10	63	28.89	20.09
7	10	2.62	58	30.03	18.74



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	50	26.24	15.80
2	12	4.70	66	25.55	18.14
3	21	4.50	70	19.99	15.52
4	10	2.20	65	17.77	10.34
5	20	2.43	56	29.63	20.03
6	12	2.83	63	28.55	20.92
7	10	2.31	55	30.10	19.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	42	21.30	7.91
2	12	1.66	46	21.00	9.40
3	21	4.27	69	17.95	11.70
4	10	2.67	75	18.50	13.67
5	20	2.70	60	27.59	19.26
6	12	2.40	60	28.97	20.55
7	10	2.31	54	29.00	19.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	87	15.27	8.69
2	12	1.83	48	18.05	5.80
3	21	2.54	61	19.12	11.09
4	10	4.14	70	27.24	15.14
5	20	3.12	61	24.80	18.48
6	12	5.82	62	28.51	20.84
7	10	2.14	94	29.30	18.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	94	14.71	-1.52
2	12	1.20	35	18.23	2.31
3	21	3.17	54	23.17	13.19
4	10	9.05	65	24.78	17.48
5	20	3.24	61	25.29	17.01
6	12	5.27	59	29.30	20.41
7	10	2.15	89	28.18	17.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	87	18.24	1.11
2	12	2.08	48	22.30	10.87
3	21	4.97	58	27.27	18.11
4	10	2.75	84	21.34	19.87
5	20	9.32	83	25.87	17.28
6	12	5.51	87	28.38	19.82
7	10	2.24	88	28.24	15.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.23	53	29.05	12.40
2	12	5.26	53	27.28	16.76
3	21	4.79	73	22.16	17.05
4	10	1.97	46	20.58	8.84
5	20	3.13	68	26.04	18.38
6	12	5.49	64	25.05	20.22
7	10	1.85	55	28.57	16.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.39	95	10.09	8.98
2	12	9.73	69	20.09	16.38
3	21	1.09	42	22.04	8.08
4	10	1.66	52	16.55	6.34
5	20	3.15	73	25.05	19.73
6	12	2.44	67	24.59	17.91
7	10	2.04	93	28.57	18.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	87	11.84	8.71
2	12	2.68	84	18.53	12.21
3	21	1.77	58	17.95	7.24
4	10	1.69	93	17.58	7.88
5	20	2.36	74	23.29	18.06
6	12	2.52	75	23.29	18.47
7	10	2.81	98	28.67	18.39

CAPITA

REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.66	70	16.00	8.80
2	12	1.50	56	15.00	6.26
3	21	1.02	48	18.89	5.95
4	10	1.01	57	19.10	10.90
5	20	2.77	45	20.20	10.26
6	12	2.02	50	24.95	13.93
7	10	1.96	66	20.60	10.26

REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.96	88	10.60	7.77
2	12	1.26	56	15.62	6.58
3	21	2.15	48	18.52	5.47
4	10	2.42	68	19.00	10.26
5	20	2.60	56	23.62	13.96
6	12	5.01	80	17.95	14.57
7	10	2.15	96	20.20	18.76



REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.77	76	8.80	6.30
2	12	2.51	63	14.20	7.03
3	21	1.97	48	18.11	8.60
4	10	2.26	80	23.70	18.20
5	20	2.04	58	22.20	12.50
6	12	2.08	59	22.60	11.96
7	10	2.24	91	20.80	18.96



REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	91	10.30	8.86
2	12	1.56	67	10.37	6.78
3	21	3.71	6	19.95	12.95
4	10	2.08	91	24.60	18.27
5	20	2.32	65	24.81	12.11
6	12	2.42	52	25.15	14.07
7	10	2.14	68	20.00	17.48



REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.50	80	12.35	10.55
2	12	0.22	68	16.47	14.57
3	21	0.99	80	21.23	17.50
4	10	1.06	81	21.73	19.30
5	20	3.08	50	27.83	18.62
6	12	2.08	56	27.21	19.96
7	10	1.01	51	31.10	18.00



REGION	# STNS	MEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	75	14.80	10.55
2	12	5.46	62	20.73	12.95
3	21	5.98	72	23.29	15.86
4	10	3.93	69	21.62	14.08
5	20	3.67	61	27.95	19.67
6	12	2.56	68	27.60	20.73
7	10	2.16	56	30.41	18.16

CAPITA


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 3.46
MAY. 31 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 2.86
JUN. 1 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 2.58
JUN. 2 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 2.35
JUN. 3 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 2.64
JUN. 4 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 2.82
JUN. 5 1974

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.60	52	21.10	10.27
2	12	2.61	46	26.30	13.65
3	21	3.50	80	24.60	16.75
4	10	2.60	65	20.83	13.81
5	20	2.30	63	26.04	18.12
6	12	2.50	66	20.60	20.32
7	10	2.16	54	30.10	16.12

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	49	10.60	8.24
2	12	2.65	58	21.20	12.31
3	21	3.00	66	24.70	17.88
4	10	2.14	64	10.80	12.07
5	20	3.36	67	26.30	18.61
6	12	2.20	70	27.20	21.20
7	10	2.51	68	27.70	18.05



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	87	29.76	16.58
2	12	2.40	67	23.83	17.12
3	21	2.81	71	23.40	18.01
4	10	3.40	72	18.01	13.29
5	20	3.36	68	26.86	20.55
6	12	2.38	70	26.10	21.43
7	10	2.28	57	30.31	16.06



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	48	29.59	17.77
2	12	2.00	51	29.13	18.01
3	21	2.48	65	27.77	20.47
4	10	2.31	71	17.32	11.07
5	20	2.47	68	29.03	26.00
6	12	2.19	67	28.74	22.07
7	10	1.80	52	27.35	15.58

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.99	48	32.93	20.55
2	12	2.46	52	31.15	18.05
3	21	2.21	60	20.20	13.32
4	10	1.75	51	20.20	9.75
5	20	2.50	58	30.67	21.46
6	12	2.10	65	25.70	18.70
7	10	2.98	56	26.83	15.02

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.93	72	21.10	19.02
2	12	1.47	53	22.35	12.03
3	21	1.70	56	19.30	10.15
4	10	1.00	49	19.10	8.06
5	20	2.02	51	27.43	16.16
6	12	1.00	49	25.90	14.30
7	10	2.02	52	23.96	17.88

CAPITA


Bavg= 2.04
JUN. 12 1974


Bavg= 2.13
JUN. 13 1974


Bavg= 2.86
JUN. 14 1974

Bavg= 2.66
JUN. 15 1974

Bavg= 2.48
JUN. 16 1974

Bavg= 2.07
JUN. 17 1974

CAPITA


Rmax= 2.22
JUN. 18 1974


Rmax= 2.98
JUN. 19 1974


Rmax= 3.38
JUN. 20 1974


Rmax= 3.14
JUN. 21 1974


Rmax= 2.64
JUN. 22 1974


Rmax= 2.43
JUN. 23 1974

CAPITA


Davg= 2.16
JUN. 24 1974


Davg= 2.53
JUN. 25 1974


Davg= 2.49
JUN. 26 1974


Davg= 2.56
JUN. 27 1974


Davg= 3.57
JUN. 28 1974


Davg= 3.17
JUN. 29 1974

CAPITA













CAPITA


JUL. 6 1974
JUL. 7 1974
JUL. 8 1974
JUL. 9 1974
JUL. 10 1974
JUL. 11 1974
CAPITA


JUL. 12 1979
JUL. 13 1979
JUL. 14 1979
JUL. 15 1979
JUL. 16 1979
JUL. 17 1979

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.57	48	28.52	16.57
2	12	3.20	54	28.00	17.01
3	21	4.50	53	29.89	18.93
4	18	2.14	40	30.57	17.00
5	20	4.70	56	30.73	20.00
6	12	4.52	55	30.50	20.50
7	16	2.52	48	31.52	19.10



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.04	56	28.00	18.72
2	12	4.23	52	28.00	18.61
3	21	5.85	48	30.04	18.48
4	18	1.80	39	35.20	18.00
5	20	6.07	58	30.63	21.30
6	12	8.45	60	29.81	20.75
7	16	2.50	48	32.20	18.62

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	60	22.00	11.00
2	12	1.10	48	24.62	9.50
3	21	2.62	49	26.45	14.00
4	18	2.00	44	32.16	17.00
5	20	3.42	51	28.73	18.24
6	12	4.02	63	29.95	22.12
7	16	2.40	50	33.00	17.42

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	34	25.41	8.40
2	12	1.24	30	24.57	9.16
3	21	2.13	42	28.21	12.11
4	18	2.82	44	33.10	17.00
5	20	3.21	56	27.85	17.07
6	12	3.95	51	30.89	19.40
7	16	2.58	40	33.47	16.50



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	41	25.55	11.30
2	12	1.51	35	26.80	10.27
3	21	5.12	60	22.50	15.97
4	18	2.57	51	29.10	17.50
5	20	2.85	54	27.00	17.30
6	12	4.51	58	29.39	19.76
7	16	2.50	37	35.21	17.30



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	90	24.43	13.33
2	12	4.05	62	22.50	14.40
3	21	7.27	73	21.90	16.79
4	18	1.74	40	28.72	14.40
5	20	3.66	64	26.42	18.92
6	12	5.73	74	28.47	21.33
7	16	2.08	42	34.02	18.32

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	58	21.34	12.00
2	12	3.00	72	18.00	14.71
3	21	4.40	53	25.44	15.28
4	10	2.62	46	28.89	18.10
5	20	4.76	66	27.27	20.81
6	12	5.21	67	28.00	21.26
7	10	2.40	48	35.00	18.25



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	66	22.69	19.06
2	12	3.26	64	22.40	16.10
3	21	5.52	54	25.65	15.29
4	10	3.50	48	28.00	18.00
5	20	6.46	60	27.61	20.04
6	12	5.62	59	29.53	20.87
7	10	2.17	48	32.49	18.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.60	66	23.00	15.41
2	12	5.61	67	23.00	17.03
3	21	6.39	48	28.77	18.52
4	10	2.49	56	30.00	14.40
5	20	4.17	68	30.34	21.07
6	12	6.47	70	30.42	21.50
7	10	2.00	48	32.01	18.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.92	65	23.40	18.52
2	12	6.03	61	26.00	18.42
3	21	5.57	41	29.83	15.07
4	10	1.00	50	28.83	13.64
5	20	3.91	70	27.79	21.60
6	12	5.60	68	28.51	21.00
7	10	2.21	48	32.80	19.26



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.71	77	23.32	19.02
2	12	6.81	57	27.96	18.32
3	21	2.53	48	29.51	16.31
4	10	1.03	40	28.37	14.16
5	20	4.55	63	29.42	21.56
6	12	7.25	59	30.04	21.29
7	10	2.04	48	33.05	17.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.60	70	24.03	13.74
2	12	5.25	61	27.03	18.00
3	21	2.59	48	25.06	13.62
4	10	1.00	37	25.41	8.08
5	20	4.66	60	30.47	21.56
6	12	9.72	61	30.50	22.17
7	10	2.40	44	32.95	18.74

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.57	76	29.76	18.76
2	12	2.57	67	26.67	18.84
3	21	1.72	45	24.61	12.05
4	18	1.80	34	26.69	9.50
5	20	4.00	66	30.27	20.10
6	12	3.27	44	29.10	15.68
7	18	2.86	52	28.75	18.06

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.44	46	27.69	18.00
2	12	2.02	47	27.12	14.06
3	21	1.88	43	28.80	12.27
4	18	1.80	48	28.81	12.00
5	20	2.62	63	28.47	18.44
6	12	1.94	45	28.70	15.41
7	18	2.08	40	30.91	18.57



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	46	27.77	18.06
2	12	2.20	47	26.80	14.53
3	21	2.58	56	24.75	14.05
4	18	2.01	68	29.74	14.94
5	20	3.11	57	29.62	18.77
6	12	2.60	48	29.71	18.90
7	18	2.16	60	30.80	18.10



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.38	48	27.03	15.98
2	12	4.39	55	28.80	18.00
3	21	4.51	64	24.80	17.11
4	18	2.40	54	22.95	12.14
5	20	3.77	68	28.29	21.06
6	12	3.91	61	28.40	20.00
7	18	2.33	53	28.33	18.40

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.62	60	28.00	20.41
2	12	3.18	60	27.31	20.70
3	21	2.04	66	22.50	15.60
4	18	2.21	49	19.79	7.63
5	20	2.00	69	28.32	21.02
6	12	5.19	78	25.98	21.20
7	18	2.43	50	28.40	18.46



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.18	59	30.27	21.24
2	12	2.17	72	25.64	20.13
3	21	2.29	64	20.23	13.11
4	18	1.52	87	24.18	8.11
5	20	3.04	72	27.27	21.64
6	12	2.78	60	26.60	17.77
7	18	2.50	53	27.84	18.90

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	40	26.00	14.02
2	12	1.63	66	24.25	14.81
3	21	2.04	47	23.50	11.81
4	18	1.81	42	24.71	10.84
5	20	2.04	66	27.17	18.08
6	12	2.97	50	27.12	15.45
7	18	2.19	50	28.05	18.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	40	25.19	12.00
2	12	2.12	61	26.04	14.20
3	21	2.23	45	25.55	12.05
4	18	2.52	54	28.00	13.50
5	20	3.70	72	26.62	18.07
6	12	2.82	55	27.69	17.28
7	18	2.95	60	25.00	19.20

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.60	48	26.00	14.80
2	12	3.00	66	28.28	18.06
3	21	4.25	52	25.97	15.99
4	18	3.57	67	29.70	14.20
5	20	3.04	72	26.62	20.45
6	12	2.83	72	26.10	20.50
7	18	2.22	66	26.90	19.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	44	29.10	15.90
2	12	3.92	58	25.87	17.26
3	21	5.00	64	25.10	17.99
4	18	3.70	57	25.51	16.27
5	20	4.70	70	25.94	21.70
6	12	2.89	74	28.29	21.33
7	18	3.22	67	28.40	21.17



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.78	72	20.55	15.27
2	12	4.98	64	25.36	18.14
3	21	5.32	59	26.95	18.92
4	18	7.34	76	22.58	17.77
5	20	4.29	71	27.75	21.09
6	12	5.14	69	28.09	21.89
7	18	2.04	58	30.70	21.27



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.99	47	23.32	10.90
2	12	1.96	53	24.34	13.97
3	21	8.85	71	24.00	19.09
4	18	5.70	74	22.29	17.25
5	20	3.46	65	27.97	20.71
6	12	3.72	64	29.44	21.81
7	18	2.74	50	29.37	20.08

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.96	90	26.00	10.27
2	12	1.53	42	26.22	11.24
3	21	5.17	71	28.42	20.73
4	10	1.67	63	24.00	18.38
5	20	3.67	63	26.38	18.40
6	12	5.42	70	28.37	22.17
7	10	2.08	56	30.50	20.10

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	90	27.01	11.82
2	12	2.30	64	26.64	15.13
3	21	2.58	58	28.47	17.84
4	10	1.60	61	27.42	18.82
5	20	2.77	64	27.37	18.77
6	12	2.52	65	28.07	21.00
7	10	2.40	58	30.94	20.51



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	90	28.05	12.60
2	12	3.11	58	27.21	17.63
3	21	2.90	61	27.69	18.57
4	10	1.74	66	25.68	18.86
5	20	3.63	62	28.90	21.00
6	12	5.11	62	28.65	20.52
7	10	1.84	59	31.60	20.86

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	47	28.74	16.24
2	12	2.12	51	27.58	16.43
3	21	2.05	56	25.55	18.21
4	10	2.21	60	26.41	17.70
5	20	3.73	63	28.86	21.14
6	12	4.65	67	27.58	20.73
7	10	2.01	52	31.00	20.41



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	58	24.44	9.71
2	12	1.41	48	25.36	14.02
3	21	3.54	58	27.48	17.85
4	10	3.90	64	24.10	17.25
5	20	3.36	61	29.26	20.88
6	12	3.11	64	28.83	21.29
7	10	1.87	51	32.00	20.34



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	54	25.90	9.16
2	12	2.44	49	27.86	16.15
3	21	5.33	65	28.70	19.33
4	10	1.70	58	25.23	15.40
5	20	4.20	68	28.86	22.27
6	12	3.45	69	27.80	21.50
7	10	2.90	48	32.81	20.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.98	71	26.87	18.87
2	12	7.68	78	26.36	20.18
3	21	2.88	68	25.04	17.81
4	18	2.88	62	25.04	15.25
5	28	3.83	62	30.38	22.16
6	12	3.28	68	28.82	21.88
7	18	1.88	48	38.48	20.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.48	88	25.18	17.48
2	12	2.22	82	28.48	16.82
3	21	2.25	55	26.85	18.88
4	18	1.75	88	28.52	15.08
5	28	2.88	58	29.75	20.61
6	12	2.38	87	28.85	21.45
7	18	1.87	48	32.87	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	47	27.88	15.48
2	12	2.27	48	27.73	16.68
3	21	2.25	51	28.54	17.58
4	18	1.78	88	28.44	16.87
5	28	3.34	62	30.62	20.78
6	12	2.88	62	28.55	20.08
7	18	1.78	48	33.28	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	53	27.87	18.88
2	12	2.84	47	28.68	16.18
3	21	3.13	52	29.22	18.58
4	18	2.48	58	28.67	18.28
5	28	3.87	62	28.35	20.27
6	12	3.81	55	29.25	19.38
7	18	1.88	48	38.62	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.32	58	27.87	18.88
2	12	3.84	47	28.78	16.28
3	21	4.55	48	25.33	17.74
4	18	2.32	65	24.85	17.28
5	28	3.63	61	28.81	18.75
6	12	4.82	58	28.78	20.08
7	18	2.12	48	31.88	18.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.88	52	28.85	17.87
2	12	3.83	88	26.28	17.28
3	21	4.18	57	27.85	18.31
4	18	1.88	68	28.81	16.81
5	28	3.42	65	28.58	21.18
6	12	3.87	68	27.31	20.45
7	18	2.31	51	31.84	19.48

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.30	64	23.00	20.00
2	12	4.17	65	27.26	18.05
3	21	4.05	61	25.35	17.10
4	10	1.96	58	22.60	13.71
5	20	3.38	68	20.36	21.22
6	12	4.18	59	20.89	20.10
7	10	2.48	65	20.94	19.04

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.20	51	20.50	18.40
2	12	4.75	58	26.66	17.01
3	21	2.50	57	25.77	14.85
4	10	2.51	60	23.57	16.00
5	20	3.03	60	20.70	21.06
6	12	5.04	57	29.53	20.04
7	10	2.86	60	20.39	20.41



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	60	23.40	12.30
2	12	1.02	48	24.06	13.46
3	21	2.53	51	25.00	15.12
4	10	3.04	54	20.67	17.04
5	20	3.63	60	20.53	21.06
6	12	5.50	58	30.27	20.06
7	10	2.36	61	20.62	20.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	53	24.30	13.00
2	12	4.67	66	25.04	17.01
3	21	4.32	53	30.10	19.67
4	10	2.60	51	27.30	18.24
5	20	4.76	62	30.01	21.94
6	12	4.78	50	30.89	21.01
7	10	3.79	71	28.62	20.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.53	65	20.30	19.90
2	12	6.22	64	20.14	20.03
3	21	5.75	66	25.10	18.25
4	10	2.14	52	22.11	11.45
5	20	4.79	58	30.60	22.11
6	12	4.46	57	29.21	22.31
7	10	2.00	60	20.20	21.02

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.62	61	25.50	17.00
2	12	4.55	60	24.30	18.00
3	21	3.67	60	20.81	14.33
4	10	2.03	58	20.00	10.00
5	20	4.26	67	31.60	22.13
6	12	2.87	60	29.34	22.95
7	10	2.36	71	20.00	20.00

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.05	90	18.52	19.06
2	12	5.08	77	26.16	19.78
3	21	3.26	64	22.93	15.29
4	16	2.09	65	18.89	10.51
5	28	2.71	62	33.04	22.78
6	12	4.56	72	27.98	22.05
7	16	2.75	76	26.58	21.08

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.65	81	23.11	17.68
2	12	3.58	71	24.67	18.28
3	21	2.91	61	24.75	13.85
4	16	2.11	80	21.78	15.43
5	28	2.22	66	30.20	21.64
6	12	2.64	76	26.62	21.06
7	16	2.48	76	27.70	21.96

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.62	68	24.02	17.77
2	12	1.81	67	25.61	16.60
3	21	2.67	55	25.01	13.52
4	16	1.77	55	18.06	8.60
5	28	2.47	65	29.30	22.08
6	12	2.27	73	28.06	21.52
7	16	2.06	61	30.15	21.62



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.09	41	25.13	10.09
2	12	3.63	63	23.93	16.20
3	21	1.81	58	19.07	10.09
4	16	1.01	60	15.44	7.49
5	28	2.06	60	29.00	21.48
6	12	2.47	71	27.22	21.81
7	16	2.06	80	29.82	26.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.65	78	18.09	19.05
2	12	2.10	68	20.04	16.06
3	21	3.37	74	15.57	10.78
4	16	1.91	62	15.57	8.14
5	28	2.45	65	28.16	20.86
6	12	3.40	78	20.10	21.30
7	16	3.26	64	25.96	18.59

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.00	00	15.66	14.71
2	12	5.58	86	18.29	16.58
3	21	2.52	51	15.73	7.38
4	16	1.57	42	16.48	8.38
5	28	2.31	67	27.03	21.16
6	12	3.71	84	18.80	15.87
7	16	1.91	58	23.14	12.48

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.25	60	14.71	19.10
2	12	1.46	62	17.00	10.00
3	21	1.70	47	18.00	8.00
4	10	1.89	41	20.10	8.17
5	20	2.00	66	20.72	16.04
6	12	1.98	80	18.11	12.48
7	10	1.78	47	22.70	10.60

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	48	19.00	8.00
2	12	1.33	61	20.32	8.76
3	21	1.51	40	19.90	8.27
4	10	1.82	48	20.00	8.16
5	20	2.04	70	22.53	16.56
6	12	3.08	66	22.12	15.50
7	10	2.06	48	24.90	11.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.06	56	18.02	8.00
2	12	2.06	65	18.69	12.00
3	21	2.75	51	21.39	10.70
4	10	3.21	66	18.01	11.02
5	20	6.07	86	21.72	19.22
6	12	3.46	78	21.75	17.82
7	10	2.46	48	26.29	19.12



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	73	18.05	13.06
2	12	2.60	65	20.13	13.08
3	21	4.13	58	22.37	13.27
4	10	3.50	50	23.32	13.91
5	20	3.54	70	23.46	18.55
6	12	2.53	74	23.19	18.14
7	10	3.70	84	26.31	15.70



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	57	22.21	19.32
2	12	3.08	61	23.05	15.08
3	21	4.41	58	25.62	19.59
4	10	2.48	69	23.20	19.12
5	20	2.83	72	25.03	19.57
6	12	3.46	80	23.97	20.22
7	10	2.56	48	27.04	16.50



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.00	57	25.41	18.24
2	12	5.10	64	24.07	18.66
3	21	5.05	58	25.15	18.15
4	10	3.22	63	22.14	14.23
5	20	3.04	71	26.02	20.21
6	12	2.50	78	25.04	21.19
7	10	4.22	62	26.60	17.77

CAPITA


NUMBER OF STATIONS 108
ADJUSTED STATIONS 1
Bave= 4.35
SEP. 10 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 3.78
SEP. 11 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 1
Bave= 3.91
SEP. 12 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.88
SEP. 13 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.55
SEP. 14 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.42
SEP. 15 1974

CAPITA


NUMBER OF STATIONS 100
ADJUSTED STATIONS 1
Bave= 2.85
SEP. 16 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 3.23
SEP. 17 1974

NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 3.00
SEP. 18 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 1
Bave= 3.54
SEP. 19 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 3.59
SEP. 20 1974


NUMBER OF STATIONS 100
ADJUSTED STATIONS 0
Bave= 3.32
SEP. 21 1974

CAPITA


Bave= 2.08
SEP. 22 1974

Bave= 1.85
SEP. 23 1974

Bave= 2.41
SEP. 24 1974

Bave= 3.05
SEP. 25 1974

Bave= 3.20
SEP. 26 1974


Bave= 3.96
SEP. 27 1974

CAPITA


Bavg= 3.67
SEP. 28 1974


Bavg= 2.30
SEP. 29 1974


Bavg= 1.77
SEP. 30 1974


Bavg= 1.95
OCT. 1 1974


OCT. 2 1974


Bavg= 1.88
OCT. 3 1974

CAPITA



CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.85	59	15.41	5.27
2	12	2.17	60	17.68	6.61
3	21	2.58	48	18.67	7.18
4	18	1.72	41	29.28	8.06
5	28	2.66	44	26.62	10.98
6	12	5.09	44	25.35	10.22
7	16	2.82	62	88.48	15.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	85	11.62	-9.79
2	12	2.08	48	18.16	7.26
3	21	2.73	43	21.85	8.88
4	18	2.22	80	19.98	11.86
5	28	2.70	48	26.29	11.88
6	12	5.08	45	25.88	12.51
7	16	2.88	58	28.87	17.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.84	84	10.84	8.84
2	12	4.84	87	18.78	12.48
3	21	4.58	73	18.83	11.88
4	18	2.88	71	10.82	6.87
5	28	3.34	67	26.72	13.48
6	12	3.47	48	25.73	14.38
7	16	4.84	68	28.28	17.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	50	9.83	0.00
2	12	2.42	63	13.79	6.61
3	21	7.87	78	14.09	10.28
4	18	5.69	78	12.59	7.68
5	28	3.31	52	25.11	14.38
6	12	4.55	58	24.85	14.67
7	16	2.88	84	24.37	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	88	12.21	8.38
2	12	5.38	77	17.72	13.51
3	21	4.22	73	16.13	11.16
4	18	1.88	84	10.58	8.88
5	28	4.06	56	25.64	16.12
6	12	3.78	52	25.27	14.57
7	16	2.65	70	21.68	15.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.82	88	10.80	10.08
2	12	2.15	88	15.22	8.65
3	21	1.88	58	13.18	5.08
4	18	1.84	38	13.57	-1.18
5	28	3.00	81	25.78	17.41
6	12	10.18	88	16.98	14.85
7	16	1.88	88	18.82	7.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.15	88	8.30	7.03
2	12	4.38	68	10.84	7.72
3	21	2.08	68	14.70	9.56
4	18	1.50	97	18.82	2.88
5	28	3.29	78	20.23	16.28
6	12	2.45	71	14.80	9.48
7	16	1.84	48	20.65	7.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	74	10.00	6.84
2	12	2.07	68	15.50	7.31
3	21	1.81	41	17.50	5.75
4	18	1.57	27	18.88	3.15
5	28	2.41	52	21.18	10.67
6	12	2.07	48	19.86	7.28
7	16	1.76	36	24.19	8.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	58	6.88	-0.47
2	12	1.26	39	6.84	-6.38
3	21	2.52	68	8.78	-0.87
4	18	1.57	48	18.80	2.88
5	28	3.01	62	21.82	7.35
6	12	2.31	43	20.55	7.35
7	16	1.76	36	25.69	11.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	56	5.09	-8.80
2	12	1.30	48	6.33	-6.61
3	21	4.48	60	8.82	-0.92
4	18	1.75	48	14.71	0.72
5	28	2.04	46	15.60	3.31
6	12	1.68	40	15.78	1.98
7	16	1.04	47	22.70	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	48	2.48	-7.35
2	12	2.08	46	4.30	-8.78
3	21	1.85	51	5.68	-5.88
4	18	1.69	43	12.42	-0.07
5	28	2.02	46	15.27	3.27
6	12	1.86	41	15.88	2.31
7	16	1.81	81	22.87	11.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	48	4.18	-8.48
2	12	1.33	41	6.80	-6.73
3	21	1.83	42	9.28	-5.22
4	18	1.85	43	17.59	4.47
5	28	1.96	38	14.22	0.38
6	12	1.75	48	14.25	0.69
7	16	2.46	94	21.48	11.31

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	28	14.71	-4.06
2	12	1.64	28	14.05	-3.06
3	21	2.12	37	17.00	2.08
4	10	2.57	47	16.62	4.27
5	20	2.08	36	18.40	2.16
6	12	1.89	41	17.35	3.05
7	10	2.42	64	21.40	14.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	48	10.30	4.44
2	12	2.43	48	15.31	4.20
3	21	4.29	60	15.73	7.87
4	10	2.60	48	16.95	4.70
5	20	2.14	33	21.86	4.14
6	12	2.49	41	19.53	5.80
7	10	3.29	60	22.40	10.41

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	24	0.57	-0.06
2	12	1.72	34	13.37	-2.21
3	21	0.03	60	17.90	9.07
4	10	3.24	58	10.80	10.66
5	20	2.67	41	21.12	6.62
6	12	3.25	48	20.27	8.51
7	10	3.20	60	21.98	15.13



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	64	12.00	5.18
2	12	7.36	73	13.20	8.32
3	21	3.80	53	17.58	7.16
4	10	2.74	47	14.37	2.57
5	20	2.07	42	23.90	9.90
6	12	3.48	43	22.91	9.53
7	10	4.23	75	20.10	15.13

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	41	11.24	-1.00
2	12	1.31	46	12.81	1.34
3	21	2.07	37	15.84	0.95
4	10	2.12	42	17.11	3.40
5	20	2.36	42	23.15	8.36
6	12	3.27	45	22.95	10.22
7	10	4.70	66	21.24	14.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	29	0.00	-0.33
2	12	1.43	36	14.94	-0.18
3	21	2.34	51	10.99	1.55
4	10	2.73	63	17.84	10.48
5	20	2.66	41	23.68	8.32
6	12	3.35	38	22.98	8.00
7	10	3.48	60	22.00	14.10

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.85	29	8.71	-0.16
2	12	1.62	48	14.67	2.68
3	21	2.79	57	20.94	9.52
4	18	4.17	69	17.18	11.08
5	29	2.66	67	20.06	11.64
6	12	2.65	45	25.70	10.62
7	18	3.32	75	21.67	16.76



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	48	16.74	7.46
2	12	3.30	58	18.25	10.22
3	21	7.85	75	17.93	12.50
4	18	6.55	83	15.88	12.84
5	29	5.16	63	24.00	16.75
6	12	2.04	81	23.83	19.58
7	18	3.26	86	24.61	17.42



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.35	79	16.84	12.21
2	12	7.09	79	18.85	14.26
3	21	8.25	78	20.85	16.18
4	18	8.81	86	19.48	16.71
5	29	8.40	67	26.85	16.78
6	12	2.71	61	25.22	16.98
7	18	2.98	74	25.71	18.87



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.94	78	18.60	14.71
2	12	7.67	76	19.48	15.13
3	21	4.65	87	22.76	18.37
4	18	4.48	89	14.80	11.92
5	29	2.75	52	28.22	15.53
6	12	2.54	52	26.81	15.58
7	18	2.28	87	21.34	14.85

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.01	60	29.03	16.57
2	12	3.67	58	23.86	16.25
3	21	2.59	81	20.97	12.98
4	18	8.83	75	12.79	8.15
5	29	2.47	46	26.83	14.24
6	12	2.62	58	25.08	18.33
7	18	5.18	84	22.60	15.72



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	50	9.80	2.08
2	12	2.08	62	17.21	9.53
3	21	9.05	65	20.85	13.25
4	18	9.60	78	7.84	5.71
5	29	2.41	45	27.08	13.06
6	12	2.38	58	25.80	18.43
7	18	4.58	73	23.67	18.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	88	10.88	1.26
2	12	6.88	77	16.67	10.32
3	21	8.85	81	15.75	10.52
4	18	2.81	78	4.88	1.36
5	28	3.16	48	26.42	14.63
6	12	2.88	55	25.45	15.86
7	18	2.76	72	22.68	16.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.91	76	19.41	11.10
2	12	3.82	68	17.07	10.82
3	21	7.17	89	8.81	5.38
4	18	2.88	72	4.58	-0.68
5	28	2.32	48	26.12	14.88
6	12	2.82	67	22.58	15.58
7	18	1.88	71	15.76	10.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.56	88	8.88	7.81
2	12	0.26	88	12.96	10.58
3	23	4.27	88	7.05	3.77
4	18	0.21	78	3.87	-1.88
5	28	0.32	87	22.37	15.53
6	12	0.17	87	13.85	7.48
7	18	1.88	88	18.78	8.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.57	88	10.27	7.77
2	12	2.55	88	12.26	9.38
3	21	2.58	78	7.85	2.43
4	18	2.88	88	8.41	-0.07
5	28	2.68	51	18.88	7.88
6	12	2.89	57	13.37	6.78
7	18	1.81	88	15.29	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.12	77	9.82	5.19
2	12	2.36	68	10.86	4.36
3	21	2.77	58	10.70	2.98
4	18	2.67	88	10.38	5.68
5	28	2.88	47	16.68	4.87
6	12	2.57	58	12.17	3.58
7	18	3.73	78	11.87	8.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	88	8.32	2.96
2	12	1.88	58	12.35	1.88
3	21	3.75	57	13.16	4.73
4	18	4.26	87	11.85	6.82
5	28	2.46	48	16.82	5.08
6	12	2.83	58	14.82	6.98
7	18	8.23	81	12.14	8.91

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	52	10.27	-0.27
2	12	5.16	60	10.70	2.36
3	21	3.07	55	13.45	4.51
4	10	5.00	70	6.76	4.40
5	20	2.15	43	10.30	4.05
6	12	2.50	45	10.83	4.00
7	10	7.01	66	14.70	12.92



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	50	8.71	0.00
2	12	2.92	60	10.60	2.00
3	21	7.98	70	10.52	8.21
4	10	7.66	70	8.48	4.20
5	20	2.13	30	10.70	4.71
6	12	2.39	41	10.76	5.00
7	10	8.30	70	17.60	15.60

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	40	13.92	1.62
2	12	2.62	42	14.40	1.16
3	21	3.03	77	10.12	5.92
4	10	1.80	66	7.60	-0.31
5	20	2.40	48	20.15	8.60
6	12	8.33	79	14.90	10.55
7	10	1.70	61	17.85	7.01



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.39	80	11.60	7.50
2	12	7.70	68	11.67	9.57
3	21	5.44	72	5.52	0.66
4	10	1.75	57	4.02	-4.02
5	20	3.03	56	16.80	7.33
6	12	2.09	54	10.55	1.10
7	10	1.62	30	15.23	1.20



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	56	9.05	1.24
2	12	3.00	60	7.77	0.04
3	21	5.24	73	2.27	-2.24
4	10	4.76	72	1.11	-3.47
5	20	1.86	36	13.64	-1.20
6	12	1.65	50	13.51	-0.89
7	10	1.50	41	10.10	5.55



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	50	12.30	2.30
2	12	1.76	56	10.27	1.52
3	21	4.29	71	-0.20	-5.07
4	10	2.35	61	-0.31	-7.04
5	20	2.57	50	17.31	6.10
6	12	5.00	75	8.30	2.03
7	10	1.84	40	11.07	0.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	53	6.52	-2.95
2	12	2.00	54	9.37	-6.30
3	21	3.42	64	1.24	-4.50
4	10	1.74	56	4.33	-9.01
5	20	1.77	45	12.21	0.30
6	12	1.97	40	7.35	-2.60
7	10	1.82	80	12.32	1.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	61	6.80	-2.01
2	12	1.39	47	7.12	-3.66
3	21	2.42	69	6.50	-0.21
4	10	2.00	50	6.89	-1.24
5	20	1.80	41	15.33	1.00
6	12	2.01	47	10.75	-0.50
7	10	2.67	67	15.00	0.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.64	68	5.19	-1.00
2	12	2.86	67	7.60	-0.60
3	21	4.03	72	6.66	2.50
4	10	3.00	67	9.66	1.20
5	20	2.30	68	17.43	9.14
6	12	3.00	74	13.23	8.40
7	10	4.70	80	14.20	10.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	53	10.06	1.52
2	12	2.47	80	10.22	2.63
3	21	5.75	77	9.48	5.34
4	10	7.20	70	7.40	2.30
5	20	5.33	70	15.73	11.56
6	12	8.17	80	14.25	11.00
7	10	5.00	70	18.07	12.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	55	10.27	1.30
2	12	4.06	60	11.61	3.07
3	21	6.90	80	11.55	9.05
4	10	4.04	66	10.10	3.43
5	20	5.95	77	17.57	13.30
6	12	6.31	86	18.50	16.05
7	10	2.90	83	22.40	14.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.79	86	7.77	5.27
2	12	9.41	80	11.01	9.53
3	21	3.07	74	6.28	1.52
4	10	1.57	57	6.50	-3.43
5	20	4.35	81	10.60	15.10
6	12	2.05	47	10.19	4.70
7	10	1.60	50	10.07	3.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.47	78	5.41	1.24
2	12	5.81	78	2.60	0.06
3	21	3.88	72	2.85	-1.77
4	16	1.67	47	7.84	-8.87
5	20	2.36	37	13.15	-1.80
6	12	1.59	37	15.05	-1.94
7	18	1.58	37	20.30	4.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	68	0.27	-8.98
2	12	1.35	57	1.98	-6.86
3	21	2.41	68	5.78	-0.29
4	16	1.88	54	12.48	2.81
5	20	1.86	35	16.00	-0.75
6	12	1.82	43	14.11	0.97
7	18	2.00	52	22.98	11.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.95	58	1.24	-8.88
2	12	1.87	62	8.98	-2.86
3	21	4.20	63	13.81	8.71
4	16	4.07	74	4.82	0.52
5	20	2.21	42	16.70	3.38
6	12	2.12	44	19.30	8.88
7	18	2.08	64	22.04	14.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.74	68	8.19	1.84
2	12	3.58	64	11.52	4.62
3	21	4.33	65	6.39	3.39
4	16	1.55	56	3.05	-5.02
5	20	2.32	58	20.23	6.24
6	12	3.57	81	17.49	9.30
7	18	2.70	56	12.53	5.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.58	88	9.44	3.47
2	12	5.62	75	5.88	0.82
3	21	2.49	63	1.21	-5.29
4	16	1.78	57	0.68	-7.81
5	20	2.62	65	14.68	7.87
6	12	1.77	51	8.80	-1.10
7	18	1.88	38	12.73	-1.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	62	-2.83	-9.16
2	12	1.48	52	-1.38	-10.36
3	21	2.00	60	-0.15	-7.00
4	16	2.12	52	5.37	-4.29
5	20	2.04	44	9.38	-2.70
6	12	1.68	40	8.05	-4.80
7	18	1.69	41	14.28	0.67

CAPITA


NUMBER OF STATIONS 108
ADJUSTED STATIONS 2
Bave= 2.66
NOV. 27 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.38
NOV. 28 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 1
Bave= 2.88
NOV. 29 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 5
Bave= 5.34
NOV. 30 1974


NUMBER OF STATIONS 108
ADJUSTED STATIONS 10
Bave= 4.98
DEC. 1 1974

NUMBER OF STATIONS 108
ADJUSTED STATIONS 8
Bave= 4.00
DEC. 2 1974

CAPITA


Bavg= 3.61
DEC. 3 1974


Bavg= 2.49
DEC. 4 1974


Bavg= 3.15
DEC. 5 1974


Bavg= 5.76
DEC. 6 1974


Bavg= 5.58
DEC. 7 1974


Bavg= 3.48
DEC. 8 1974

CAPITA


Bavg= 2.41
DEC. 9 1974


Bavg= 2.27
DEC. 10 1974


Bavg= 3.71
DEC. 11 1974


Bavg= 5.63
DEC. 12 1974


Bavg= 8.15
DEC. 13 1974


Bavg= 5.51
DEC. 14 1974

CAPITA


Bavg= 5.56
DEC. 15 1974


Bavg= 4.17
DEC. 16 1974


Bavg= 2.99
DEC. 17 1974


Bavg= 2.81
DEC. 18 1974


Bavg= 3.31
DEC. 19 1974


Bavg= 5.48
DEC. 20 1974

CAPITA


DEC. 21 1974
DEC. 22 1974
DEC. 23 1974
DEC. 24 1974
DEC. 25 1974
DEC. 26 1974

CAPITA











CAPITA


REGION 1, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1974
100 15
30
RH
BEXT
TEMP
-20
0 0
JAN
FEB
MAR


REGION 5, QTR 2 1974
100 15
40
RH
BEXT
TEMP
-10
0 0
APR
MAY
JUN


REGION 5, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0
0 0
JUL
AUG
SEP


REGION 5, QTR 4 1974
100 15
30
RH
BEXT
TEMP
-20
0 0
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1974
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1974
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1974
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.01	78	1.88	-0.88
2	18	4.01	86	0.12	-0.78
3	32	3.86	79	-0.87	-5.23
4	37	1.56	88	-0.87	-0.60
5	37	2.62	68	10.50	12.50
6	16	2.48	72	10.67	5.98
7	27	3.48	78	7.67	2.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.21	84	-0.99	-0.71
2	18	1.43	66	0.20	-7.81
3	32	0.23	68	-1.42	-6.48
4	37	7.62	81	-1.56	-4.23
5	38	1.06	36	15.63	-3.46
6	16	1.75	62	7.19	-5.03
7	27	0.38	86	8.69	6.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.81	81	-9.44	-10.06
2	18	4.29	76	0.28	-4.03
3	32	5.38	85	1.29	-0.98
4	37	1.88	84	-2.28	-8.11
5	37	2.48	56	19.06	6.68
6	16	8.93	86	7.75	5.98
7	27	2.74	88	7.68	2.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.52	58	4.27	-3.88
2	18	3.86	65	3.52	-2.58
3	32	3.81	72	-1.85	-5.43
4	37	1.88	88	-2.84	-9.85
5	37	4.01	73	11.67	6.81
6	16	2.08	82	3.78	-1.15
7	27	1.68	48	6.88	-1.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.32	56	-0.81	-8.48
2	17	1.77	61	2.37	-4.71
3	32	3.78	75	-0.45	-4.43
4	37	8.12	78	-0.78	-6.08
5	37	1.88	48	11.13	0.42
6	16	1.08	45	9.60	-2.88
7	27	1.74	48	12.68	1.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	58	-2.38	-8.38
2	18	1.93	58	1.86	-5.83
3	32	8.02	60	1.85	-1.48
4	37	4.88	74	-1.27	-8.88
5	38	6.01	58	10.62	6.58
6	16	2.28	58	11.82	2.45
7	27	1.88	48	14.67	2.83



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.29	66	0.81	-1.78
2	18	3.12	78	4.60	-0.11
3	32	4.63	70	5.04	-0.83
4	37	5.42	77	-0.61	-4.02
5	38	3.62	62	12.11	4.70
6	15	2.25	53	13.97	4.52
7	27	4.37	60	17.00	10.03



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	62	3.36	-0.10
2	18	3.36	70	5.60	0.17
3	32	10.74	90	5.03	3.53
4	37	7.25	79	-0.67	-3.04
5	38	8.22	74	12.73	7.00
6	15	3.01	61	15.15	9.91
7	27	1.60	40	16.04	9.57



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.07	66	1.95	-0.88
2	18	3.67	64	6.34	2.77
3	32	4.60	60	2.75	-0.29
4	37	8.01	70	1.60	-1.77
5	38	3.01	66	10.40	8.54
6	15	5.18	70	14.06	10.47
7	27	9.00	60	10.51	11.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.02	83	3.05	0.40
2	18	2.97	77	5.75	1.82
3	32	8.57	90	8.34	6.05
4	37	8.06	62	-3.00	-0.01
5	38	4.62	72	16.06	11.73
6	14	3.55	62	17.45	14.38
7	27	2.00	40	11.72	-0.30



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.41	89	7.30	6.30
2	18	4.41	77	14.87	10.50
3	32	9.38	66	-1.99	-7.00
4	37	8.88	61	-15.60	-21.73
5	37	2.51	62	10.79	11.51
6	14	1.00	49	10.00	0.43
7	27	1.71	40	0.00	-1.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	48	0.00	-2.00
2	18	1.57	44	6.37	-6.75
3	32	3.28	54	-9.20	-17.13
4	37	3.42	56	-15.01	-22.61
5	37	5.70	74	13.00	7.00
6	14	6.50	60	1.30	-1.90
7	28	3.20	60	0.20	-0.10

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.10	60	0.00	-0.00
2	18	4.47	76	-0.04	-4.17
3	32	3.96	62	-10.04	-18.00
4	37	1.70	60	-0.10	-14.74
5	38	6.16	70	5.00	2.19
6	14	3.25	57	-2.45	-10.15
7	27	1.00	41	2.00	-0.22



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.01	64	-2.00	-8.00
2	18	3.11	64	-6.81	-11.03
3	32	3.14	58	-8.04	-15.74
4	37	2.07	65	-4.00	-10.05
5	38	2.40	46	2.55	-0.04
6	14	2.30	55	0.55	-7.05
7	27	1.01	40	8.72	-3.72

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	50	-5.00	-12.40
2	18	3.21	50	-6.02	-12.27
3	32	3.29	74	-4.18	-8.19
4	37	6.21	72	-2.00	-7.00
5	38	2.37	48	7.50	-9.31
6	14	2.52	53	7.57	-1.00
7	27	1.00	48	14.37	9.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	60	-1.00	-8.00
2	18	3.75	64	-1.22	-7.50
3	32	3.03	62	-4.70	-10.90
4	37	1.71	62	-6.52	-12.00
5	38	3.06	55	11.75	2.40
6	14	2.67	81	9.12	1.00
7	27	3.00	66	11.07	9.45



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	44	-9.71	-19.02
2	18	1.67	49	-5.05	-16.46
3	32	2.41	57	-2.01	-9.45
4	37	2.11	65	-1.60	-7.04
5	38	2.08	44	0.36	-2.64
6	14	2.20	51	7.40	-2.10
7	27	5.04	74	11.22	8.48



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.55	74	-3.44	-7.55
2	18	9.02	66	1.62	-0.14
3	32	4.91	60	1.00	-1.17
4	37	2.20	66	2.69	-9.08
5	37	4.20	74	11.42	6.73
6	14	4.10	79	11.50	7.77
7	27	4.15	71	15.00	10.07

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	67	5.00	-0.44
2	10	4.87	70	4.67	-0.40
3	32	8.00	71	-5.62	-8.25
4	37	1.00	69	-8.00	-14.10
5	37	4.20	72	16.60	10.62
6	14	4.87	87	13.50	11.30
7	28	2.87	81	14.50	8.85



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.60	40	-10.04	-10.60
2	10	4.23	60	-8.32	-16.72
3	32	2.29	60	-8.05	-14.52
4	37	2.50	64	-2.31	-8.76
5	30	6.04	61	0.31	6.04
6	14	2.85	70	0.75	-4.53
7	27	1.63	42	0.70	-9.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	62	-0.10	-10.56
2	10	3.21	64	-4.28	-10.48
3	32	3.00	69	0.41	-4.83
4	37	2.01	62	-4.14	-10.00
5	30	2.74	67	7.00	1.30
6	14	2.28	68	5.70	-0.35
7	27	2.11	47	12.00	1.27



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.20	81	0.00	-5.00
2	10	4.71	71	-1.51	-6.19
3	32	4.00	69	-5.70	-10.87
4	37	2.24	62	-5.77	-12.23
5	30	3.56	69	10.43	4.94
6	14	3.60	85	8.30	2.29
7	27	4.50	88	8.32	2.40



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	61	-5.00	-10.05
2	10	3.11	66	0.46	-5.31
3	32	4.18	70	-0.53	-5.43
4	37	2.06	62	2.40	-4.78
5	30	4.02	71	11.47	6.20
6	14	6.94	73	7.77	2.97
7	27	4.41	82	10.94	3.30



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.00	58	2.00	-8.06
2	10	4.40	64	4.73	-1.64
3	32	7.81	70	3.00	0.25
4	37	4.83	74	4.38	-0.87
5	30	7.00	75	13.81	8.16
6	14	8.78	83	10.11	7.21
7	27	8.00	74	11.00	7.00

CAPITA


NUMBER OF STATIONS 175
ADJUSTED STATIONS 25
Bave= 5.78
JAN. 25 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 7
Bave= 3.07
JAN. 26 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 5
Bave= 2.72
JAN. 27 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 3.73
JAN. 28 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 13
Bave= 4.28
JAN. 29 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 3.71
JAN. 30 1975

CAPITA


Dave= 4.69
JAN. 31 1975


Dave= 5.31
FEB. 1 1975


Dave= 5.32
FEB. 2 1975


Dave= 4.30
FEB. 3 1975


Dave= 7.16
FEB. 4 1975


Dave= 7.78
FEB. 5 1975

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.12	84	0.00	-2.38
2	18	7.06	88	1.76	-0.36
3	32	8.50	74	-4.64	-8.07
4	37	1.71	67	-12.11	-18.08
5	38	3.10	70	14.67	8.47
6	14	4.07	77	4.60	0.83
7	27	2.21	60	2.61	-4.58

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.32	60	0.40	-4.02
2	18	2.26	62	-1.66	-8.36
3	32	3.23	65	-8.94	-14.10
4	37	2.23	58	-6.01	-12.60
5	38	2.30	64	6.00	-2.10
6	14	2.20	56	-0.10	-7.65
7	27	1.71	48	6.82	-4.78



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	50	-2.00	-11.77
2	18	4.04	60	-1.66	-8.00
3	32	5.11	62	-0.50	-14.50
4	37	6.40	60	-14.00	-20.00
5	37	2.00	42	8.63	-2.74
6	14	2.30	45	8.00	-4.40
7	27	2.06	57	13.41	4.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.03	75	-8.44	-10.27
2	18	7.58	68	-3.82	-8.04
3	32	2.50	57	-14.21	-21.03
4	37	1.04	53	-14.24	-21.67
5	37	3.34	64	11.22	1.54
6	14	4.23	70	1.30	-2.37
7	27	2.75	63	4.10	-2.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	48	-8.05	-18.21
2	18	2.52	50	-6.06	-15.83
3	32	3.63	59	-9.94	-18.21
4	37	4.04	64	-5.10	-11.80
5	38	2.20	53	8.24	-1.00
6	14	3.02	66	4.40	-1.50
7	27	3.75	64	11.20	3.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.35	75	-6.68	-10.30
2	18	6.17	76	-1.10	-4.82
3	32	5.26	71	-5.00	-7.65
4	37	4.02	71	-5.25	-10.10
5	38	3.90	61	16.83	9.00
6	14	7.74	65	14.12	11.46
7	27	3.10	61	17.75	8.00

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.04	76	-0.27	-10.10
2	18	12.08	68	-6.43	-7.00
3	32	9.92	70	-3.05	-0.41
4	37	6.90	66	-7.60	-10.20
5	38	4.21	68	15.60	0.40
6	14	2.07	73	0.90	4.50
7	27	1.04	46	10.74	2.20

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.16	66	-6.04	-10.04
2	18	4.07	68	-6.31	-12.77
3	32	2.72	57	-7.00	-15.02
4	37	6.00	66	-8.10	-16.04
5	38	3.20	46	12.03	0.64
6	14	3.41	55	0.60	-1.22
7	27	2.20	42	16.60	2.60

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.74	47	-6.10	-14.77
2	18	2.70	62	-1.60	-8.47
3	32	2.96	66	-3.03	-9.71
4	37	6.04	78	-6.66	-8.00
5	38	2.08	38	12.28	-3.14
6	14	2.58	47	11.50	0.15
7	27	3.40	60	17.40	0.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	47	0.00	-10.05
2	18	2.65	59	1.37	-5.07
3	32	10.08	80	0.22	-2.89
4	37	9.60	74	-5.80	-9.71
5	37	2.47	48	15.94	5.17
6	14	2.44	55	17.05	8.05
7	27	7.60	80	19.07	9.77



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.72	82	1.49	-1.27
2	18	9.20	83	3.60	1.16
3	32	8.02	81	1.02	-1.90
4	37	8.45	77	-4.20	-7.83
5	37	6.04	77	17.02	12.56
6	14	4.72	83	18.10	13.25
7	27	4.19	76	11.83	8.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.14	62	0.72	-8.10
2	18	5.18	78	3.67	0.26
3	32	10.19	83	2.58	0.78
4	37	9.57	79	-2.33	-5.52
5	37	5.13	80	17.63	13.78
6	14	2.28	69	10.88	10.94
7	27	3.46	60	11.49	9.53

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.70	88	0.00	-1.00
2	18	6.50	86	5.26	2.07
3	32	5.48	82	1.30	-1.50
4	37	6.00	78	-0.60	-7.81
5	30	8.00	78	17.00	10.61
6	16	5.00	81	15.15	11.70
7	27	2.50	84	12.00	8.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.00	88	0.00	0.00
2	18	6.00	71	4.81	-0.46
3	32	5.53	78	-0.80	-5.13
4	37	1.00	84	-2.76	-8.66
5	30	9.53	88	16.20	10.20
6	16	5.56	88	7.81	1.50
7	27	1.00	48	0.21	-1.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	88	3.50	-5.00
2	18	2.71	88	2.00	-4.35
3	32	3.25	87	0.50	-4.01
4	37	2.65	88	0.60	-8.01
5	30	2.00	58	11.70	3.50
6	16	3.23	51	8.15	-1.30
7	27	2.15	61	14.80	6.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.17	53	4.05	-6.71
2	18	2.62	53	6.22	-2.06
3	32	3.08	56	0.47	-1.83
4	37	3.45	66	0.21	-2.03
5	30	2.25	46	15.30	3.40
6	16	2.20	59	14.05	0.67
7	27	3.20	82	10.00	10.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.02	45	0.30	-9.30
2	18	2.03	40	11.63	-1.51
3	32	4.05	66	6.07	-0.32
4	37	3.35	87	-1.80	-7.83
5	37	4.32	58	16.90	7.59
6	16	2.57	85	10.70	9.52
7	27	4.23	77	19.90	9.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.35	60	5.00	2.55
2	18	11.03	54	8.91	8.03
3	32	8.09	63	4.52	1.75
4	37	2.40	87	-2.54	-8.14
5	37	4.35	78	20.10	16.05
6	16	4.05	62	17.65	14.43
7	27	2.33	58	4.60	-3.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.17	86	2.77	0.58
2	18	10.01	95	7.67	7.18
3	32	6.45	76	2.61	-0.85
4	38	5.87	84	0.48	-4.62
5	38	4.05	72	15.27	8.76
6	14	2.01	95	4.91	-5.65
7	27	1.68	87	10.38	-4.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.77	89	8.21	0.46
2	18	6.43	66	4.88	-1.66
3	32	6.38	75	1.16	-2.88
4	38	1.88	84	2.22	-4.86
5	38	1.88	62	12.78	-0.16
6	14	1.88	67	10.31	-1.18
7	27	1.87	86	17.84	1.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.88	47	8.88	-8.16
2	17	9.91	48	6.88	-8.63
3	32	2.75	61	0.45	-8.56
4	38	1.71	55	-0.61	-8.88
5	38	1.77	26	16.72	-2.88
6	14	1.88	33	12.37	-3.88
7	27	1.88	47	18.27	6.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	42	4.10	-7.89
2	18	2.67	50	8.96	-6.72
3	32	2.51	61	-1.42	-8.05
4	37	1.68	58	3.10	-5.76
5	38	2.08	48	13.73	2.68
6	14	1.88	51	9.67	-0.19
7	27	1.98	58	15.61	5.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	98	2.10	-0.06
2	18	1.61	67	4.38	-0.10
3	32	3.43	83	0.89	-5.58
4	37	1.68	53	1.60	-7.27
5	38	2.26	47	15.84	4.32
6	14	2.72	54	14.08	4.48
7	27	2.08	84	18.88	8.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.87	89	2.10	-8.33
2	18	1.88	47	1.83	-8.78
3	32	2.87	68	-3.78	-10.58
4	37	1.82	86	-1.85	-8.88
5	37	2.13	41	14.83	0.78
6	14	2.89	62	11.88	4.58
7	27	2.16	48	21.88	9.33

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.11	[illegible]	-0.[illegible]	-7.[illegible]
2	18	3.02	[illegible]	-0.[illegible]	-8.[illegible]
3	32	4.05	[illegible]	-4.02	-10.00
4	37	2.08	[illegible]	-4.[illegible]	-11.40
5	38	2.63	45	6.50	-4.06
6	14	2.35	50	2.[illegible]	-8.[illegible]
7	27	1.62	[illegible]	10.[illegible]	2.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.[illegible]	[illegible]	-0.[illegible]	-0.[illegible]
2	18	3.[illegible]	52	-3.[illegible]	-12.12
3	32	3.77	61	-4.24	-10.[illegible]
4	37	2.27	61	-4.72	-11.16
5	38	2.46	37	6.15	-0.[illegible]
6	14	2.14	48	2.33	-7.05
7	27	2.24	50	10.[illegible]	1.[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	46	0.00	-11.10
2	18	1.72	44	-0.78	-11.[illegible]
3	32	2.02	57	-1.78	-9.50
4	37	3.02	66	-0.[illegible]	-8.[illegible]
5	38	2.28	38	7.20	-6.22
6	14	2.[illegible]	50	4.[illegible]	-5.[illegible]
7	27	3.42	71	7.[illegible]	2.[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	38	0.00	-12.[illegible]
2	18	1.79	47	2.10	-8.21
3	32	4.53	60	2.[illegible]	-5.18
4	37	5.53	67	3.07	-2.32
5	38	2.27	43	11.[illegible]	-1.01
6	14	2.20	37	9.[illegible]	-4.32
7	27	2.[illegible]	[illegible]	13.72	4.[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.[illegible]	57	3.40	-4.40
2	18	3.40	59	6.[illegible]	-1.22
3	32	3.[illegible]	68	3.20	-2.16
4	37	7.07	76	0.45	-3.[illegible]
5	38	2.36	38	17.27	2.[illegible]
6	14	2.21	54	14.71	5.31
7	27	3.[illegible]	64	10.[illegible]	12.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.17	61	5.06	-2.10
2	18	3.05	64	7.42	0.72
3	32	5.02	79	2.[illegible]	-0.53
4	37	2.02	67	-2.20	-7.00
5	38	3.18	59	10.32	0.55
6	14	3.97	60	16.70	15.13
7	27	2.27	58	10.[illegible]	9.77

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.80	87	1.44	-4.32
2	10	1.77	61	-0.60	-0.00
3	32	2.35	57	-4.21	-11.47
4	37	1.70	60	-6.59	-12.76
5	37	2.66	46	11.06	0.30
6	14	2.45	50	8.30	-3.40
7	27	1.00	40	12.29	0.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	94	-4.94	-10.30
2	10	1.45	35	-2.07	-10.16
3	32	2.00	94	-2.72	-10.74
4	37	7.17	78	-3.79	-9.20
5	37	1.87	86	7.60	-7.32
6	14	2.01	43	4.83	-6.70
7	27	8.00	80	13.00	0.70



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.90	60	-0.77	-0.77
2	10	7.94	62	1.62	-5.06
3	32	5.83	60	-1.50	-6.73
4	37	4.00	71	-4.23	-8.01
5	38	8.00	73	10.05	5.00
6	14	9.41	66	9.40	7.13
7	27	8.40	66	14.00	7.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.40	60	1.71	-5.60
2	10	2.01	65	2.19	-3.60
3	32	4.01	65	0.31	-5.83
4	37	8.50	77	-2.14	-5.67
5	38	5.00	76	14.36	0.51
6	14	7.60	82	11.50	8.40
7	27	9.50	81	14.89	11.21



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.50	68	2.38	-3.16
2	10	5.56	64	5.66	3.27
3	32	8.57	62	3.70	1.04
4	37	2.37	63	-4.47	-10.67
5	38	7.08	77	17.04	12.61
6	14	8.02	62	18.52	15.03
7	27	2.80	70	16.70	10.98



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.00	71	6.02	1.94
2	10	2.60	63	6.10	-0.64
3	32	2.00	55	-1.02	-9.83
4	37	1.75	60	-5.10	-12.20
5	38	3.52	77	19.16	14.61
6	14	8.51	65	11.28	8.00
7	27	3.25	64	7.70	0.00

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.77	69	-1.77	-10.77
2	10	0.16	76	-1.10	-6.25
3	32	0.38	66	-0.70	-0.62
4	37	2.06	50	-1.62	-0.63
5	39	4.12	72	12.65	7.13
6	14	3.75	72	5.06	-1.03
7	27	1.70	48	10.66	-0.90



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.09	61	-0.27	-7.10
2	10	1.71	58	1.06	-6.63
3	32	2.91	60	2.53	-4.75
4	37	2.90	59	3.45	-0.06
5	37	2.40	52	13.13	3.13
6	14	2.70	61	0.20	0.95
7	27	2.00	60	10.14	8.77



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	58	6.10	-7.27
2	10	2.63	48	5.60	-4.34
3	32	4.69	61	5.30	-1.01
4	37	4.06	64	6.86	-0.12
5	37	5.67	74	13.13	8.10
6	14	5.26	66	10.35	7.00
7	27	3.42	60	10.22	7.17



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.42	41	7.80	-5.21
2	10	1.90	42	8.23	-3.27
3	32	4.58	62	7.51	0.91
4	37	5.07	71	8.62	1.51
5	37	2.20	63	15.10	7.96
6	14	3.11	68	13.80	7.09
7	27	3.00	67	10.04	8.50



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.41	45	7.02	-3.77
2	10	1.72	43	9.87	-2.54
3	32	4.94	65	10.82	3.62
4	37	8.05	83	8.70	0.76
5	39	4.50	72	12.66	7.43
6	14	2.65	70	15.72	9.44
7	27	2.23	46	10.33	5.01



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.40	67	8.71	3.46
2	10	6.17	66	8.70	7.40
3	32	8.21	73	8.30	5.00
4	37	2.04	40	13.19	0.80
5	37	4.10	71	16.51	10.82
6	14	2.70	70	13.80	8.29
7	27	1.77	84	22.94	5.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.34	66	8.00	0.71
2	18	0.63	76	6.66	1.00
3	32	3.29	88	10.15	8.11
4	37	2.00	84	11.00	8.60
5	38	2.16	87	10.06	8.47
6	16	2.07	93	10.26	8.22
7	27	1.66	98	24.00	8.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.50	97	4.66	-0.82
2	18	1.54	88	0.55	-7.56
3	32	3.58	84	8.20	2.08
4	37	0.70	84	10.45	8.48
5	38	1.00	85	21.70	6.26
6	16	1.05	68	22.57	7.01
7	27	3.47	88	20.67	12.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.67	48	2.00	-7.48
2	18	0.34	72	0.15	0.20
3	32	2.37	72	6.15	1.21
4	37	1.00	66	7.88	-1.86
5	37	0.00	66	10.60	10.76
6	16	2.58	70	10.72	15.00
7	27	2.00	66	25.40	12.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	48	0.66	-1.00
2	18	1.98	48	0.07	-1.75
3	32	2.53	65	7.00	0.03
4	37	0.05	68	8.03	0.55
5	37	2.12	58	21.70	10.56
6	16	2.78	83	22.10	16.75
7	27	2.06	91	23.00	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.43	81	4.71	-2.44
2	18	7.32	69	7.10	5.52
3	32	4.75	66	8.85	2.56
4	37	0.10	64	-2.10	-0.00
5	38	5.72	76	20.56	15.65
6	16	2.10	52	19.83	7.01
7	27	2.12	22	18.00	-0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.03	60	0.32	4.00
2	18	3.25	60	10.55	2.07
3	32	5.51	69	-1.50	-6.50
4	37	2.11	63	-4.01	-10.25
5	38	1.06	76	10.42	1.71
6	16	1.94	74	13.40	-3.17
7	27	1.77	29	20.70	-0.56

CAPITA


NUMBER OF STATIONS 178
ADJUSTED STATIONS 7
BAVE= 2.98
MAR. 26 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 11
BAVE= 3.60
MAR. 27 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 10
BAVE= 4.72
MAR. 28 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 4
BAVE= 3.77
MAR. 29 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 2
BAVE= 2.99
MAR. 30 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
BAVE= 2.19
MAR. 31 1975

CAPITA

NUMBER OF STATIONS 176
ADJUSTED STATIONS 9
Bave= 2.99
APR. 1 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 15
Bave= 4.71
APR. 2 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 18
Bave= 3.51
APR. 3 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 10
Bave= 2.85
APR. 4 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 2
Bave= 2.53
APR. 5 1975

NUMBER OF STATIONS 175
ADJUSTED STATIONS 5
Bave= 2.27
APR. 6 1975

CAPITA


NUMBER OF STATIONS 178
ADJUSTED STATIONS 1
Bave= 2.20
APR. 7 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 9
Bave= 2.92
APR. 8 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 6
Bave= 3.50
APR. 9 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 9
Bave= 3.28
APR. 10 1975


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.64
APR. 11 1975


NUMBER OF STATIONS 175
ADJUSTED STATIONS 0
Bave= 2.24
APR. 12 1975

CAPITA


NUMBER OF STATIONS 175
ADJUSTED STATIONS 2
Bave= 2.41
APR. 13 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 4
Bave= 4.11
APR. 14 1975

NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 3.20
APR. 15 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 2.75
APR. 16 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 3.12
APR. 17 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 3.84
APR. 18 1975

CAPITA


Bave= 2.70
APR. 19 1975


Bave= 1.92
APR. 20 1975


Bave= 2.27
APR. 21 1975


Bave= 2.46
APR. 22 1975


Bave= 3.81
APR. 23 1975


Bave= 4.01
APR. 24 1975

CAPITA


APR. 25 1975
APR. 26 1975
APR. 27 1975
APR. 28 1975
APR. 29 1975
APR. 30 1975
CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	42	18.40	2.00
2	17	4.30	74	11.00	7.06
3	32	2.17	50	18.07	8.92
4	37	1.02	43	14.70	1.07
5	30	0.35	72	22.21	15.30
6	14	2.03	85	22.00	18.00
7	27	2.99	88	29.00	19.61

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.00	78	10.77	8.16
2	18	2.07	67	13.04	7.19
3	32	1.07	44	18.70	5.83
4	37	1.75	63	18.25	8.21
5	30	2.03	56	24.10	13.05
6	14	2.31	51	23.01	12.00
7	27	3.42	60	24.13	16.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	51	15.00	4.00
2	18	1.06	30	20.23	6.46
3	32	5.20	56	16.00	7.70
4	37	1.00	51	18.00	8.10
5	37	4.71	64	22.81	15.00
6	14	5.23	79	18.55	15.00
7	27	2.70	84	24.67	18.41



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.39	84	10.10	7.38
2	18	7.50	88	10.96	8.91
3	32	3.65	69	13.40	7.39
4	37	1.71	48	20.32	7.74
5	37	2.44	57	23.50	14.33
6	14	2.21	53	22.49	12.33
7	27	3.40	63	25.40	17.21



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.21	60	11.89	4.05
2	18	2.09	61	13.56	5.07
3	32	2.04	62	17.39	9.61
4	37	2.08	43	22.14	10.28
5	39	2.45	50	22.23	10.74
6	14	2.28	55	22.37	12.61
7	27	4.55	63	26.10	16.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	77	16.77	1.77
2	18	4.04	[illegible]	14.00	7.91
3	32	3.05	60	15.05	9.07
4	37	3.18	54	18.60	8.09
5	30	2.65	47	25.60	13.40
6	14	2.74	63	24.00	10.54
7	27	4.30	55	26.62	14.91

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	47	14.00	2.00
2	18	1.61	43	17.51	4.23
3	32	2.50	49	17.44	6.00
4	37	3.02	57	17.82	7.29
5	30	2.30	80	23.03	14.40
6	14	4.01	77	21.20	10.97
7	27	5.33	56	27.10	15.24

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	38	10.00	1.30
2	18	1.60	35	10.70	3.41
3	32	2.91	43	10.72	5.92
4	37	2.72	54	10.30	7.03
5	30	2.66	58	23.45	14.27
6	14	3.20	72	22.45	17.01
7	27	3.00	58	20.62	15.05



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.42	38	10.43	2.21
2	18	2.12	37	21.22	5.37
3	32	2.19	54	21.54	6.49
4	37	2.75	49	20.14	8.01
5	30	3.26	66	23.61	16.22
6	14	2.90	65	24.51	17.41
7	27	2.70	57	27.00	17.00

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.43	42	19.27	5.21
2	18	1.61	35	20.87	3.05
3	32	1.90	28	22.33	2.99
4	37	2.46	47	23.18	8.03
5	37	2.74	56	24.24	14.51
6	14	2.49	50	25.03	13.50
7	27	2.00	64	25.09	17.75

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.44	39	21.32	6.04
2	18	1.63	38	21.45	5.87
3	32	2.50	41	21.54	6.71
4	37	2.23	60	17.83	8.47
5	37	2.44	49	25.32	13.52
6	14	2.50	48	25.70	12.41
7	27	2.65	62	25.11	16.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.53	44	22.77	9.64
2	18	2.40	61	19.05	11.96
3	32	3.49	64	15.15	7.90
4	37	1.94	49	17.60	8.25
5	30	2.72	57	25.66	16.32
6	14	2.50	57	25.15	16.00
7	27	2.21	54	20.43	15.00

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.10	71	10.44	15.00
2	18	3.02	66	10.14	12.38
3	32	2.09	38	19.00	9.01
4	37	2.36	64	18.67	8.37
5	38	3.00	57	25.50	16.23
6	14	3.70	54	23.52	12.00
7	27	2.57	60	20.20	10.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.71	64	20.21	8.90
2	18	1.86	40	23.06	8.00
3	32	2.54	47	20.75	8.72
4	37	2.14	64	19.12	8.12
5	38	3.13	56	26.50	15.60
6	14	3.10	50	24.90	15.51
7	27	2.02	60	23.89	15.09



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.41	60	22.32	11.44
2	18	2.77	48	23.15	11.31
3	32	3.11	63	18.40	9.19
4	37	1.58	49	19.11	9.60
5	38	4.00	73	24.60	18.04
6	14	4.00	60	21.94	18.18
7	27	2.40	64	24.27	19.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.09	67	19.99	13.55
2	18	2.58	62	19.09	11.54
3	32	2.45	59	16.38	8.01
4	37	1.60	39	22.71	7.72
5	38	3.10	68	25.27	10.84
6	14	3.32	69	22.73	10.70
7	27	2.54	48	24.05	12.63



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.23	32	19.83	2.18
2	18	2.22	42	22.42	8.91
3	32	3.31	58	22.00	10.89
4	37	1.83	43	24.18	10.53
5	37	3.83	74	24.06	10.85
6	14	3.33	73	23.05	17.81
7	27	2.41	45	26.70	13.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.73	44	21.94	8.43
2	18	4.17	66	20.87	13.94
3	32	2.98	42	26.19	11.90
4	37	1.63	40	26.40	11.69
5	37	3.90	69	24.84	10.30
6	14	3.73	58	25.90	16.74
7	27	2.98	51	28.30	17.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.88	48	25.68	13.77
2	18	4.28	63	26.36	16.87
3	32	2.73	45	28.58	15.82
4	37	1.81	46	28.80	12.88
5	38	3.88	57	26.84	17.17
6	16	5.42	59	27.49	18.38
7	27	3.27	68	28.32	19.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.84	48	28.77	15.98
2	18	4.08	47	28.15	15.68
3	32	4.34	61	28.32	20.09
4	37	2.41	54	25.84	19.88
5	38	3.63	68	28.67	17.11
6	16	4.34	58	28.38	19.52
7	27	2.47	68	27.11	17.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.08	58	25.98	15.88
2	18	3.88	67	27.15	17.68
3	32	4.47	61	28.83	18.85
4	37	2.15	66	28.87	18.87
5	38	3.82	68	28.84	18.47
6	16	4.88	57	29.84	18.71
7	27	2.84	68	28.38	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.53	71	18.38	12.77
2	18	4.68	58	26.60	17.40
3	32	3.08	63	25.90	18.13
4	37	2.66	67	22.80	16.25
5	38	4.45	53	30.11	18.42
6	16	4.59	54	29.83	19.52
7	27	2.78	59	28.78	19.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.42	58	26.80	17.38
2	18	4.31	58	27.21	18.18
3	32	3.97	59	26.94	18.12
4	37	2.22	62	22.54	16.51
5	38	4.01	55	29.33	19.22
6	16	4.58	57	29.84	19.45
7	27	2.78	69	28.45	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.18	68	24.21	12.88
2	18	4.68	66	28.28	18.21
3	32	4.57	57	27.54	18.28
4	37	1.78	47	24.42	11.67
5	37	3.86	64	30.22	18.75
6	16	4.28	52	30.07	18.28
7	27	2.86	68	24.88	17.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	52	17.99	7.10
2	18	2.08	66	19.80	12.45
3	32	4.17	81	20.92	18.89
4	37	2.39	80	21.80	18.20
5	37	4.08	67	30.05	18.16
6	14	3.98	56	30.19	18.95
7	27	2.01	97	20.47	19.39

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	68	17.90	11.83
2	18	3.02	86	22.18	16.48
3	32	3.50	88	25.88	17.52
4	37	1.00	48	18.80	7.88
5	37	4.12	82	27.62	18.24
6	14	3.02	55	29.24	19.18
7	27	2.21	89	20.20	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.04	79	20.85	16.10
2	18	3.03	81	24.59	18.97
3	32	1.36	47	22.47	10.58
4	37	1.01	48	21.10	7.38
5	38	2.72	62	28.18	18.34
6	14	2.77	57	27.10	17.85
7	27	2.43	86	27.66	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	40	23.98	8.60
2	18	1.44	37	23.81	8.48
3	32	1.99	45	25.17	10.41
4	37	2.38	60	19.11	12.34
5	38	2.63	55	27.74	17.66
6	14	2.45	52	28.80	17.68
7	27	2.38	87	25.24	17.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	37	24.38	8.21
2	18	1.70	38	25.37	8.41
3	32	3.14	60	22.84	14.28
4	37	3.48	63	18.27	11.48
5	38	2.83	63	27.68	18.65
6	14	3.51	76	25.19	20.27
7	27	2.14	68	25.09	17.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.89	84	21.99	11.86
2	18	5.17	76	21.56	16.95
3	32	5.06	75	21.71	18.97
4	37	2.07	54	18.68	8.80
5	38	3.42	70	27.38	21.22
6	14	2.62	70	25.96	20.15
7	27	2.63	68	22.17	15.63

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.43	82	22.10	18.71
2	18	3.47	86	20.80	18.82
3	32	2.06	85	19.47	12.48
4	37	1.01	48	18.07	8.70
5	37	2.81	67	28.35	21.68
6	14	5.88	78	24.80	19.78
7	27	1.01	46	24.88	11.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.86	88	21.77	18.32
2	18	3.22	78	20.68	16.96
3	32	2.10	59	18.86	10.32
4	37	1.57	47	18.33	7.33
5	38	2.26	68	27.81	20.57
6	14	2.28	58	24.12	15.58
7	27	1.72	46	28.68	18.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.84	48	20.88	9.08
2	18	1.68	46	22.33	9.78
3	32	2.81	58	19.44	10.48
4	37	1.82	48	22.20	9.87
5	38	2.88	68	26.88	17.68
6	14	2.47	53	25.74	15.35
7	27	1.87	48	27.88	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.28	78	17.38	13.49
2	18	2.58	68	20.31	13.08
3	32	2.27	62	20.18	12.42
4	37	1.68	58	24.88	13.31
5	38	2.71	63	27.62	17.18
6	14	2.18	58	26.82	15.43
7	27	2.08	48	28.38	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.35	77	16.27	11.88
2	18	1.82	61	21.83	11.01
3	32	3.92	78	22.08	18.17
4	37	1.77	64	23.78	19.53
5	38	2.46	48	28.75	16.55
6	14	2.28	51	29.40	18.28
7	27	1.88	84	30.38	19.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.11	63	17.83	10.21
2	18	5.52	68	18.15	14.52
3	32	2.58	64	22.84	15.28
4	37	1.88	45	24.27	11.25
5	38	3.20	63	29.67	19.01
6	14	3.71	64	27.37	19.91
7	27	2.08	58	29.98	20.42

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.48	87	12.69	10.90
2	18	2.58	71	20.37	14.56
3	32	1.92	56	21.14	11.17
4	37	1.61	48	22.76	10.81
5	30	2.10	58	29.60	17.88
6	14	2.72	69	28.32	20.66
7	27	2.15	86	31.80	28.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.87	87	10.94	10.30
2	18	2.25	66	17.61	10.76
3	32	1.97	63	16.50	8.95
4	37	1.71	48	22.28	10.44
5	30	2.08	48	20.21	16.13
6	14	3.18	60	26.30	17.57
7	27	2.15	60	26.90	20.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.56	71	12.96	7.81
2	18	1.68	66	16.22	8.43
3	32	1.66	54	17.98	8.29
4	37	2.76	68	20.66	12.06
5	30	2.14	62	25.76	16.71
6	14	2.20	58	25.11	15.58
7	27	2.58	69	28.60	20.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	80	14.71	9.99
2	18	1.58	61	19.61	9.26
3	32	2.23	55	20.98	11.00
4	37	2.68	72	17.53	12.29
5	30	2.63	66	26.07	16.64
6	14	2.91	82	25.76	17.85
7	27	2.80	68	27.42	20.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	39	29.60	8.10
2	18	1.64	48	21.72	8.60
3	32	2.08	50	23.88	12.72
4	37	3.10	68	18.25	11.97
5	30	3.39	65	25.34	18.10
6	14	5.56	81	24.83	21.02
7	27	2.78	75	24.97	19.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.44	37	25.90	10.21
2	18	2.46	53	22.68	12.10
3	32	7.07	85	20.08	17.37
4	37	3.18	68	18.27	11.68
5	30	4.05	68	25.72	18.30
6	14	4.69	81	24.95	21.48
7	27	2.41	67	24.23	17.42

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.35	85	17.80	14.85
2	18	5.12	86	18.05	16.51
3	32	2.21	58	21.82	12.86
4	37	1.83	45	24.38	10.74
5	30	3.04	70	28.89	20.65
6	14	2.44	63	29.48	19.48
7	27	1.87	86	28.52	17.62

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.20	81	18.10	14.65
2	18	2.50	58	24.20	15.52
3	32	2.02	51	25.25	13.91
4	36	1.58	46	25.81	12.54
5	30	2.19	48	29.87	16.02
6	14	1.92	56	28.13	18.08
7	27	0.71	88	31.62	28.01

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.91	68	28.77	18.88
2	18	2.81	56	26.52	15.63
3	32	2.05	57	24.52	13.44
4	37	2.07	66	21.12	13.79
5	30	2.21	60	30.55	17.66
6	14	2.45	60	28.28	16.75
7	27	2.08	62	31.60	18.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.72	81	20.90	16.88
2	18	3.87	62	25.58	17.51
3	32	4.52	78	19.97	15.79
4	37	1.76	55	20.96	10.43
5	30	2.43	56	20.91	19.42
6	14	2.55	68	25.39	19.16
7	27	2.07	59	27.87	18.22

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.62	81	20.27	16.83
2	18	4.55	72	22.65	17.24
3	32	1.97	62	22.00	14.31
4	33	1.78	61	22.40	14.13
5	33	2.49	58	28.51	19.40
6	14	2.00	55	29.09	18.20
7	27	2.36	57	31.29	20.05

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.88	78	24.21	18.44
2	18	4.76	61	26.63	18.12
3	32	4.83	74	23.91	18.78
4	37	1.77	62	22.83	14.78
5	30	2.83	67	29.85	20.49
6	14	2.51	62	29.87	21.78
7	27	2.48	57	30.68	20.08

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.07	78	30.21	24.06
2	18	3.20	83	27.71	24.02
3	32	3.04	88	25.77	19.56
4	37	3.00	78	32.47	18.27
5	38	2.83	66	30.96	21.20
6	14	2.87	80	31.14	22.01
7	27	2.81	84	31.38	20.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	52	30.21	17.27
2	18	5.03	66	27.82	20.28
3	32	3.28	66	28.25	21.21
4	37	2.36	67	28.27	19.47
5	38	2.91	67	30.73	21.16
6	14	3.23	57	31.38	22.02
7	27	2.15	66	31.26	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.90	48	23.82	8.84
2	18	1.70	47	26.29	16.16
3	32	2.84	61	27.89	19.83
4	37	2.36	68	28.18	19.87
5	38	2.00	67	30.20	20.52
6	14	2.84	56	30.83	20.80
7	27	2.26	67	30.69	20.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	86	25.40	8.82
2	18	1.40	40	25.37	10.66
3	32	3.31	59	29.35	20.51
4	37	1.93	67	25.71	18.80
5	38	2.80	67	28.67	19.07
6	14	3.10	58	30.19	20.90
7	27	2.90	58	30.22	20.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.50	46	27.40	14.80
2	18	3.57	52	27.53	16.71
3	32	4.62	58	30.74	21.50
4	37	1.85	63	24.08	18.93
5	38	2.58	58	27.62	18.24
6	14	3.03	66	29.00	20.55
7	27	2.38	58	29.88	20.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.13	54	31.30	20.06
2	18	5.41	58	29.70	20.58
3	32	5.62	63	28.25	20.48
4	37	2.11	58	26.13	17.11
5	38	2.48	56	28.94	18.15
6	14	2.55	75	28.68	18.92
7	27	2.24	81	28.98	20.69

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.97	80	31.82	20.06
2	10	5.65	87	30.35	18.79
3	52	5.50	87	28.81	20.01
4	37	2.31	82	27.50	18.40
5	30	2.80	85	29.14	18.88
6	14	2.55	59	29.59	18.92
7	27	2.91	80	28.86	20.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.29	66	29.71	12.98
2	10	2.12	65	25.78	15.03
3	52	4.55	88	25.41	18.51
4	38	2.61	84	28.88	20.48
5	30	3.08	66	29.84	18.81
6	14	3.84	58	30.87	18.44
7	27	2.76	68	28.48	20.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	46	25.44	12.88
2	10	2.88	63	23.32	15.08
3	52	5.82	86	25.72	18.71
4	37	2.83	80	28.87	18.81
5	30	3.17	63	27.70	20.00
6	14	4.25	58	29.25	20.43
7	27	2.20	56	30.22	20.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.58	52	24.89	13.99
2	10	3.65	70	21.95	15.04
3	52	6.47	83	27.51	19.92
4	37	2.21	55	27.80	17.53
5	29	3.91	65	27.51	20.26
6	14	4.07	59	29.30	20.03
7	27	3.29	58	29.85	20.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.48	85	25.18	17.82
2	10	4.36	80	24.55	18.30
3	52	6.42	89	28.97	20.23
4	37	2.38	84	29.50	19.60
5	30	2.92	84	28.15	20.60
6	14	5.20	89	29.80	20.67
7	27	2.59	81	29.07	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.23	61	26.10	17.48
2	10	3.48	69	27.84	18.26
3	52	5.38	83	29.48	18.78
4	37	3.71	58	28.50	19.48
5	30	2.91	60	26.78	20.31
6	14	5.28	76	30.47	20.23
7	27	3.14	68	29.27	20.36

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	57	29.00	8.10
2	18	2.28	48	26.16	14.53
3	32	2.88	45	29.42	18.17
4	37	4.68	56	28.69	19.26
5	30	3.31	57	26.80	18.72
6	14	5.29	52	30.80	19.95
7	27	2.84	57	30.00	20.32



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.08	38	28.10	8.17
2	11	1.67	37	28.81	10.80
3	17	2.82	46	29.16	17.05
4	23	4.47	60	30.62	19.96
5	21	3.06	61	28.38	17.11
6	10	3.98	56	30.96	20.71
7	17	3.08	66	29.60	20.46



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.32	39	28.84	11.98
2	12	1.87	41	28.86	14.16
3	17	4.31	48	25.88	17.81
4	28	5.11	61	28.80	17.80
5	23	2.88	58	28.76	17.07
6	8	5.84	58	30.75	20.75
7	18	5.88	66	29.25	20.62

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.47	54	28.75	16.47
2	11	3.61	62	27.82	16.61
3	22	8.78	58	29.20	19.51
4	20	5.41	62	30.98	19.07
5	22	4.24	50	30.22	18.48
6	8	5.51	57	30.84	21.38
7	17	2.03	84	28.08	21.40



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	46	26.89	16.21
2	10	2.06	46	27.31	13.63
3	21	2.56	48	27.50	15.38
4	22	3.51	48	31.53	18.68
5	24	4.78	58	28.38	18.32
6	9	7.48	57	30.42	20.75
7	14	2.04	80	28.80	20.31



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.87	82	27.88	18.84
2	10	2.05	85	27.93	14.98
3	19	2.33	51	27.27	15.38
4	23	1.81	48	31.68	18.08
5	24	8.87	65	28.83	18.83
6	11	4.58	58	31.05	19.15
7	15	1.83	82	31.47	20.81

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	0.10	68	25.07	18.79
2	11	0.23	57	27.72	18.02
3	17	2.94	68	27.08	18.62
4	20	1.50	48	20.62	17.07
5	21	6.70	61	28.63	20.02
6	10	3.31	63	28.94	20.88
7	17	2.66	94	32.21	21.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	2.45	62	25.08	17.21
2	12	6.05	69	26.16	18.02
3	17	3.30	81	27.80	19.46
4	20	1.04	48	20.70	17.20
5	24	3.34	68	27.67	21.08
6	9	3.98	71	28.23	22.21
7	18	3.04	94	31.07	21.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.03	76	23.87	18.26
2	11	5.00	57	27.95	18.51
3	22	5.27	56	28.62	18.07
4	20	1.84	48	27.18	16.90
5	23	8.07	64	28.76	21.28
6	8	5.35	78	28.25	22.12
7	17	3.88	58	31.62	20.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.01	73	25.80	20.77
2	10	0.03	73	26.96	19.79
3	21	1.71	48	24.75	13.38
4	22	1.45	48	26.23	15.78
5	25	6.56	66	28.53	21.38
6	9	3.50	58	30.30	21.29
7	16	2.27	47	32.09	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.79	69	28.88	18.51
2	10	3.71	58	26.60	15.21
3	19	1.73	51	22.98	11.88
4	23	1.49	45	24.27	11.88
5	25	6.85	63	29.17	21.48
6	11	3.45	57	29.54	20.16
7	15	2.29	57	30.07	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.64	64	26.34	18.06
2	11	1.35	59	23.37	16.56
3	17	1.99	52	20.58	10.38
4	23	1.48	50	23.32	8.06
5	22	1.21	70	26.30	20.37
6	10	2.73	70	28.69	18.69
7	17	2.08	68	28.89	20.25

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.47	60	23.20	17.06
2	12	4.01	66	24.10	16.01
3	17	1.73	52	21.17	10.97
4	23	1.50	40	22.21	7.70
5	20	3.20	60	26.89	18.43
6	0	1.50	40	27.21	15.00
7	10	2.00	60	28.09	18.46

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	4.07	60	29.29	21.10
2	11	2.90	77	29.00	19.57
3	22	2.00	62	21.00	13.37
4	20	1.41	41	24.50	8.00
5	22	4.10	72	26.33	20.72
6	0	1.50	50	27.31	15.92
7	17	2.10	40	30.80	18.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	2.00	64	24.77	21.77
2	10	2.60	72	24.50	18.00
3	21	2.00	60	23.13	12.74
4	22	1.60	40	20.01	14.00
5	24	2.66	71	26.77	21.00
6	0	2.63	51	27.69	18.00
7	14	1.07	60	27.00	17.70

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.63	74	28.20	21.20
2	10	2.25	53	25.66	15.05
3	19	1.91	49	28.89	15.37
4	23	1.71	42	31.37	16.73
5	25	3.10	73	26.66	21.20
6	11	2.60	52	28.80	17.57
7	15	2.33	81	27.05	18.04

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	3.10	63	28.40	20.94
2	11	2.02	62	27.21	16.03
3	17	3.04	49	29.11	17.30
4	23	1.80	42	32.12	17.24
5	22	2.75	71	27.36	21.40
6	10	2.97	54	29.93	19.94
7	17	2.03	64	30.20	18.06



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	2.00	58	29.90	20.92
2	12	3.90	61	27.41	18.43
3	17	4.35	40	29.90	17.74
4	23	2.01	40	30.70	17.00
5	23	2.64	71	27.12	21.37
6	0	2.21	59	29.25	20.95
7	10	3.00	60	29.04	21.20

CAPITA

NUMBER OF STATIONS 109
ADJUSTED STATIONS 0
Bave= 3.42
JUL. 18 1975


NUMBER OF STATIONS 105
ADJUSTED STATIONS 0
Bave= 2.57
JUL. 19 1975

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.33
JUL. 20 1975

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.38
JUL. 21 1975

NUMBER OF STATIONS 108
ADJUSTED STATIONS 0
Bave= 2.77
JUL. 22 1975


NUMBER OF STATIONS 105
ADJUSTED STATIONS 0
Bave= 3.26
JUL. 23 1975

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.51	56	28.55	18.88
2	10	8.50	62	29.69	21.75
3	21	5.29	80	28.52	17.90
4	22	1.88	49	25.82	12.29
5	25	3.21	68	30.59	23.20
6	9	4.88	65	30.25	22.85
7	14	2.23	65	28.48	21.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.71	77	25.38	20.03
2	10	2.72	68	23.80	15.55
3	19	1.62	48	24.55	12.15
4	23	1.87	38	29.60	12.43
5	25	3.78	70	28.39	22.35
6	11	3.03	65	28.35	21.08
7	15	2.41	66	28.01	20.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.51	48	29.50	18.03
2	11	1.21	47	32.67	19.86
3	17	1.00	48	25.23	13.62
4	23	1.06	48	30.10	16.58
5	21	2.80	61	28.16	19.75
6	10	3.72	80	25.32	20.80
7	17	2.64	68	28.60	22.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.17	58	29.97	12.77
2	12	1.68	49	25.72	14.38
3	17	2.56	48	28.01	16.98
4	23	1.88	38	31.51	15.99
5	24	3.07	58	28.84	19.58
6	8	3.38	53	30.45	19.90
7	14	2.16	58	30.98	21.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.86	58	25.84	18.57
2	11	2.27	48	27.77	16.01
3	22	1.76	41	29.03	15.58
4	20	1.52	38	32.82	16.48
5	22	3.67	58	30.22	21.03
6	8	3.58	55	30.64	20.38
7	17	2.08	58	30.84	21.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	55	24.10	13.89
2	10	1.51	42	27.42	13.22
3	21	2.30	43	30.26	16.21
4	22	1.85	41	33.90	18.10
5	25	3.41	61	28.37	20.09
6	9	3.76	61	29.99	21.29
7	14	2.07	58	32.05	20.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.47	91	30.88	15.88
2	10	2.28	95	28.88	15.82
3	19	4.22	88	31.45	18.58
4	29	2.88	88	31.65	18.89
5	26	3.79	85	28.66	21.12
6	11	3.07	85	29.83	21.55
7	19	2.16	88	31.47	21.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.71	80	32.13	20.38
2	11	4.16	87	31.80	19.63
3	17	8.09	87	32.67	19.58
4	29	5.77	88	28.67	18.00
5	21	3.50	86	28.63	21.42
6	10	3.08	78	28.38	19.59
7	17	2.80	88	30.12	20.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	4.66	86	30.98	22.89
2	10	6.19	88	32.78	20.71
3	22	5.58	87	32.88	19.41
4	27	2.48	88	28.29	17.88
5	20	3.31	81	30.86	21.82
6	10	2.83	72	27.93	21.71
7	18	2.30	88	29.88	21.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	3.39	98	26.58	22.45
2	13	7.89	96	33.28	20.31
3	22	7.17	77	25.84	20.42
4	28	1.72	52	28.42	15.34
5	29	2.78	57	30.93	21.91
6	9	2.68	67	28.38	21.53
7	17	2.09	85	29.93	21.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	4.85	87	27.85	20.23
2	13	7.29	52	32.57	21.66
3	25	2.98	60	27.17	18.41
4	21	1.42	39	29.20	19.17
5	30	2.30	56	31.31	21.48
6	0	2.22	68	29.09	22.63
7	18	2.98	63	29.18	21.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.52	83	22.80	18.34
2	16	6.18	85	28.66	21.34
3	24	2.77	58	28.00	18.12
4	26	1.41	37	29.87	18.31
5	27	2.08	57	31.00	21.68
6	9	3.45	71	27.83	22.15
7	18	2.88	83	30.19	18.53

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.47	57	29.52	18.98
2	12	2.48	50	28.41	17.13
3	22	3.52	66	24.01	16.94
4	27	1.48	40	27.60	12.94
5	20	2.63	65	29.30	22.01
6	12	4.51	70	26.00	22.21
7	17	2.27	51	30.20	18.92



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.00	70	22.49	18.00
2	13	2.06	78	20.31	16.26
3	22	1.60	56	21.60	12.28
4	27	1.60	43	27.42	13.12
5	20	4.26	70	27.70	21.66
6	10	3.43	71	28.21	20.27
7	16	3.42	52	30.40	18.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	0.00	60	17.68	14.01
2	13	2.26	60	19.00	12.01
3	22	1.47	40	25.55	11.23
4	24	1.86	40	28.00	13.00
5	30	3.99	66	26.55	18.71
6	9	4.22	61	25.90	17.04
7	18	3.00	53	30.30	18.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	0.20	81	20.71	18.07
2	13	1.39	51	23.04	12.41
3	25	1.83	46	26.00	13.44
4	21	1.83	43	26.05	14.70
5	31	2.54	50	27.20	18.32
6	8	5.10	63	27.43	18.85
7	18	2.04	53	29.90	18.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.02	42	20.60	14.01
2	14	1.60	38	27.00	12.70
3	24	3.40	53	20.21	17.79
4	28	2.00	41	28.00	14.90
5	26	3.40	50	28.56	18.54
6	11	3.00	65	28.12	21.00
7	16	2.00	49	30.51	18.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	3.02	53	20.67	18.12
2	12	6.56	56	20.20	18.45
3	22	8.14	60	27.52	18.91
4	27	1.94	50	28.44	19.43
5	20	3.66	67	28.42	21.52
6	12	4.32	77	26.00	21.57
7	17	2.77	54	30.36	18.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	4.49	87	27.80	10.40
2	13	6.42	87	25.96	19.32
3	22	5.95	57	28.37	18.80
4	27	1.80	48	30.09	14.27
5	28	2.66	63	28.90	21.16
6	10	3.57	84	28.10	21.60
7	18	2.52	84	30.84	19.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	9.81	81	27.45	19.12
2	13	4.01	66	28.13	18.17
3	22	5.08	61	28.93	20.08
4	74	1.90	48	29.84	16.00
5	30	3.30	57	30.40	21.06
6	9	2.87	87	31.10	21.72
7	18	1.80	84	31.75	20.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.10	48	27.89	10.70
2	13	3.04	57	30.32	18.08
3	25	3.10	60	27.72	19.15
4	21	2.37	84	29.60	19.77
5	31	3.73	56	31.01	21.26
6	9	3.00	60	30.60	22.42
7	18	1.00	84	32.00	21.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	44	28.97	15.48
2	16	2.44	55	27.50	17.73
3	24	2.22	55	25.92	18.01
4	28	2.43	62	23.20	15.26
5	27	3.80	61	30.20	21.84
6	11	4.37	81	30.85	22.26
7	18	1.97	59	30.72	21.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.21	44	26.02	12.85
2	12	2.42	58	25.33	16.14
3	22	4.48	70	24.05	17.87
4	27	1.00	57	24.78	15.48
5	29	3.80	57	31.02	21.56
6	12	4.17	65	30.27	22.95
7	17	1.91	59	30.42	21.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.40	64	22.77	16.23
2	13	3.06	78	22.25	17.07
3	22	3.34	80	25.85	17.11
4	27	1.88	51	25.77	14.50
5	27	3.49	58	30.08	22.15
6	10	3.55	68	29.82	23.16
7	18	2.48	63	30.08	22.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.60	78	21.00	18.34
2	13	4.17	72	23.02	18.48
3	22	3.18	56	20.15	10.58
4	24	1.00	88	24.00	14.87
5	30	2.00	68	30.71	21.04
6	9	4.30	67	29.00	22.15
7	10	2.19	80	30.03	21.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	3.11	67	26.60	18.87
2	13	2.78	60	26.42	15.07
3	25	2.04	54	25.72	13.04
4	21	1.03	68	25.51	15.00
5	31	3.61	58	30.68	21.55
6	9	5.23	70	28.50	22.52
7	10	1.04	84	31.20	20.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.00	48	21.78	7.40
2	16	1.56	46	29.55	11.03
3	24	2.46	59	23.83	15.24
4	28	1.71	84	28.44	18.83
5	28	3.34	66	29.69	20.61
6	8	3.93	60	29.76	22.71
7	10	1.81	91	32.07	20.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.05	35	23.56	7.37
2	12	1.51	40	23.71	9.14
3	22	3.48	57	24.80	15.60
4	27	2.00	57	28.85	18.55
5	28	4.45	59	29.91	21.02
6	12	4.53	59	30.55	21.80
7	10	1.69	52	31.83	21.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.05	38	24.89	0.80
2	13	2.90	58	23.84	14.55
3	22	7.23	71	27.26	21.28
4	27	1.83	55	28.59	18.14
5	29	3.03	60	29.76	21.10
6	9	4.43	58	31.80	22.52
7	10	2.70	58	31.87	21.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.59	57	25.84	18.60
2	13	3.65	66	25.51	18.56
3	22	3.88	73	23.85	18.55
4	24	2.23	69	28.18	18.83
5	31	3.72	58	31.10	22.02
6	9	4.37	57	30.82	21.68
7	10	2.43	65	31.68	21.41

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.17	80	22.80	7.77
2	13	2.21	51	22.53	11.50
3	25	0.48	76	28.97	21.81
4	21	2.02	62	30.00	18.84
5	28	4.04	50	30.49	21.25
6	9	4.13	50	31.10	21.30
7	18	1.84	65	31.20	20.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	2.41	77	17.60	12.77
2	14	0.70	84	22.02	19.02
3	24	5.00	70	28.12	21.88
4	20	1.00	48	30.50	18.01
5	26	4.10	60	31.10	21.81
6	11	2.55	50	31.15	22.11
7	18	2.24	60	30.60	20.80

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	0.50	88	21.00	18.04
2	12	0.71	68	28.03	21.70
3	22	2.43	68	27.08	20.14
4	27	1.00	81	22.23	18.03
5	26	2.06	62	32.07	21.06
6	12	1.06	55	32.05	21.03
7	17	1.77	67	30.42	20.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	0.82	89	22.27	18.87
2	13	0.46	70	27.80	21.60
3	22	2.05	58	25.14	15.08
4	27	1.00	87	22.87	18.87
5	28	3.36	63	32.66	21.66
6	10	2.17	56	30.71	20.99
7	18	2.71	65	28.73	20.78

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.20	42	27.80	13.25
2	13	1.56	42	26.30	12.53
3	22	1.00	52	25.95	14.08
4	24	1.70	64	26.73	16.40
5	30	3.39	54	31.49	20.92
6	9	2.17	50	32.15	20.73
7	18	2.10	62	29.70	21.60



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.17	44	23.84	10.70
2	13	1.38	44	24.91	11.82
3	25	3.23	61	28.37	17.90
4	21	2.38	68	26.18	18.09
5	31	3.24	68	29.02	19.65
6	9	2.83	55	31.18	21.10
7	18	2.47	69	30.00	21.35

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.83	49	22.31	10.04
2	16	2.80	62	24.20	16.14
3	24	6.90	80	23.74	20.11
4	20	2.94	83	25.04	18.08
5	20	2.75	58	28.10	19.83
6	11	2.85	59	29.59	20.05
7	10	2.51	62	31.91	20.02



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.96	86	17.05	14.43
2	12	4.35	81	21.49	17.90
3	22	7.19	83	21.38	18.27
4	27	2.85	63	25.63	17.01
5	27	2.60	56	29.70	19.06
6	12	3.28	66	28.40	21.33
7	17	2.74	57	30.46	20.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.06	48	18.91	9.58
2	13	1.88	67	19.80	12.57
3	22	4.30	81	20.85	17.19
4	27	2.96	63	27.54	18.02
5	28	3.24	68	27.15	20.64
6	10	3.04	65	28.80	21.30
7	18	2.91	67	30.90	20.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	46	20.21	9.10
2	18	2.58	74	18.30	13.38
3	32	3.67	74	22.94	17.94
4	37	1.92	48	27.87	14.98
5	39	3.08	60	27.11	20.46
6	13	3.12	54	29.78	19.05
7	27	2.27	52	31.49	18.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.67	87	19.05	12.60
2	18	3.60	74	21.49	16.45
3	32	3.54	64	23.88	16.88
4	37	2.21	51	27.69	15.64
5	39	3.04	61	28.10	19.73
6	14	2.58	50	30.82	19.40
7	27	2.25	51	31.92	20.28

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	65	17.38	10.32
2	18	1.29	64	18.79	9.14
3	32	4.34	68	22.87	18.21
4	37	1.62	47	24.83	12.90
5	39	3.05	52	23.62	18.65
6	14	3.85	49	32.29	20.19
7	27	2.64	48	32.38	20.22

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	53	22.04	12.77
2	18	2.06	58	22.24	13.73
3	32	1.89	88	22.21	14.04
4	37	2.06	92	21.80	19.71
5	39	2.80	63	30.93	20.10
6	14	4.49	43	32.89	20.83
7	27	2.83	52	30.84	18.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	44	23.80	10.88
2	18	1.74	61	22.71	11.96
3	31	4.52	88	18.88	15.29
4	37	1.81	58	20.58	11.57
5	39	2.86	53	30.56	19.98
6	14	5.00	54	31.78	21.58
7	27	2.82	88	28.82	20.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.04	88	20.88	18.88
2	18	2.86	69	21.60	15.80
3	32	1.50	54	20.20	10.80
4	37	1.50	47	22.38	8.76
5	39	3.56	63	28.61	20.50
6	14	4.41	74	24.20	19.40
7	27	2.51	68	27.88	18.86

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.21	53	20.55	10.55
2	18	1.50	55	21.42	12.04
3	32	1.93	55	21.74	12.23
4	37	1.45	47	22.36	9.57
5	38	4.26	72	26.43	19.89
6	14	3.43	70	24.71	18.58
7	27	3.23	57	27.85	18.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.14	64	22.10	15.05
2	18	3.48	64	23.85	16.61
3	32	1.92	61	19.04	11.24
4	37	1.52	49	21.63	10.23
5	39	3.05	64	28.02	20.52
6	14	2.37	59	28.44	19.48
7	27	2.85	58	28.88	19.02

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.16	49	18.71	7.66
2	18	1.29	48	17.62	6.34
3	32	1.56	52	18.13	8.20
4	37	1.97	54	23.71	13.52
5	39	2.42	59	28.20	19.36
6	14	2.78	58	28.80	19.79
7	27	2.22	62	29.81	21.33

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.31	41	10.55	4.03
2	18	1.40	46	10.20	6.05
3	32	3.19	55	23.58	15.13
4	37	3.00	68	20.46	17.10
5	38	3.06	81	27.01	10.05
6	14	2.05	57	20.85	20.43
7	27	2.10	81	20.58	21.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.56	81	22.27	11.32
2	18	3.31	67	22.08	16.31
3	32	5.32	81	20.68	17.25
4	37	3.23	64	15.97	8.31
5	39	2.06	68	27.37	21.12
6	14	4.79	70	27.81	21.39
7	27	2.06	94	80.79	20.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.22	84	10.60	17.00
2	18	5.08	78	10.62	16.96
3	32	1.45	58	14.96	3.78
4	37	1.36	88	15.48	1.28
5	38	3.36	64	27.86	21.16
6	14	4.19	76	23.25	18.72
7	27	2.64	67	29.30	16.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.39	49	16.89	5.98
2	18	1.47	48	15.66	4.52
3	32	1.50	44	14.12	1.95
4	37	1.39	39	18.94	9.72
5	38	1.08	55	22.86	13.27
6	14	1.93	46	21.02	8.08
7	27	2.68	72	19.78	14.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.29	51	14.80	6.02
2	18	1.28	46	15.17	3.38
3	32	1.53	42	17.55	5.45
4	37	2.07	53	19.27	8.69
5	38	2.25	50	21.89	10.82
6	14	1.88	48	21.90	10.43
7	27	3.73	69	21.21	14.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.23	44	10.48	4.38
2	18	1.45	48	10.76	6.01
3	32	2.07	55	10.38	9.09
4	37	2.98	68	10.80	10.58
5	39	2.08	66	22.68	13.45
6	14	2.09	55	22.73	13.25
7	27	3.21	68	25.75	18.87

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.73	80	17.06	10.92
2	10	4.10	76	15.34	11.60
3	32	5.55	71	17.60	12.37
4	37	2.70	61	20.00	12.00
5	30	3.10	71	23.32	17.63
6	16	2.95	80	23.00	18.93
7	27	3.00	71	26.67	19.25

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.96	71	17.71	12.10
2	10	3.50	62	20.37	12.74
3	32	4.90	60	20.30	14.11
4	37	3.90	60	20.77	13.14
5	30	4.61	76	23.76	18.95
6	16	4.78	84	21.10	18.30
7	27	2.60	90	20.97	18.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.40	80	18.10	11.77
2	10	4.76	78	17.50	13.62
3	32	6.00	78	20.10	16.08
4	37	3.30	66	17.62	10.62
5	30	3.42	76	26.15	20.30
6	16	3.02	75	23.06	18.70
7	27	2.07	69	30.60	18.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.07	80	17.10	15.21
2	10	5.32	85	20.17	17.56
3	32	6.70	71	19.10	13.43
4	37	2.13	50	14.90	5.40
5	30	2.93	70	27.21	21.20
6	16	2.90	65	26.42	19.20
7	27	2.96	60	27.40	19.57

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.67	90	16.96	17.77
2	10	3.60	76	22.21	17.60
3	32	1.81	65	16.76	9.57
4	37	1.50	61	13.92	4.07
5	30	2.43	60	27.96	21.30
6	16	2.60	83	25.07	17.21
7	27	2.45	57	24.52	16.95

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.44	76	22.27	17.56
2	10	2.30	66	18.70	12.10
3	32	1.80	69	13.69	7.85
4	37	1.41	51	14.27	3.54
5	30	3.50	66	25.76	18.93
6	16	1.85	58	22.37	12.93
7	27	2.73	68	21.82	16.04

CAPITA

REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	1.36	56	20.06	8.77
2	18	1.08	58	17.84	8.26
3	32	2.08	55	14.82	8.87
4	37	1.43	43	18.43	6.04
5	38	4.58	76	23.35	18.65
6	14	7.20	89	18.16	15.84
7	27	1.79	48	22.07	8.18

REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	0.00	00	14.00	10.01
2	18	4.08	37	15.84	11.42
3	32	2.17	58	10.34	7.14
4	37	1.40	42	10.20	6.10
5	38	8.27	83	22.73	18.44
6	14	5.14	88	18.14	15.84
7	27	1.74	35	20.80	7.04

REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	11.00	93	13.71	12.66
2	18	7.35	82	14.36	13.12
3	32	2.27	56	15.42	8.15
4	37	1.48	44	10.80	8.01
5	38	8.65	75	23.07	18.27
6	14	5.45	78	18.78	12.73
7	27	1.84	36	20.78	8.98



REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	0.46	85	12.83	10.02
2	18	5.49	91	15.82	13.58
3	32	3.75	72	13.93	8.18
4	37	1.56	39	17.83	9.56
5	38	6.29	71	22.26	16.56
6	14	3.58	73	18.83	11.58
7	27	1.78	48	21.88	7.38



REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	10.06	94	15.08	14.08
2	18	8.07	89	18.76	16.03
3	32	2.61	66	14.59	7.99
4	37	1.84	39	19.80	6.75
5	38	9.21	87	23.15	16.40
6	14	6.37	89	18.82	10.63
7	27	1.84	38	23.61	8.41

REGION	# STNS	BEXT	BM Σ	TEMPERATURE,C	DEWPOINT,C
1	10	6.25	62	20.93	17.21
2	18	5.16	51	18.50	12.88
3	32	1.75	48	10.08	8.55
4	37	1.09	52	17.87	8.85
5	38	3.21	57	23.40	18.36
6	14	3.33	58	19.00	10.91
7	27	2.14	41	25.51	11.08

CAPITA

REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	1.90	56	30.04	10.71
2	10	1.47	52	30.07	8.56
3	32	1.09	43	20.13	6.04
4	37	2.17	65	16.19	6.79
5	30	3.01	66	29.57	16.76
6	16	3.09	59	21.30	11.76
7	27	2.15	68	20.04	12.21

REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	48	21.82	8.66
2	10	1.53	68	20.37	8.05
3	32	4.10	82	18.25	10.29
4	37	2.00	80	17.98	8.38
5	30	3.66	89	29.30	15.02
6	16	3.05	53	24.06	13.06
7	27	2.30	66	20.72	10.00

REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	1.68	58	20.27	11.71
2	10	0.38	58	21.20	12.56
3	32	2.58	59	20.68	11.30
4	37	2.70	68	13.98	8.68
5	30	3.64	83	25.01	17.66
6	16	4.06	81	24.75	18.08
7	27	2.86	96	27.17	16.17



REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	2.66	58	22.66	16.27
2	10	5.35	65	21.63	14.48
3	32	2.18	63	12.28	5.27
4	37	1.33	93	13.29	6.43
5	30	4.48	78	29.81	18.82
6	16	7.28	82	28.67	17.13
7	27	2.28	67	23.62	11.53

REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	1.49	78	13.77	8.38
2	17	1.58	84	11.78	6.66
3	32	1.38	98	10.98	-0.76
4	37	1.34	78	17.94	7.88
5	39	2.41	62	22.83	16.31
6	16	1.75	98	17.65	5.76
7	27	1.62	91	21.12	7.38

REGION	# STNS	DEXT	RH 2	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	99	12.77	-0.61
2	10	1.22	95	13.95	2.01
3	32	1.98	91	17.89	5.89
4	37	1.99	99	21.58	6.58
5	30	2.26	61	19.75	8.12
6	16	1.67	95	10.30	0.10
7	27	1.96	57	21.21	5.97

CAPITA

Bave= 1.98
OCT. 4 1975

Bave= 2.66
OCT. 5 1975

Bave= 2.79
OCT. 6 1975

Bave= 3.02
OCT. 7 1975

Bave= 3.96
OCT. 8 1975

Bave= 3.36
OCT. 9 1975

CAPITA


Bavg= 2.88
OCT. 10 1975


Bavg= 2.77
OCT. 11 1975

Bavg= 2.52
OCT. 12 1975

Bavg= 2.63
OCT. 13 1975

Bavg= 2.79
OCT. 14 1975


Bavg= 2.86
OCT. 15 1975

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.47	46	10.62	4.65
2	18	1.67	53	10.62	6.51
3	32	1.98	55	12.57	9.55
4	37	1.88	46	10.71	1.28
5	30	3.07	61	25.79	17.56
6	16	8.71	87	15.00	10.00
7	27	2.04	89	22.87	12.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	58	12.71	5.96
2	18	2.58	69	11.72	5.62
3	32	2.95	65	11.87	6.58
4	37	1.78	48	14.19	2.72
5	30	5.00	81	21.48	18.00
6	16	6.58	85	17.69	14.58
7	27	1.73	41	23.20	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.13	92	9.32	8.16
2	18	4.36	86	12.85	11.02
3	32	4.77	88	9.81	9.58
4	37	1.48	37	16.16	1.18
5	30	2.06	62	21.67	13.00
6	16	4.10	71	12.89	7.25
7	27	1.62	36	20.90	6.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.55	81	9.98	8.48
2	18	5.65	87	11.83	9.76
3	32	4.28	78	10.85	5.82
4	37	1.42	37	16.89	1.78
5	30	2.16	67	18.75	9.68
6	16	2.58	61	13.26	4.95
7	27	1.71	32	23.08	5.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.59	92	8.82	7.88
2	18	2.78	81	11.76	8.47
3	32	2.49	58	15.82	8.58
4	37	1.52	33	20.91	3.41
5	30	1.95	48	18.76	7.51
6	16	1.73	40	18.72	6.75
7	27	1.88	86	26.25	10.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.82	81	10.80	8.84
2	18	1.87	64	10.26	6.58
3	32	2.18	58	15.52	8.57
4	37	1.45	36	18.78	3.00
5	30	1.82	41	23.12	8.87
6	16	1.95	46	22.48	9.58
7	27	2.23	51	25.78	14.88

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	51	20.60	0.00
2	18	1.02	47	21.60	0.00
3	32	2.71	50	20.39	9.48
4	37	1.76	48	18.20	7.10
5	38	2.06	45	26.86	11.00
6	14	2.28	48	23.13	11.66
7	27	2.31	50	24.17	15.15

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.26	47	19.99	8.46
2	18	2.96	48	22.80	10.06
3	32	2.98	53	22.32	12.13
4	37	4.96	72	12.10	8.69
5	38	2.36	48	26.60	12.01
6	14	2.03	50	24.39	13.44
7	27	2.37	57	25.65	16.04

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.60	57	18.49	9.06
2	18	3.78	63	21.36	13.63
3	32	3.18	62	22.18	14.23
4	37	4.16	72	8.34	3.10
5	38	3.79	58	24.48	15.17
6	14	2.31	51	25.55	14.75
7	27	2.36	57	24.69	16.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.66	87	18.84	14.55
2	18	6.38	82	19.20	15.03
3	32	1.63	58	10.38	1.76
4	37	1.34	45	9.00	-2.01
5	38	2.67	64	24.67	17.00
6	14	2.70	67	18.98	12.49
7	27	4.36	65	14.52	7.17

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.15	58	12.55	3.93
2	18	1.68	61	12.33	4.76
3	32	1.61	43	12.65	0.10
4	37	1.40	41	12.30	-1.52
5	38	3.01	66	22.11	15.12
6	14	4.00	78	14.12	9.55
7	27	2.15	65	18.84	8.17

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	45	14.32	2.99
2	18	1.73	57	15.16	6.34
3	32	2.00	45	16.41	4.55
4	37	1.61	55	13.43	4.15
5	38	3.26	67	21.73	15.31
6	14	4.82	80	17.13	13.40
7	27	3.54	65	22.17	13.04

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.98	50	10.88	7.46
2	18	2.78	63	18.21	10.80
3	32	3.48	72	14.47	8.23
4	37	1.67	48	8.80	-0.11
5	38	3.20	67	23.27	16.73
6	14	3.55	68	23.17	16.38
7	27	2.58	62	29.66	15.32



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.67	67	17.71	11.10
2	18	3.62	68	15.17	8.88
3	32	2.01	60	9.70	2.01
4	37	2.25	48	10.78	-0.36
5	38	3.20	63	23.31	15.66
6	14	7.44	74	21.22	18.02
7	27	2.38	58	29.20	18.78

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.90	84	4.27	-2.88
2	18	1.33	51	4.83	-4.67
3	32	1.85	51	7.92	-1.71
4	37	1.88	40	15.78	1.92
5	38	1.83	46	18.42	5.08
6	14	1.84	42	15.94	3.01
7	27	3.01	54	21.88	11.47



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.88	36	8.27	-7.82
2	18	1.23	37	6.80	-6.06
3	32	1.92	45	11.87	0.13
4	37	1.78	50	18.43	5.67
5	38	1.75	40	15.86	1.88
6	14	1.71	39	17.93	3.58
7	27	2.60	52	29.78	12.88



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.33	38	11.88	-2.27
2	18	1.86	45	12.65	0.67
3	32	2.78	67	14.14	7.87
4	37	1.87	51	15.30	4.66
5	38	1.61	43	18.77	6.46
6	14	1.68	58	19.95	9.36
7	27	2.75	62	23.88	15.88



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.81	68	10.40	5.77
2	18	3.41	64	16.57	9.32
3	32	5.13	73	16.90	11.81
4	37	9.88	62	15.82	7.83
5	38	1.84	48	23.10	11.38
6	14	1.91	54	22.37	12.83
7	27	2.64	78	21.94	15.88

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.80	61	10.90	11.00
2	18	2.83	62	10.52	11.00
3	32	5.42	77	17.14	12.92
4	37	6.46	60	16.70	8.10
5	30	1.05	40	24.04	12.21
6	14	1.00	52	23.80	13.40
7	27	2.31	80	22.75	13.60



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.01	47	18.77	7.00
2	18	2.57	53	19.90	9.76
3	32	4.00	68	17.81	11.33
4	37	3.48	56	18.92	7.47
5	30	2.00	55	24.66	16.02
6	14	2.25	62	23.30	15.47
7	27	2.60	60	21.05	13.71



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	31	16.80	-1.04
2	18	2.06	42	10.87	5.03
3	32	4.20	67	18.90	12.50
4	37	4.04	64	17.49	8.27
5	30	1.01	53	26.62	16.26
6	14	2.54	62	24.51	18.50
7	27	2.20	57	22.87	13.10



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.12	46	12.21	8.00
2	18	2.15	52	17.87	7.50
3	32	5.08	71	20.70	15.00
4	37	3.67	60	18.60	10.00
5	30	2.72	57	24.73	15.50
6	14	4.08	71	22.01	16.20
7	27	2.45	57	23.60	14.11



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.60	50	18.09	10.49
2	18	3.32	60	21.04	13.06
3	32	4.75	64	17.13	14.51
4	37	3.15	58	16.06	8.63
5	30	3.66	74	23.38	18.10
6	14	2.96	77	21.70	17.45
7	27	2.38	63	24.67	18.70

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.11	61	19.32	15.77
2	18	3.40	73	20.60	15.31
3	32	3.04	65	17.10	10.51
4	37	2.03	53	19.30	8.90
5	30	2.10	67	24.73	18.16
6	14	3.11	75	22.45	17.77
7	27	2.94	57	25.60	16.06

CAPITA


NUMBER OF STATIONS 176
ADJUSTED STATIONS 10
Bave= 4.85
NOV. 9 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 6
Bave= 2.53
NOV. 10 1975

NUMBER OF STATIONS 177
ADJUSTED STATIONS 9
Bave= 1.96
NOV. 11 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 7
Bave= 3.77
NOV. 12 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 2
Bave= 2.58
NOV. 13 1975

NUMBER OF STATIONS 177
ADJUSTED STATIONS 8
Bave= 2.58
NOV. 14 1975

CAPITA


NUMBER OF STATIONS 175
ADJUSTED STATIONS 1
Bave= 1.77
NOV. 15 1975


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 1.87
NOV. 16 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 0
Bave= 2.26
NOV. 17 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 1
Bave= 2.78
NOV. 18 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 6
Bave= 3.03
NOV. 19 1975


NUMBER OF STATIONS 177
ADJUSTED STATIONS 10
Bave= 4.23
NOV. 20 1975

CAPITA


NOV. 21 1975


NOV. 22 1975


NOV. 23 1975


NOV. 24 1975


NOV. 25 1975


NOV. 26 1975

CAPITA


NOV. 27 1975
NOV. 28 1975
NOV. 29 1975
NOV. 30 1975
DEC. 1 1975
DEC. 2 1975

CAPITA













CAPITA


DEC. 9 1975


DEC. 10 1975


DEC. 11 1975


DEC. 12 1975


DEC. 13 1975


DEC. 14 1975

CAPITA


DEC. 15 1975
DEC. 16 1975
DEC. 17 1975
DEC. 18 1975
DEC. 19 1975
DEC. 20 1975

CAPITA


DEC. 21 1975
DEC. 22 1975
DEC. 23 1975
DEC. 24 1975
DEC. 25 1975
DEC. 26 1975
CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	72	1.44	-3.16
2	18	3.77	74	0.67	-3.46
3	32	6.03	72	-2.80	-7.10
4	37	8.28	70	-1.00	-4.87
5	38	2.04	64	0.30	1.00
6	14	5.02	74	4.67	0.23
7	27	2.06	69	12.00	8.02

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	58	-2.33	-9.00
2	18	2.00	60	-0.80	-7.02
3	32	4.30	72	-2.40	-8.05
4	37	7.37	61	-0.37	-3.30
5	38	2.31	62	0.27	-0.42
6	14	2.57	62	0.70	2.81
7	28	2.01	71	15.92	7.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	60	-3.00	-10.71
2	18	2.72	60	-0.06	-7.06
3	32	7.04	80	-1.30	-4.52
4	37	4.07	70	0.04	-4.00
5	38	2.03	68	11.00	3.70
6	14	2.07	72	0.04	4.12
7	27	4.19	78	0.70	3.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.53	68	-2.72	-0.27
2	18	6.20	70	2.37	-1.07
3	32	7.68	68	2.02	0.22
4	37	4.20	75	1.03	-3.10
5	38	9.20	85	12.00	10.23
6	14	10.02	93	10.51	9.35
7	27	2.53	81	8.95	0.70



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	70	4.40	-0.61
2	18	3.13	70	3.07	0.43
3	32	5.23	80	0.57	-2.49
4	37	8.33	85	-1.42	-3.70
5	39	6.68	86	14.64	12.00
6	14	5.51	86	0.72	8.42
7	27	1.73	48	14.27	1.82

CAPITA


REGION 1, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

202

CAPITA


REGION 3, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1975
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1975
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1975
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1975
100 15
30
AH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1975
100 15
40
AH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1975
100 15
50
AH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1975
100 15
30
AH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


NUMBER OF STATIONS 175
ADJUSTED STATIONS 11
Bave= 3.23
JAN. 1 1976


NUMBER OF STATIONS 175
ADJUSTED STATIONS 9
Bave= 4.22
JAN. 2 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 15
Bave= 5.21
JAN. 3 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 5
Bave= 2.63
JAN. 4 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 1.91
JAN. 5 1976


NUMBER OF STATIONS 178
ADJUSTED STATIONS 7
Bave= 3.05
JAN. 6 1976

CAPITA


JAN. 7 1976


JAN. 8 1976


JAN. 9 1976


JAN. 10 1976


JAN. 11 1976


JAN. 12 1976

CAPITA


Bave= 5.19
JAN. 13 1976


Bave= 1.92
JAN. 14 1976


Bave= 3.05
JAN. 15 1976


Bave= 3.38
JAN. 16 1976


Bave= 2.58
JAN. 17 1976


Bave= 1.99
JAN. 18 1976

CAPITA


JAN. 19 1976


JAN. 20 1976

JAN. 21 1976

JAN. 22 1976


JAN. 23 1976


JAN. 24 1976

CAPITA


JAN. 25 1976


JAN. 26 1976


JAN. 27 1976

JAN. 28 1976

JAN. 29 1976


JAN. 30 1976

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	46	-7.10	-10.00
2	18	2.06	62	-4.47	-10.95
3	32	3.50	73	-3.20	-7.35
4	37	1.80	82	3.47	-9.55
5	39	2.39	60	12.81	2.00
6	14	3.00	50	9.79	1.74
7	27	2.61	62	12.29	1.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.24	60	1.30	-0.72
2	18	4.18	81	5.02	1.04
3	31	8.00	71	-5.75	-10.42
4	38	1.01	40	-9.06	-13.40
5	39	6.40	83	12.20	0.17
6	14	3.27	85	7.97	1.26
7	27	1.46	20	10.27	-3.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.35	74	-0.38	-12.27
2	18	5.50	58	-14.60	-21.10
3	31	2.80	58	-12.97	-20.01
4	38	2.07	60	-5.20	-12.40
5	39	1.40	40	3.54	-8.37
6	14	1.85	41	1.62	-10.59
7	27	1.89	27	17.94	-2.44



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	40	-5.30	-15.44
2	18	1.92	56	-5.27	-12.83
3	32	3.22	62	-8.93	-13.19
4	37	4.14	83	-0.98	-7.03
5	39	1.01	54	10.02	1.22
6	14	3.18	54	7.73	-1.70
7	27	1.98	34	19.25	1.35



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.12	60	1.00	-5.93
2	18	2.94	67	1.30	-4.19
3	32	2.78	64	-5.55	-11.34
4	37	2.65	57	-12.30	-19.19
5	39	2.06	51	16.70	6.16
6	14	2.65	62	14.04	6.94
7	27	3.12	60	18.02	8.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.21	38	-7.93	-19.60
2	18	6.43	60	-5.61	-12.55
3	32	7.61	74	-6.31	-10.30
4	37	4.17	67	-11.64	-18.57
5	39	2.34	54	16.80	7.40
6	14	5.08	70	16.14	10.47
7	27	4.00	73	13.04	8.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.22	97	-8.82	-10.05
2	18	5.00	71	-8.10	-10.67
3	31	5.40	87	-8.04	-13.27
4	38	1.45	87	-8.48	-10.58
5	30	3.38	72	18.26	9.00
6	16	5.51	78	4.72	1.48
7	27	6.06	78	4.67	-0.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.81	83	-7.05	-15.10
2	18	2.73	88	-8.25	-12.80
3	31	1.83	82	-5.96	-11.00
4	38	1.69	81	1.61	-9.15
5	30	1.08	68	5.36	-6.84
6	16	1.83	98	0.31	-8.24
7	27	2.04	91	4.01	-4.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.26	97	-2.77	-10.98
2	18	5.28	66	-0.70	-6.78
3	32	3.18	87	0.29	-3.29
4	37	1.95	88	6.40	-4.90
5	30	1.87	97	8.68	-5.80
6	16	1.85	97	8.50	-4.20
7	27	1.78	91	10.68	2.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.73	80	-3.18	-8.05
2	18	1.78	88	-1.95	-8.72
3	32	1.99	83	2.62	-4.42
4	37	1.48	85	10.17	0.31
5	30	1.67	33	10.20	-5.03
6	16	1.88	41	11.88	-1.50
7	27	2.77	48	21.00	8.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.78	48	2.48	-7.82
2	18	1.62	48	6.44	-9.78
3	32	3.73	78	8.78	3.59
4	37	2.01	69	7.80	-0.23
5	30	1.86	32	17.31	0.26
6	16	2.24	59	17.73	9.18
7	27	2.08	84	22.98	12.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.91	83	5.10	-1.55
2	18	2.78	65	9.60	-1.87
3	31	2.17	78	1.81	-5.55
4	38	1.41	48	6.68	-4.02
5	30	2.27	51	16.78	6.12
6	16	3.21	87	12.77	8.58
7	27	2.27	81	18.26	10.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	89	-2.11	-16.92
2	18	1.22	47	9.14	-7.16
3	31	1.02	54	7.52	-1.57
4	37	1.67	62	10.45	0.07
5	38	1.98	56	15.62	-0.46
6	14	1.86	40	15.87	1.43
7	27	2.44	66	20.81	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	62	0.62	0.06
2	18	2.00	61	0.62	0.00
3	32	3.05	60	4.50	-2.94
4	37	1.67	66	9.45	-5.60
5	38	3.00	57	10.28	10.08
6	14	3.17	66	17.97	12.05
7	27	2.28	58	21.60	12.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	98	-2.39	-16.40
2	18	1.36	43	1.17	-10.38
3	32	1.00	47	2.68	-7.40
4	37	2.42	62	6.90	-1.11
5	38	2.36	47	17.20	6.46
6	14	3.40	59	18.50	8.32
7	27	3.44	66	20.48	13.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.90	54	0.44	-7.77
2	18	2.76	65	4.40	-1.72
3	32	5.31	70	12.28	8.31
4	37	2.18	57	9.82	0.63
5	38	2.94	58	17.01	9.52
6	14	3.37	71	18.30	12.77
7	27	2.80	60	22.19	13.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	50	6.49	-3.22
2	17	2.60	59	10.82	2.05
3	31	7.25	83	5.76	3.11
4	38	3.26	73	8.83	1.57
5	38	2.94	54	22.58	12.61
6	14	3.69	70	19.67	14.00
7	27	2.36	54	21.70	10.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.71	87	2.68	0.77
2	18	1.83	58	10.36	1.04
3	31	4.04	80	3.34	0.21
4	38	5.06	73	6.23	0.04
5	38	2.24	55	22.67	12.85
6	14	3.09	68	20.39	14.20
7	27	2.54	59	20.85	10.34

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	12.21	66	-0.89	-8.06
2	18	7.77	88	6.35	4.34
3	32	9.48	83	7.27	6.01
4	37	2.81	64	5.18	-2.08
5	30	2.83	83	21.10	19.37
6	14	2.81	70	18.20	11.58
7	27	1.06	28	18.41	-0.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.88	56	0.71	-2.21
2	18	2.03	84	0.02	-0.78
3	32	5.08	73	4.35	-0.20
4	37	1.05	60	0.15	-4.08
5	30	1.72	41	20.22	8.10
6	14	1.85	56	17.97	5.20
7	27	1.01	51	20.69	1.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	50	2.00	-8.88
2	18	1.96	66	6.05	-3.46
3	32	3.08	68	7.51	-0.08
4	37	2.21	66	5.20	-8.08
5	30	1.68	38	18.11	3.10
6	14	1.57	42	18.40	6.75
7	27	3.20	61	21.82	12.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.81	58	3.88	-4.05
2	18	3.61	62	8.60	1.07
3	31	7.72	83	5.33	2.59
4	38	4.20	70	-1.17	-8.20
5	30	1.06	54	21.32	11.60
6	14	3.54	71	17.73	11.98
7	27	3.45	42	12.01	-1.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.70	89	8.10	8.21
2	18	3.69	81	6.70	2.43
3	31	3.09	68	-1.79	-7.03
4	38	1.52	58	2.01	-8.18
5	30	2.55	69	15.40	9.54
6	14	2.07	84	8.28	-0.09
7	27	1.53	29	11.97	-7.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.03	42	-5.71	-18.98
2	18	1.36	46	-4.18	-14.81
3	32	1.82	61	-1.82	-7.73
4	37	1.53	46	0.68	-8.28
5	30	1.84	56	8.75	-6.02
6	14	1.57	42	8.78	-3.82
7	27	1.48	30	17.87	-7.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.80	97	2.83	-7.00
2	18	1.63	96	8.67	-9.23
3	32	2.10	82	10.50	0.78
4	37	1.68	68	12.05	-9.00
5	30	1.70	85	16.10	-0.30
6	14	1.72	52	17.05	0.19
7	27	1.71	24	10.37	-9.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.54	47	10.60	-9.00
2	18	1.68	36	15.70	0.52
3	32	2.46	47	15.00	2.46
4	37	2.17	48	11.01	-1.17
5	30	2.13	48	19.16	6.34
6	14	1.82	38	17.89	3.56
7	27	1.78	42	10.27	6.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.31	68	9.00	1.77
2	18	2.37	46	14.83	2.66
3	31	3.30	58	11.00	3.75
4	38	1.80	47	13.00	-0.00
5	30	2.50	48	10.00	0.12
6	14	1.35	48	19.75	8.52
7	27	1.01	80	21.47	6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.98	30	10.10	-2.10
2	18	2.10	30	19.26	-0.00
3	31	2.02	49	12.20	1.57
4	38	2.25	45	11.07	-1.66
5	30	2.09	33	21.17	3.30
6	14	2.23	35	19.59	5.40
7	27	2.20	41	22.62	7.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.07	45	5.77	-8.40
2	18	1.85	48	10.16	-2.86
3	32	1.98	54	5.77	-5.03
4	37	2.43	54	0.40	-3.16
5	30	2.10	33	22.36	6.17
6	14	2.13	32	20.96	3.44
7	27	2.10	47	21.00	9.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.43	71	4.96	0.11
2	18	2.56	64	13.60	3.00
3	32	3.36	60	10.83	2.06
4	37	2.22	56	-0.93	-0.79
5	30	2.22	42	22.90	8.05
6	14	2.56	28	22.01	8.00
7	27	2.37	54	22.23	11.30

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.50	54	3.27	-5.44
2	18	2.82	61	7.74	0.02
3	32	5.20	75	2.91	-1.18
4	37	10.78	80	0.19	-3.06
5	30	2.40	47	20.60	11.41
6	14	2.30	48	22.41	10.83
7	27	2.32	54	24.13	12.77



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.65	78	-0.21	-10.16
2	18	8.58	83	2.88	-0.06
3	31	7.24	80	6.38	3.01
4	38	6.04	80	0.57	-2.78
5	30	3.71	54	22.51	11.70
6	14	2.14	52	23.40	12.77
7	27	2.20	50	25.44	13.02



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.53	78	-4.62	-8.44
2	18	10.17	80	3.70	1.78
3	31	5.93	81	7.31	4.02
4	38	3.10	67	-5.64	-11.23
5	30	4.24	68	22.34	13.46
6	14	2.80	68	22.57	10.42
7	27	3.53	63	21.18	13.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.50	89	3.44	-0.05
2	18	9.72	88	7.89	5.27
3	32	10.38	87	6.40	4.35
4	37	8.52	78	-5.22	-8.81
5	30	3.78	57	23.70	14.01
6	14	2.01	48	25.87	14.04
7	27	3.24	56	21.70	11.49



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.05	81	10.43	7.27
2	18	3.75	68	15.99	10.02
3	32	2.98	65	5.47	-2.77
4	37	1.74	63	-8.56	-14.44
5	30	1.82	58	24.62	15.67
6	14	3.02	63	19.38	11.78
7	27	2.47	51	19.37	2.22

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	42	4.88	-7.32
2	18	1.86	48	3.78	-6.75
3	32	1.51	55	-0.38	-8.55
4	37	1.80	61	0.84	-8.57
5	30	2.11	57	10.80	8.01
6	14	2.47	61	10.74	2.77
7	27	2.61	61	11.22	2.58

CAPITA


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 1.90
MAR. 7 1976


NUMBER OF STATIONS 175
ADJUSTED STATIONS 5
Bave= 2.69
MAR. 8 1976


NUMBER OF STATIONS 177
ADJUSTED STATIONS 14
Bave= 4.56
MAR. 9 1976


NUMBER OF STATIONS 177
ADJUSTED STATIONS 5
Bave= 3.06
MAR. 10 1976


NUMBER OF STATIONS 177
ADJUSTED STATIONS 7
Bave= 3.18
MAR. 11 1976


NUMBER OF STATIONS 175
ADJUSTED STATIONS 8
Bave= 4.49
MAR. 12 1976

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.00	81	7.65	0.21
2	10	6.60	72	7.10	2.10
3	31	3.75	65	-1.62	-7.04
4	30	1.39	48	0.04	-0.10
5	30	2.38	67	10.70	10.42
6	14	3.32	50	7.77	0.12
7	27	2.00	51	0.00	-1.41



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	42	9.72	-0.44
2	10	1.40	48	4.00	-5.05
3	32	3.21	80	4.69	-2.50
4	37	1.94	52	9.20	-5.05
5	30	2.37	61	12.80	2.64
6	14	2.47	55	9.75	0.83
7	27	3.06	62	12.50	3.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.15	37	8.00	-7.00
2	10	1.36	40	6.00	-6.20
3	32	1.62	48	2.00	-7.00
4	37	4.00	64	1.24	-6.07
5	30	4.02	58	16.30	6.00
6	14	6.24	65	13.60	0.50
7	27	3.43	64	17.65	0.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.52	89	-3.27	-0.49
2	10	14.74	69	0.90	-2.33
3	32	3.60	50	-0.09	-0.25
4	37	1.40	52	0.70	-0.40
5	30	5.22	70	16.09	12.04
6	14	3.95	71	7.05	2.60
7	27	1.04	30	12.65	-1.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.92	58	-4.27	-12.10
2	10	3.51	50	-3.00	-13.30
3	31	2.04	50	-3.15	-12.20
4	30	1.65	51	7.74	-2.02
5	29	1.66	38	0.07	-5.66
6	14	1.54	35	7.05	-0.88
7	27	1.50	80	17.63	-0.98

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.20	43	-4.00	-10.30
2	10	2.00	52	-0.26	-0.32
3	31	2.00	53	0.79	-0.53
4	30	1.62	44	15.35	2.23
5	30	1.57	35	14.75	-0.50
6	14	1.79	38	17.37	2.00
7	27	1.04	46	21.31	0.06

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.01	70	3.77	-1.27
2	17	2.13	48	13.76	3.06
3	32	2.50	55	16.87	7.05
4	37	1.69	48	17.69	6.90
5	38	1.78	43	20.60	6.63
6	14	1.06	52	19.10	8.88
7	27	2.08	67	89.82	12.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.70	50	15.55	8.92
2	18	2.06	45	20.43	7.77
3	32	3.48	87	17.99	11.54
4	37	2.70	48	9.80	-2.56
5	38	1.95	47	23.14	11.69
6	14	3.02	89	22.05	15.74
7	27	2.58	48	22.60	7.88

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.00	81	13.32	6.94
2	18	3.76	72	12.60	7.33
3	32	2.22	61	0.81	-8.03
4	37	1.43	44	3.40	-8.01
5	38	1.81	55	21.16	11.47
6	14	1.57	35	10.80	0.63
7	27	1.81	31	10.76	-0.59



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	37	-0.01	-13.00
2	18	1.52	45	-0.02	-11.33
3	31	1.58	46	2.30	-0.32
4	38	1.30	45	8.00	-3.20
5	38	1.77	46	14.70	2.16
6	14	1.91	39	13.00	-0.91
7	27	1.08	40	10.00	2.06

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.14	38	4.55	-0.48
2	19	1.66	36	8.76	-5.04
3	31	2.07	48	11.48	0.00
4	38	2.37	30	16.29	-2.31
5	39	1.73	37	17.10	1.93
6	14	1.55	34	17.80	1.50
7	27	2.04	41	21.12	0.89



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.67	37	14.32	-0.01
2	18	1.71	36	16.87	0.61
3	32	2.23	43	17.87	4.00
4	37	1.60	43	12.80	-1.08
5	38	1.67	37	20.50	5.15
6	14	1.75	40	19.43	4.75
7	27	3.17	71	10.60	12.01

CAPITA


Bave= 2.65
MAR. 25 1976


Bave= 2.83
MAR. 26 1976


Bave= 2.40
MAR. 27 1976

Bave= 2.03
MAR. 28 1976


Bave= 4.29
MAR. 29 1976


Bave= 3.23
MAR. 30 1976

CAPITA


Bavg= 3.56
MAR. 31 1976


Bavg= 2.75
APR. 1 1976


Bavg= 1.88
APR. 2 1976

Bavg= 2.14
APR. 3 1976

Bavg= 2.11
APR. 4 1976


Bavg= 2.04
APR. 5 1976

CAPITA


Bavg= 2.33
APR. 6 1976


Bavg= 1.97
APR. 7 1976


Bavg= 1.66
APR. 8 1976


Bavg= 1.63
APR. 9 1976


Bavg= 1.85
APR. 10 1976


Bavg= 2.62
APR. 11 1976

CAPITA


APR. 12 1976


APR. 13 1976


APR. 14 1976


APR. 15 1976


APR. 16 1976


APR. 17 1976

CAPITA


APR. 18 1976


APR. 19 1976


APR. 20 1976


APR. 21 1976


APR. 22 1976


APR. 23 1976

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	86	12.77	-1.86
2	18	2.21	67	18.47	6.68
3	31	5.88	73	14.17	8.78
4	37	3.68	71	10.97	5.28
5	30	2.01	86	20.21	11.12
6	16	2.81	52	25.43	14.56
7	27	2.88	60	24.78	15.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.26	78	8.38	1.86
2	17	6.68	87	8.16	8.07
3	32	5.58	78	7.28	2.01
4	37	1.83	48	20.18	-0.88
5	30	2.68	62	20.66	15.53
6	16	1.76	57	19.71	10.58
7	27	1.88	61	20.77	8.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.66	88	8.87	8.08
2	18	8.38	76	8.28	8.84
3	30	1.73	57	8.58	-2.84
4	38	1.78	48	18.47	-1.57
5	30	1.86	68	18.61	7.68
6	16	1.86	57	12.33	3.86
7	27	1.84	64	81.28	13.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.48	88	9.85	1.22
2	18	2.06	68	6.38	-1.63
3	30	1.72	58	6.80	-1.46
4	38	9.48	88	9.60	0.87
5	28	1.76	78	17.88	3.47
6	16	1.78	37	10.88	2.16
7	27	2.36	64	22.48	14.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	51	12.80	2.48
2	17	1.43	52	12.37	2.48
3	31	1.78	58	11.28	1.10
4	37	9.51	88	10.43	1.88
5	30	1.75	38	10.86	8.58
6	16	1.78	58	10.89	3.52
7	27	9.57	87	22.15	15.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	48	15.68	1.86
2	18	1.17	42	16.47	1.42
3	31	1.88	38	14.78	-8.58
4	37	2.18	88	12.84	8.68
5	30	1.86	48	21.11	6.77
6	16	1.98	42	18.84	5.51
7	27	9.28	78	17.78	18.18

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	90	10.00	0.04
2	17	1.27	33	17.40	0.02
3	32	2.53	48	15.04	4.44
4	37	2.05	53	19.05	4.00
5	38	3.45	57	21.73	11.57
6	14	4.49	82	18.70	10.39
7	27	4.41	73	17.71	12.40



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.72	56	16.44	5.06
2	18	5.31	77	14.06	8.78
3	30	2.57	55	15.10	5.32
4	38	1.37	40	18.70	1.77
5	38	4.66	76	21.67	16.80
6	14	3.03	80	18.50	12.01
7	27	1.90	80	18.47	[illegible]



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.78	67	10.32	11.02
2	18	2.68	56	10.12	8.91
3	30	2.95	61	11.82	3.80
4	38	1.89	48	7.20	-3.22
5	38	2.78	55	22.27	12.46
6	14	2.05	48	21.22	8.40
7	27	1.47	39	24.41	8.90



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.59	68	15.30	8.05
2	17	2.64	58	9.62	1.26
3	31	1.30	55	8.39	-2.32
4	37	1.38	34	11.31	-4.20
5	38	1.83	41	21.77	7.61
6	14	1.40	41	17.05	3.84
7	27	1.61	41	21.94	8.08



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	41	10.10	-2.08
2	18	1.20	45	8.11	-2.51
3	31	1.63	38	14.70	-0.42
4	37	1.51	34	20.49	3.00
5	38	1.56	34	18.94	2.69
6	14	1.45	34	17.29	1.48
7	27	1.70	45	24.21	11.29

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.64	37	17.80	2.40
2	17	1.73	41	19.90	5.76
3	32	3.10	49	21.34	9.75
4	37	1.83	50	15.50	4.04
5	38	1.67	38	24.32	8.75
6	14	1.70	38	24.71	8.52
7	27	3.08	65	22.30	15.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.88	80	20.02	9.10
2	18	2.53	66	18.76	8.62
3	30	4.15	80	10.80	6.30
4	36	1.81	37	11.87	-5.20
5	30	2.16	61	25.07	14.02
6	16	2.58	53	24.98	14.51
7	27	2.28	64	20.66	10.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.02	86	8.82	7.46
2	18	0.88	72	14.82	8.46
3	30	1.97	58	9.81	0.56
4	36	1.26	28	14.26	-5.87
5	30	2.93	65	24.53	17.38
6	16	3.66	78	17.13	13.36
7	27	2.64	87	16.66	12.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	90	12.00	-1.44
2	17	1.21	88	12.80	-1.06
3	31	1.81	56	13.81	-0.87
4	37	1.46	27	10.00	0.20
5	30	3.03	66	18.72	10.02
6	16	2.56	80	17.25	8.96
7	27	2.02	61	10.96	11.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	51	15.77	-1.38
2	18	1.39	38	16.25	1.68
3	31	1.81	40	20.20	5.85
4	37	1.44	35	21.88	9.71
5	30	2.42	46	21.44	8.68
6	16	2.24	48	20.35	8.21
7	27	2.73	65	21.80	14.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.47	55	20.21	4.38
2	17	2.00	39	21.97	7.28
3	32	1.94	35	22.23	8.05
4	37	1.88	41	21.08	5.82
5	33	2.31	46	24.67	11.67
6	16	2.47	59	22.28	13.21
7	27	3.33	68	24.42	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.50	47	20.00	8.10
2	18	4.23	66	16.77	8.08
3	30	1.99	55	14.58	4.73
4	38	1.48	30	21.89	9.56
5	30	2.76	63	24.00	16.31
6	16	3.00	68	22.97	15.96
7	27	2.73	90	27.06	17.81

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	71	14.00	0.71
2	18	1.36	51	12.71	2.30
3	30	1.53	38	15.79	0.98
4	36	2.11	54	18.40	6.17
5	38	2.16	45	24.04	11.22
6	14	2.38	42	24.67	10.00
7	27	2.06	61	20.04	17.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	38	17.27	0.27
2	17	1.40	37	18.11	2.06
3	31	2.77	45	19.45	5.74
4	37	2.07	50	18.62	8.62
5	38	2.44	54	25.60	15.41
6	14	2.70	60	25.27	18.34
7	27	2.12	58	21.04	11.72

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.40	60	21.32	12.00
2	18	4.27	67	22.04	15.40
3	31	3.61	65	19.40	12.30
4	37	2.02	48	20.81	7.30
5	38	3.04	66	26.20	18.13
6	14	4.90	63	20.75	17.00
7	27	1.00	48	22.00	8.72



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.28	44	22.16	9.05
2	17	2.71	57	24.83	15.82
3	32	0.28	75	19.89	14.95
4	37	2.90	58	18.43	9.89
5	38	3.71	75	24.74	19.00
6	14	2.08	67	22.41	15.75
7	27	1.02	50	23.80	11.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.55	47	20.18	8.06
2	18	5.94	76	20.60	16.07
3	30	4.11	75	18.77	13.99
4	36	2.42	50	18.64	4.82
5	38	2.15	67	25.27	18.48
6	14	2.24	68	21.42	14.52
7	27	1.04	52	24.60	16.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.46	78	19.10	15.18
2	18	2.50	69	20.60	14.40
3	30	2.71	68	14.73	8.51
4	36	1.35	33	18.32	0.87
5	38	2.13	60	25.60	17.23
6	14	2.30	64	21.70	14.44
7	27	1.00	43	23.10	8.40

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.38	88	17.10	16.04
2	17	3.06	78	12.37	7.21
3	31	1.42	41	15.81	0.84
4	37	1.40	58	21.22	2.34
5	38	2.31	62	21.48	13.58
6	14	1.81	54	17.15	7.28
7	27	1.57	48	23.85	8.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.04	83	8.80	5.71
2	18	3.72	64	7.56	0.64
3	31	1.42	48	18.78	3.11
4	37	1.34	36	24.38	0.84
5	38	1.66	38	20.84	6.86
6	14	1.49	38	20.27	5.75
7	27	1.88	48	23.80	12.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.06	84	11.77	8.77
2	17	1.83	66	18.60	6.48
3	32	2.14	58	25.84	12.54
4	37	1.42	48	24.78	9.86
5	38	1.76	41	26.40	10.87
6	14	1.83	41	25.80	9.55
7	27	0.16	58	24.38	16.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.89	78	12.84	8.89
2	17	1.83	68	18.85	10.45
3	30	1.44	47	19.88	7.58
4	36	1.68	52	22.49	11.87
5	38	2.06	48	26.64	14.06
6	14	2.16	43	25.71	12.17
7	27	2.52	55	26.37	18.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.83	62	14.21	8.55
2	17	1.42	51	15.67	5.08
3	30	1.47	48	17.34	5.34
4	35	3.05	60	18.81	8.88
5	38	3.41	54	25.14	16.57
6	14	2.70	51	25.07	16.04
7	27	2.48	52	27.75	18.35

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.96	82	15.80	8.27
2	16	1.35	48	16.40	6.65
3	31	1.54	50	16.07	5.04
4	37	2.13	53	17.17	8.34
5	38	4.13	67	22.80	16.07
6	14	2.91	60	23.72	15.15
7	28	2.26	64	27.34	18.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.02	80	18.10	8.08
2	17	1.45	52	16.78	6.32
3	31	1.47	48	16.35	5.12
4	37	1.68	52	17.62	8.01
5	38	2.88	58	22.46	13.72
6	14	2.54	54	21.97	12.17
7	27	2.54	67	27.29	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.56	80	12.33	4.09
2	18	2.08	83	15.38	8.23
3	32	2.04	54	18.65	8.76
4	37	1.83	47	19.49	7.34
5	38	2.82	60	21.58	13.82
6	14	2.11	41	22.13	8.28
7	27	3.36	81	25.24	18.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.66	66	12.80	4.10
2	17	3.08	67	14.76	8.48
3	30	1.83	48	19.18	8.86
4	36	2.68	64	18.80	7.82
5	38	2.78	68	22.06	18.08
6	14	2.28	47	22.10	10.07
7	27	2.68	64	24.43	16.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	45	20.55	8.05
2	17	1.68	45	21.84	8.05
3	30	2.25	38	22.47	7.18
4	35	1.98	46	21.47	8.73
5	38	3.39	60	23.47	16.70
6	14	4.91	67	21.82	16.87
7	27	2.78	60	25.88	16.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	30	24.82	5.71
2	17	1.99	35	24.36	7.71
3	31	5.00	59	20.55	11.62
4	38	2.38	48	22.85	11.07
5	39	3.70	63	23.77	15.88
6	14	5.65	81	19.79	16.30
7	27	2.04	47	25.65	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.64	56	24.77	8.21
2	18	3.12	59	20.68	11.88
3	31	6.18	78	19.02	14.45
4	38	3.01	67	22.11	12.83
5	38	3.98	72	23.43	17.67
6	14	5.10	71	22.25	16.54
7	27	2.98	47	29.38	18.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.10	83	21.66	19.00
2	17	4.00	78	18.66	15.50
3	52	5.02	75	21.10	15.60
4	36	5.00	62	20.70	12.04
5	30	2.70	62	25.75	17.00
6	14	5.30	57	28.70	17.77
7	27	2.80	66	26.63	17.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.50	50	24.21	13.05
2	18	5.16	73	21.36	16.06
3	50	5.60	77	20.62	16.10
4	35	3.66	56	22.31	12.00
5	30	2.07	60	28.80	18.05
6	14	2.77	62	28.62	18.00
7	27	2.42	64	26.35	17.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.01	80	17.71	11.77
2	18	6.02	76	18.61	14.52
3	50	5.00	72	20.21	14.00
4	36	2.00	47	26.30	12.07
5	30	2.41	58	28.46	18.00
6	14	3.23	70	25.23	18.40
7	27	2.54	62	26.00	17.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.23	48	17.80	8.30
2	18	1.46	58	17.00	8.62
3	31	1.59	48	21.10	9.50
4	37	2.46	48	26.70	13.50
5	30	3.12	73	24.02	18.64
6	14	4.55	76	22.73	18.13
7	27	2.10	58	26.70	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.26	41	19.27	5.27
2	17	1.52	42	21.35	7.03
3	31	1.85	42	23.02	9.00
4	37	2.00	41	26.67	11.33
5	30	2.62	71	22.53	16.64
6	14	4.73	75	22.85	18.01
7	27	2.77	48	28.74	10.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	38	23.00	8.00
2	17	1.51	38	21.01	6.07
3	32	1.92	40	25.40	10.00
4	37	1.77	40	25.00	10.77
5	30	2.20	63	22.35	14.10
6	14	2.73	69	23.46	17.37
7	27	2.22	40	28.00	10.27

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.15	29	25.21	5.00
2	18	1.26	35	23.18	7.06
3	30	1.77	57	25.84	16.01
4	38	3.08	67	28.28	19.89
5	38	2.28	58	22.68	10.88
6	14	2.08	57	22.81	13.21
7	27	3.91	86	27.84	17.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	46	20.88	8.88
2	18	2.37	64	19.11	8.83
3	30	2.13	55	26.42	9.88
4	38	2.54	48	26.65	16.16
5	38	1.62	47	24.81	11.54
6	14	1.08	46	24.87	11.54
7	27	3.24	84	28.76	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.05	68	18.71	13.77
2	17	2.88	62	25.38	18.43
3	31	2.46	58	28.56	12.10
4	37	2.08	46	27.24	15.88
5	38	1.08	46	26.60	13.67
6	14	2.28	45	28.50	12.81
7	27	2.70	58	28.68	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.55	43	29.77	15.82
2	18	3.43	46	27.48	14.67
3	31	2.75	58	29.20	12.84
4	37	1.89	44	28.41	14.83
5	38	2.46	46	28.36	14.83
6	14	3.10	41	28.38	13.72
7	27	2.29	48	27.71	15.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.98	45	27.27	14.32
2	17	3.04	47	28.60	15.73
3	32	2.83	50	29.58	15.79
4	37	2.05	42	29.31	14.99
5	39	3.35	44	29.45	15.50
6	14	3.08	40	29.55	14.59
7	27	2.77	45	28.80	15.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.38	49	30.21	18.21
2	18	3.58	43	29.83	15.08
3	30	4.47	41	28.77	13.99
4	36	2.38	49	29.68	18.12
5	39	4.03	61	30.88	17.28
6	14	5.12	41	29.91	15.23
7	27	2.84	45	29.70	16.20

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.79	44	20.66	15.43
2	18	6.10	48	20.00	16.49
3	30	4.47	51	29.49	18.18
4	38	2.50	45	30.21	18.50
5	30	4.76	60	20.60	17.17
6	14	5.99	48	29.95	18.03
7	27	2.97	48	30.26	17.86



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	46	16.06	4.77
2	17	1.27	48	22.30	7.65
3	31	3.20	47	29.88	18.19
4	37	2.14	46	27.82	16.00
5	38	6.03	48	30.87	18.44
6	14	8.58	46	30.90	17.25
7	27	1.60	48	30.11	18.47



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.14	46	20.18	7.71
2	18	2.40	53	21.60	11.72
3	31	4.04	48	30.39	18.94
4	37	1.56	48	28.47	19.17
5	38	5.64	60	27.36	18.10
6	14	8.03	48	31.38	18.52
7	27	1.86	47	31.06	18.04



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	85	23.33	18.32
2	17	4.55	64	24.04	17.68
3	32	2.73	48	29.19	16.08
4	37	2.04	54	24.22	19.73
5	38	5.72	60	27.63	18.35
6	14	5.40	53	30.51	19.58
7	27	2.18	47	30.44	18.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.01	58	20.21	18.21
2	18	6.23	58	29.43	20.23
3	30	4.24	55	27.55	17.43
4	39	2.07	56	19.10	9.97
5	39	4.37	61	28.71	20.22
6	14	8.22	53	29.95	19.47
7	27	2.98	53	28.02	17.60



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.13	55	30.18	20.05
2	18	5.84	66	26.22	19.03
3	30	2.57	65	19.21	12.12
4	38	1.40	58	24.22	8.20
5	38	2.62	63	28.64	20.67
6	14	5.84	72	25.11	19.30
7	27	1.86	58	28.19	18.27

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	60	25.90	18.40
2	17	2.00	60	23.70	15.61
3	31	1.90	40	23.80	12.25
4	37	1.60	60	28.07	12.00
5	30	3.31	66	27.10	18.93
6	14	3.56	60	27.05	19.26
7	27	2.12	67	30.02	20.70

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.92	66	26.88	18.16
2	18	3.45	56	27.80	17.77
3	31	3.11	60	25.87	17.11
4	37	1.60	48	18.41	8.87
5	30	2.60	63	28.31	20.60
6	14	4.28	65	28.80	21.42
7	27	2.10	66	27.64	20.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.90	60	26.60	18.44
2	17	2.60	70	26.28	20.38
3	32	1.93	50	20.91	12.25
4	37	1.50	36	22.72	8.93
5	30	2.86	60	27.30	21.06
6	14	3.70	63	24.20	21.00
7	27	1.90	50	26.57	17.11

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.12	74	25.27	20.21
2	18	2.00	72	22.00	17.21
3	30	1.42	45	23.45	10.39
4	38	1.30	28	20.14	7.70
5	30	3.11	76	26.60	20.56
6	14	2.43	83	24.60	18.88
7	27	1.02	43	20.24	13.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.13	64	26.04	18.27
2	18	2.00	76	24.00	19.32
3	30	2.09	53	23.03	12.17
4	38	1.30	36	27.05	10.07
5	30	2.92	70	25.75	18.70
6	14	2.43	58	23.04	13.00
7	27	1.70	42	20.41	15.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	68	20.40	18.93
2	17	4.12	67	26.04	19.53
3	31	2.82	54	24.47	14.28
4	37	1.50	41	27.87	18.18
5	30	2.50	64	26.61	18.02
6	14	2.71	50	25.55	14.24
7	27	1.00	51	30.34	18.48

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.62	58	29.10	19.00
2	18	4.31	61	27.66	18.20
3	31	3.83	57	24.67	15.57
4	37	2.71	62	25.52	14.60
5	38	2.63	65	26.80	18.60
6	14	3.02	58	27.21	17.79
7	27	2.94	58	30.22	19.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.48	51	31.05	18.00
2	17	3.25	52	28.20	18.37
3	32	10.68	65	20.48	17.87
4	37	3.26	69	20.60	15.07
5	38	1.88	64	27.20	18.71
6	14	2.31	69	27.25	20.83
7	27	1.81	65	29.81	18.18

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.01	60	25.50	18.10
2	18	2.06	61	27.50	18.00
3	30	1.75	52	24.57	15.90
4	38	1.50	41	25.59	10.00
5	38	2.26	63	28.50	20.06
6	14	2.41	68	27.55	20.90
7	27	1.83	57	28.90	18.18

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.51	60	22.38	13.55
2	18	1.44	42	27.36	13.35
3	30	1.69	48	27.60	14.97
4	38	1.48	51	25.53	14.63
5	38	2.30	62	28.43	20.36
6	14	2.57	67	28.24	21.34
7	27	1.77	58	30.24	20.55



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.01	71	20.10	16.05
2	16	1.68	46	28.60	15.87
3	31	2.28	49	28.68	18.94
4	37	1.41	40	28.04	12.77
5	38	2.30	57	29.54	18.88
6	14	2.74	62	29.38	21.28
7	27	1.71	54	31.29	20.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	58	28.90	18.77
2	18	3.02	58	28.82	17.01
3	31	2.24	62	25.57	17.52
4	37	1.98	48	28.08	19.58
5	38	2.75	64	29.00	18.55
6	14	3.13	63	28.88	21.22
7	27	1.60	51	31.00	20.03

CAPITA


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 2.85
JUN. 29 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 2.85
JUN. 30 1976

NUMBER OF STATIONS 175
ADJUSTED STATIONS 1
Bave= 2.14
JUL. 1 1976

NUMBER OF STATIONS 177
ADJUSTED STATIONS 1
Bave= 2.43
JUL. 2 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 2.83
JUL. 3 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 3.07
JUL. 4 1976

CAPITA


Bavg= 2.67
JUL. 5 1976


Bavg= 3.11
JUL. 6 1976


Bavg= 3.35
JUL. 7 1976


Bavg= 3.63
JUL. 8 1976


Bavg= 3.37
JUL. 9 1976


Bavg= 3.12
JUL. 10 1976

CAPITA

Bavg= 3.16
JUL. 11 1976

Bavg= 2.58
JUL. 12 1976

Bavg= 2.08
JUL. 13 1976

Bavg= 2.13
JUL. 14 1976

Bavg= 2.49
JUL. 15 1976

Bavg= 2.66
JUL. 16 1976

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	60	24.32	17.77
2	18	1.26	51	23.00	12.16
3	32	1.48	44	25.29	10.13
4	37	1.88	48	26.43	12.12
5	38	2.14	52	29.89	19.20
6	14	2.25	58	28.60	17.81
7	27	2.42	66	30.14	20.90

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	48	23.40	11.88
2	18	1.31	43	26.00	11.57
3	32	1.58	38	27.33	12.97
4	37	1.42	42	29.00	16.06
5	38	2.27	52	28.60	17.74
6	14	2.02	45	27.29	15.58
7	27	2.20	61	29.68	21.87

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	48	28.80	14.80
2	17	1.71	43	28.88	14.41
3	32	2.00	52	27.18	18.07
4	37	1.75	50	30.44	18.40
5	38	3.00	54	30.63	19.20
6	14	2.97	49	28.38	17.45
7	27	2.90	57	29.90	20.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.49	44	30.77	17.18
2	17	4.07	48	28.63	18.63
3	31	4.03	62	27.55	19.31
4	38	1.80	51	28.50	17.19
5	38	3.02	53	30.60	19.96
6	14	3.94	53	29.93	19.38
7	27	2.28	55	30.99	20.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.10	78	22.66	17.71
2	18	8.53	68	24.67	17.88
3	31	4.95	61	25.92	17.20
4	38	1.88	52	27.57	18.28
5	38	3.04	58	31.52	19.85
6	14	3.91	53	31.88	20.31
7	27	2.57	57	29.80	19.88

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	49	22.55	11.27
2	18	2.04	51	24.47	13.41
3	32	4.38	63	26.80	18.48
4	37	1.98	51	29.48	17.77
5	38	4.61	56	30.76	20.63
6	14	3.30	58	31.82	21.98
7	27	2.35	58	29.98	20.98

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.44	56	29.77	14.06
2	18	6.08	60	22.13	18.38
3	32	3.20	61	29.60	21.47
4	37	1.52	42	31.08	18.19
5	38	4.67	60	30.62	21.63
6	14	3.22	50	33.12	21.54
7	27	2.18	67	30.18	20.73

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.04	66	28.82	19.98
2	18	2.24	53	27.24	16.66
3	32	1.77	47	27.88	15.29
4	37	1.94	58	31.48	14.27
5	38	3.10	62	32.48	21.44
6	14	3.32	58	33.46	21.70
7	27	1.88	69	31.14	20.44

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	48	20.80	8.18
2	18	1.04	38	22.80	7.66
3	31	1.55	44	27.21	13.77
4	38	1.34	39	31.68	15.78
5	38	2.67	49	30.48	18.63
6	14	2.08	51	31.38	20.11
7	27	2.32	52	31.41	20.90

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	44	29.38	10.21
2	18	1.31	43	25.85	11.45
3	31	2.23	53	28.40	17.73
4	38	1.81	47	28.50	16.48
5	38	2.81	53	29.78	18.11
6	14	3.33	52	31.76	20.82
7	27	2.45	54	31.14	20.68



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.52	62	25.99	10.10
2	18	3.09	66	25.63	10.41
3	32	2.92	57	28.08	18.31
4	37	1.78	51	29.62	17.82
5	38	3.07	57	30.65	21.14
6	14	4.08	58	31.34	22.05
7	27	2.49	59	31.53	20.58



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.82	48	25.68	13.08
2	18	3.60	48	27.87	15.03
3	32	3.74	69	26.14	19.80
4	37	1.74	48	28.08	15.94
5	38	4.17	57	30.87	21.32
6	14	4.04	67	28.88	22.02
7	27	2.04	62	31.82	20.77

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.00	80	21.27	19.00
2	18	8.87	83	20.80	20.06
3	32	5.73	70	24.30	18.46
4	37	1.67	48	30.60	18.16
5	30	3.48	58	30.83	21.66
6	14	3.80	66	28.71	22.01
7	27	1.80	66	31.27	21.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.87	84	19.82	18.27
2	18	6.77	78	25.23	19.20
3	31	5.58	82	25.75	18.72
4	38	1.71	80	30.83	18.87
5	30	3.30	64	30.68	21.76
6	14	3.75	68	28.72	22.25
7	27	1.71	84	32.16	21.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.90	84	19.85	18.10
2	18	6.68	88	24.65	18.46
3	31	2.48	83	25.83	18.46
4	38	1.54	82	28.86	19.28
5	30	3.08	68	29.66	20.68
6	14	3.45	86	28.98	21.88
7	27	1.80	88	32.34	21.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.47	83	18.82	15.71
2	18	1.41	58	22.21	13.06
3	32	1.48	45	29.27	10.72
4	37	1.55	48	24.25	12.42
5	30	2.46	65	29.36	18.23
6	14	3.68	84	28.24	20.78
7	27	1.96	81	32.17	20.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	47	21.89	10.10
2	18	1.15	41	22.45	8.41
3	32	1.49	43	22.87	9.35
4	37	1.52	41	24.70	10.06
5	30	2.72	58	27.10	18.00
6	14	3.28	53	26.74	16.14
7	27	2.00	58	29.89	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	46	21.84	8.21
2	18	1.31	46	23.32	10.22
3	32	1.55	41	24.89	10.02
4	37	1.64	41	27.00	12.48
5	30	2.05	59	25.90	16.68
6	14	2.67	63	28.34	15.07
7	27	2.43	64	28.81	18.01

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	54	24.71	14.95
2	18	1.73	46	26.40	12.61
3	31	2.17	48	25.20	13.20
4	38	2.10	47	28.40	16.35
5	38	2.21	52	27.57	18.04
6	14	2.97	54	27.87	17.88
7	27	3.10	48	30.10	18.92

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	58	20.71	10.92
2	18	3.56	48	26.06	15.05
3	31	4.07	67	24.22	17.58
4	38	2.16	54	25.26	14.86
5	38	2.49	58	28.27	17.87
6	14	3.40	53	29.79	19.24
7	27	3.36	48	32.13	18.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.04	60	24.06	17.00
2	18	6.15	66	23.70	18.60
3	32	4.95	68	19.82	13.50
4	37	1.70	58	24.06	12.41
5	38	3.12	51	30.63	18.08
6	14	5.22	60	28.72	21.82
7	27	2.08	51	32.34	20.61



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.18	85	18.55	15.77
2	18	7.34	83	20.14	16.86
3	32	1.95	53	21.28	10.83
4	37	1.61	43	26.31	12.85
5	38	3.30	67	27.81	20.88
6	14	4.20	69	28.82	20.15
7	27	1.84	47	32.81	19.58



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.97	93	18.18	17.05
2	18	4.40	86	21.01	18.56
3	32	1.58	47	23.32	11.12
4	37	1.57	42	27.98	13.37
5	38	3.84	69	26.86	20.33
6	14	3.47	57	25.35	18.08
7	28	2.21	43	32.32	17.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.33	94	21.08	20.64
2	18	3.78	62	21.57	18.30
3	31	1.83	47	25.87	13.18
4	38	1.78	44	28.80	14.73
5	39	4.24	65	26.70	19.51
6	14	2.10	51	25.94	14.95
7	27	2.25	38	32.73	18.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.78	70	29.10	19.94
2	18	2.88	65	28.80	16.80
3	31	2.51	52	26.84	15.48
4	38	1.81	48	30.89	15.94
5	38	3.06	58	28.82	19.11
6	14	2.81	68	25.84	18.88
7	27	2.48	48	32.81	17.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.88	48	28.80	18.88
2	18	2.43	52	27.18	16.42
3	32	3.30	58	27.99	18.90
4	37	1.88	47	29.24	18.24
5	38	2.88	55	29.88	19.68
6	14	2.88	47	30.88	18.40
7	27	2.88	44	32.25	18.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.57	64	28.18	18.84
2	18	4.42	58	27.77	18.81
3	32	3.17	65	27.75	20.08
4	37	1.78	48	28.28	15.88
5	38	3.31	66	30.62	20.62
6	14	3.78	48	31.56	19.26
7	27	2.78	48	32.81	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.78	82	28.43	20.33
2	18	5.83	66	27.41	19.90
3	32	3.00	84	28.03	18.53
4	37	2.13	83	27.42	18.22
5	38	3.60	58	30.18	20.87
6	14	3.75	52	30.59	19.46
7	27	2.18	48	32.58	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.15	69	26.32	19.80
2	18	3.53	68	26.39	18.34
3	31	3.82	73	22.09	18.00
4	38	1.88	88	23.85	14.81
5	38	4.15	61	20.74	21.16
6	14	4.01	56	30.35	20.39
7	27	1.81	46	33.08	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.03	73	24.68	19.38
2	18	5.13	75	23.62	18.68
3	31	2.03	60	20.98	12.54
4	38	2.78	60	23.53	14.82
5	38	3.17	63	20.67	21.68
6	14	5.12	67	28.28	21.22
7	27	1.82	48	32.21	18.83

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.24	53	22.44	12.32
2	17	1.28	61	21.32	10.04
3	32	1.80	48	22.85	10.43
4	37	2.37	53	20.43	15.40
5	38	3.06	60	20.17	10.38
6	14	3.04	61	20.44	20.15
7	27	1.60	58	31.47	30.28

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.11	48	24.27	13.06
2	17	1.32	47	25.30	12.82
3	32	1.75	45	24.43	11.84
4	37	2.14	51	20.58	17.84
5	38	2.08	56	27.98	17.54
6	14	3.55	53	20.12	17.73
7	27	2.08	51	31.88	20.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.24	47	22.49	10.71
2	17	1.71	43	26.21	11.63
3	32	2.08	44	28.93	13.55
4	37	2.25	48	31.70	18.01
5	38	2.29	62	27.20	16.31
6	14	3.01	48	28.38	18.48
7	27	2.67	48	31.08	18.11



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	49	22.38	11.18
2	18	1.78	46	24.32	11.86
3	31	2.08	45	28.49	15.48
4	38	2.18	38	31.23	18.45
5	38	2.18	53	26.43	15.66
6	14	2.51	43	28.80	15.19
7	27	2.88	44	30.81	18.84

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	51	27.43	18.38
2	17	2.25	49	26.75	15.24
3	31	3.47	44	29.88	15.78
4	38	2.54	35	31.15	19.42
5	39	2.86	61	25.37	16.87
6	14	1.97	45	28.38	15.43
7	27	3.30	41	30.96	15.86



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.82	57	30.88	21.18
2	18	2.85	48	28.94	17.07
3	32	4.09	45	28.78	15.88
4	37	2.71	58	31.55	13.84
5	38	2.38	65	26.81	19.38
6	14	2.53	47	29.38	18.88
7	27	2.77	48	31.10	15.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.06	64	31.00	21.00
2	18	4.12	61	28.58	18.47
3	32	5.13	48	29.75	18.73
4	37	2.50	59	31.78	19.29
5	38	2.16	60	28.04	20.81
6	16	2.66	51	28.65	18.48
7	27	2.00	50	31.70	15.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.41	58	27.00	17.00
2	18	6.52	62	28.27	17.24
3	32	4.10	56	27.79	18.29
4	37	2.00	55	31.60	19.67
5	38	3.08	57	31.00	18.73
6	16	5.75	47	30.98	18.48
7	27	2.60	40	31.72	18.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.14	46	29.92	11.71
2	18	2.62	61	26.84	16.00
3	31	4.25	58	28.27	18.80
4	38	3.57	43	28.58	15.20
5	38	3.01	57	30.78	21.16
6	16	6.92	48	31.58	19.56
7	27	2.78	44	30.80	17.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.46	42	26.00	12.77
2	18	5.47	62	27.86	16.80
3	31	7.39	59	27.61	18.65
4	38	4.02	48	28.82	15.58
5	38	4.34	61	30.89	21.71
6	16	3.73	50	30.27	21.02
7	27	3.23	48	31.82	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.45	60	25.60	18.40
2	18	9.43	62	28.32	20.08
3	32	7.94	64	27.59	20.01
4	37	2.52	38	31.84	16.85
5	38	9.38	61	30.00	21.60
6	16	2.04	70	28.26	22.01
7	27	2.06	46	32.15	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.67	60	22.21	19.94
2	17	8.47	72	25.61	20.12
3	32	5.78	58	30.32	20.32
4	37	1.03	57	26.24	10.10
5	38	4.27	67	28.41	21.40
6	16	2.70	72	27.85	22.33
7	27	2.60	48	32.25	18.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.30	77	25.19	20.71
2	17	7.00	86	26.67	20.62
3	32	3.25	48	25.85	14.14
4	37	1.84	28	24.85	4.42
5	39	3.08	66	28.82	21.26
6	14	3.56	70	29.48	22.29
7	27	2.53	62	30.19	18.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.84	78	24.68	20.84
2	17	2.10	60	26.24	16.58
3	31	1.35	48	19.83	7.88
4	36	1.52	27	28.81	6.82
5	38	2.43	66	30.14	20.30
6	14	5.00	58	28.36	19.08
7	27	2.55	64	29.76	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	84	15.52	6.88
2	17	1.10	61	18.60	6.87
3	31	0.45	42	21.55	8.00
4	38	1.30	30	28.30	9.87
5	38	1.06	48	26.80	15.02
6	14	1.91	48	25.58	14.83
7	27	2.08	60	28.60	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.05	43	18.43	5.55
2	17	1.38	42	20.88	7.58
3	32	1.95	45	26.84	13.43
4	37	1.66	43	25.73	11.81
5	39	1.78	48	26.36	14.01
6	14	2.25	53	27.21	16.82
7	27	3.02	69	27.79	18.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.92	60	22.05	13.44
2	18	2.81	58	23.69	14.73
3	32	2.64	63	19.56	12.08
4	38	1.78	47	23.72	11.04
5	39	1.82	56	27.48	17.04
6	14	4.18	78	23.80	18.84
7	27	3.18	68	28.70	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.54	78	16.10	11.49
2	18	3.08	72	17.65	12.21
3	32	1.83	49	20.27	9.02
4	38	1.91	28	27.72	11.47
5	39	3.42	71	26.12	20.22
6	14	5.18	75	24.44	19.71
7	27	5.28	66	27.40	20.13

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	55	10.10	8.02
2	10	1.00	40	20.63	9.73
3	31	3.97	50	25.20	14.88
4	37	1.00	56	23.12	9.71
5	30	3.01	60	26.23	16.07
6	14	4.38	67	28.38	19.91
7	27	2.31	61	28.21	20.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.44	60	18.84	13.44
2	10	8.88	69	22.18	16.16
3	31	2.92	48	25.05	11.08
4	37	1.50	29	27.42	7.02
5	30	5.08	69	26.00	18.62
6	14	3.61	78	24.79	20.31
7	27	1.00	68	30.41	20.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.82	78	20.77	18.27
2	10	2.58	57	21.88	12.03
3	32	1.44	45	20.38	8.09
4	36	1.35	58	28.22	9.10
5	30	4.06	66	27.10	18.58
6	14	3.03	66	25.83	18.36
7	27	1.01	68	30.81	20.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	45	17.84	5.68
2	10	1.32	48	19.81	5.87
3	32	1.53	39	23.20	8.27
4	36	1.54	34	31.13	12.38
5	30	2.41	50	25.75	16.44
6	14	2.80	57	25.90	18.62
7	27	2.03	53	30.01	19.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.16	48	18.77	7.80
2	10	1.34	44	23.67	10.37
3	32	1.01	38	27.83	11.21
4	37	1.70	40	28.82	12.99
5	30	3.08	57	26.50	16.77
6	14	3.10	67	25.90	19.04
7	27	2.70	58	28.13	18.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.39	45	22.21	8.32
2	10	2.19	44	27.51	13.86
3	31	3.25	48	30.83	14.52
4	37	2.62	61	18.56	11.10
5	30	2.40	53	29.00	17.85
6	14	3.53	68	27.17	20.21
7	27	2.60	57	28.86	20.38

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	80	20.00	0.00
2	10	3.10	56	26.01	15.70
3	31	5.72	71	20.02	15.72
4	37	1.50	83	19.00	9.00
5	30	2.00	55	20.00	10.36
6	16	4.50	60	27.17	20.90
7	27	2.00	60	20.10	17.71

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.10	70	20.40	10.56
2	10	4.20	77	18.00	13.67
3	32	1.00	40	10.36	3.40
4	30	1.30	28	24.40	4.60
5	30	2.00	54	26.40	15.16
6	16	1.50	46	22.45	9.67
7	27	2.00	40	25.11	12.01

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	57	10.00	0.00
2	10	2.00	65	18.02	8.76
3	32	1.50	56	25.40	9.23
4	30	1.50	28	27.40	7.60
5	30	1.76	43	24.67	10.46
6	16	1.40	57	23.17	7.00
7	27	2.01	46	27.09	15.02

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	51	19.60	0.03
2	10	1.42	47	24.16	12.35
3	32	1.57	38	20.93	10.62
4	30	1.47	40	27.17	11.00
5	30	1.03	45	26.00	13.24
6	16	1.65	45	25.96	13.00
7	27	2.35	40	20.23	10.02

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.44	51	25.32	16.30
2	10	1.03	42	27.50	13.53
3	31	2.14	42	20.50	12.50
4	37	2.36	60	21.00	12.00
5	30	2.20	61	27.21	15.45
6	16	1.72	45	27.17	16.45
7	27	3.06	61	20.12	10.04

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.03	48	27.00	15.77
2	10	3.11	46	20.03	16.70
3	31	2.70	55	25.31	15.12
4	37	2.00	57	22.00	12.70
5	30	3.01	65	24.60	10.76
6	16	2.27	48	26.50	15.09
7	27	2.01	61	20.10	10.00

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.00	62	26.10	17.27
2	10	4.30	68	23.76	16.10
3	32	3.83	69	19.28	13.10
4	30	2.50	69	20.30	12.06
5	30	3.68	70	23.10	17.67
6	14	2.32	58	25.27	15.15
7	27	2.40	58	28.10	18.50

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.02	70	10.00	18.00
2	10	4.57	68	20.63	17.27
3	32	5.10	72	19.11	13.55
4	30	2.58	60	21.50	11.02
5	30	3.15	65	25.65	18.00
6	14	2.30	52	25.62	15.11
7	27	2.20	54	28.50	18.03

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.56	67	10.00	17.00
2	10	4.00	70	20.00	18.00
3	32	4.40	67	20.05	14.21
4	30	2.21	60	20.00	12.00
5	30	3.06	56	26.01	17.17
6	14	4.09	56	25.70	15.27
7	27	2.67	57	28.04	18.87



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.01	80	23.77	16.77
2	10	4.05	71	21.76	16.10
3	31	3.17	47	23.01	11.71
4	37	2.12	49	26.31	14.24
5	30	3.47	55	26.03	16.73
6	14	4.40	53	26.82	16.30
7	27	2.72	58	28.53	18.37



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.54	62	23.10	15.27
2	10	2.14	55	24.00	15.00
3	31	5.37	53	24.22	14.10
4	37	2.72	70	18.00	13.32
5	30	3.60	52	27.49	16.70
6	14	4.00	52	27.53	16.00
7	27	9.76	60	27.01	20.11

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.14	55	23.94	14.21
2	10	6.00	69	21.46	14.70
3	32	3.51	69	17.40	10.72
4	30	1.71	48	10.54	8.00
5	30	4.36	54	27.04	17.61
6	14	8.25	71	25.15	19.20
7	27	4.00	70	24.04	18.55

CAPITA

NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.74
SEP. 21 1976

NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 1.62
SEP. 22 1976

NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 1.79
SEP. 23 1976

NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.11
SEP. 24 1976


NUMBER OF STATIONS 177
ADJUSTED STATIONS 0
Bave= 2.74
SEP. 25 1976


NUMBER OF STATIONS 178
ADJUSTED STATIONS 12
Bave= 5.15
SEP. 26 1976

CAPITA


Bavg= 0.25
SEP. 27 1976

Bavg= 2.80
SEP. 28 1976

Bavg= 3.67
SEP. 29 1976

Bavg= 3.68
SEP. 30 1976

Bavg= 2.99
OCT. 1 1976


Bavg= 3.08
OCT. 2 1976

CAPITA













CAPITA



REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.37	80	19.55	16.04
2	10	8.40	80	13.50	11.00
3	31	2.00	80	10.80	2.00
4	37	1.70	41	18.79	2.00
5	30	2.70	66	18.10	12.42
6	14	2.21	57	14.50	5.79
7	27	1.51	97	21.55	8.00

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	40	10.77	0.02
2	10	1.07	51	11.77	1.00
3	32	2.99	50	13.70	4.14
4	30	1.40	87	20.00	6.00
5	30	2.10	40	18.70	7.20
6	14	1.07	40	18.40	8.34
7	27	1.51	86	20.14	8.00

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.05	42	10.40	-2.21
2	10	1.16	47	12.15	-0.20
3	32	2.75	45	17.00	5.77
4	30	1.42	87	20.21	7.10
5	30	1.60	40	18.14	7.51
6	14	2.10	43	20.11	7.20
7	27	1.01	86	20.47	8.01

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	49	11.83	1.22
2	10	1.47	45	15.40	3.10
3	32	2.44	47	21.31	9.49
4	30	1.54	34	21.99	5.50
5	30	2.02	40	20.24	9.76
6	14	1.97	48	22.29	10.15
7	27	1.97	44	25.30	11.78

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.75	50	18.10	7.60
2	10	2.36	56	18.76	8.64
3	31	1.97	50	18.80	3.80
4	37	1.46	30	18.80	0.55
5	30	2.20	40	23.21	11.66
6	14	2.35	49	24.10	12.65
7	27	2.40	49	24.97	13.34

REGION	STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	58	10.80	2.60
2	10	1.47	57	13.34	1.22
3	31	1.71	[illegible]	15.47	0.19
4	37	2.01	[illegible]	20.94	2.73
5	30	1.91	37	22.31	6.30
6	14	1.02	34	21.74	5.07
7	27	2.20	40	25.40	13.04

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	44	18.55	2.77
2	18	1.46	50	18.03	5.20
3	32	2.72	48	14.28	0.79
4	20	1.72	48	9.05	-4.97
5	30	2.00	41	24.60	10.36
6	14	2.22	45	24.87	11.58
7	27	4.04	68	22.01	15.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.27	48	18.55	-0.18
2	18	1.88	48	11.08	0.72
3	32	1.75	51	7.53	-2.08
4	20	1.47	46	8.07	-6.05
5	30	2.46	48	22.80	11.03
6	14	4.24	68	18.38	9.04
7	27	4.24	84	10.28	8.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	48	8.48	-8.84
2	18	1.82	61	7.28	0.11
3	32	1.55	47	6.55	-4.10
4	20	1.48	38	0.20	-7.88
5	30	4.27	68	15.96	12.26
6	14	2.01	58	14.55	9.82
7	27	1.68	48	10.48	8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.12	48	7.18	-8.09
2	18	1.21	43	6.88	-5.05
3	31	1.58	48	7.11	-4.08
4	36	6.25	85	3.93	-2.02
5	30	2.11	50	15.25	4.60
6	15	1.08	43	14.47	1.94
7	27	1.87	48	10.92	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	57	7.05	-6.00
2	18	1.58	46	8.52	-2.51
3	31	4.59	77	8.12	1.89
4	37	4.13	69	5.81	-2.34
5	30	1.82	56	17.61	8.58
6	14	2.07	52	10.48	8.50
7	27	3.33	83	14.25	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.78	57	0.82	0.21
2	18	8.77	85	11.25	8.68
3	32	4.85	72	8.24	1.44
4	20	2.12	80	7.18	-2.59
5	30	6.53	82	17.87	14.30
6	14	3.75	71	10.87	6.95
7	27	1.78	98	14.25	8.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.26	90	11.00	0.00
2	18	1.00	67	8.17	0.04
3	32	2.50	90	5.00	-2.15
4	30	1.61	41	7.17	-0.00
5	30	1.06	45	14.07	2.06
6	14	2.12	41	19.01	-0.27
7	27	1.00	80	17.01	2.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	46	0.00	-2.00
2	18	1.01	60	7.77	-2.51
3	32	1.99	40	5.41	-4.94
4	30	1.47	80	9.00	-5.25
5	30	1.00	96	16.72	1.40
6	14	1.71	98	15.02	0.50
7	27	2.20	61	20.42	0.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	48	7.98	-4.90
2	18	1.09	45	8.28	-2.02
3	31	3.02	56	7.14	-1.00
4	37	0.07	86	7.04	0.76
5	30	1.07	80	10.32	3.00
6	14	2.40	49	17.09	9.43
7	27	2.06	67	22.60	16.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.41	60	5.00	-0.33
2	18	5.70	85	8.00	5.75
3	31	5.97	83	8.49	8.07
4	37	4.23	72	9.40	-1.50
5	30	3.23	71	10.65	12.94
6	14	5.92	82	17.21	13.90
7	27	3.47	74	18.07	14.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.67	89	7.00	5.77
2	18	11.73	81	9.50	8.21
3	32	3.29	72	7.02	1.94
4	33	3.06	61	4.42	-2.03
5	30	5.53	80	10.92	16.20
6	14	5.90	89	15.43	13.50
7	27	2.49	63	16.00	0.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.70	75	4.44	0.33
2	18	1.45	68	5.90	-1.00
3	32	1.89	55	4.90	-3.90
4	30	4.67	64	3.44	-3.01
5	30	2.31	62	16.02	8.45
6	14	2.74	60	11.42	3.70
7	27	3.24	66	15.07	8.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.26	48	9.10	-7.21
2	18	1.67	48	9.83	-6.82
3	32	1.86	51	9.17	-6.40
4	38	0.84	63	9.60	-3.86
5	38	1.90	61	12.87	2.08
6	14	2.27	58	10.83	-0.03
7	27	4.87	69	11.00	0.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	48	8.77	-7.10
2	18	1.36	48	6.63	-4.04
3	31	1.91	47	7.29	-3.29
4	37	2.76	64	8.41	-0.21
5	38	1.01	46	11.37	-0.26
6	14	2.13	45	9.40	-1.94
7	27	6.23	71	9.21	3.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.82	47	10.04	-0.18
2	18	2.03	43	11.40	-1.68
3	31	3.10	52	10.38	0.04
4	37	3.10	64	10.87	1.78
5	38	1.01	36	16.60	0.77
6	14	2.30	42	11.70	-0.31
7	27	6.86	66	9.00	6.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	58	11.27	2.68
2	18	2.58	42	11.42	-1.02
3	32	7.03	70	7.77	2.27
4	38	4.31	68	9.07	2.26
5	38	3.13	60	16.89	8.69
6	14	4.87	80	12.41	8.99
7	27	1.67	58	16.22	8.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.97	84	10.04	10.04
2	18	3.16	81	10.20	7.04
3	32	2.30	62	7.54	0.12
4	38	1.61	48	11.68	-0.24
5	38	2.46	62	16.85	8.01
6	14	2.23	68	10.90	4.99
7	27	1.97	65	16.10	7.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.70	55	4.62	-4.10
2	18	1.23	44	5.23	-6.10
3	32	1.79	47	9.03	-1.85
4	38	1.60	45	14.05	2.20
5	38	1.60	44	14.01	2.52
6	14	1.78	47	12.57	1.54
7	27	2.20	64	16.82	7.27

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	40	9.77	-8.94
2	18	1.55	43	8.08	-4.16
3	31	2.30	51	11.68	1.19
4	37	1.48	52	12.38	-4.79
5	38	1.70	42	15.83	2.57
6	14	1.88	43	15.59	1.82
7	27	1.88	45	18.37	7.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.73	80	8.48	1.05
2	18	2.17	52	10.37	0.64
3	31	2.37	43	7.03	-5.85
4	37	1.50	50	7.00	-7.85
5	38	2.10	60	16.26	5.11
6	14	1.97	38	15.08	0.71
7	27	1.88	42	18.00	5.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.09	63	10.00	7.00
2	18	2.60	58	10.31	1.06
3	32	2.84	66	9.10	-2.40
4	38	1.62	56	2.04	-7.98
5	38	1.85	38	17.00	1.00
6	14	1.79	32	11.42	-5.15
7	27	1.82	35	16.87	1.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.79	87	8.43	8.27
2	18	4.55	72	5.55	0.78
3	32	2.33	58	4.42	-3.38
4	38	1.63	40	8.37	-4.82
5	38	1.90	40	11.03	-2.10
6	14	2.04	45	7.01	-4.47
7	27	1.88	38	15.55	1.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.42	51	7.84	-2.21
2	18	1.79	48	7.74	-2.92
3	32	2.23	58	8.03	-1.95
4	38	1.53	42	8.84	-3.68
5	38	1.67	34	14.20	-1.85
6	14	1.98	33	15.38	-2.77
7	27	2.28	45	20.98	8.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	48	7.60	-2.38
2	18	2.12	56	7.65	-1.31
3	31	2.14	58	1.98	-7.55
4	37	1.58	40	9.03	-8.07
5	38	1.82	48	17.00	3.60
6	14	2.22	39	14.48	0.51
7	27	2.28	45	18.37	5.83

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.82	47	2.10	-9.04
2	18	2.00	56	0.65	-7.07
3	31	1.09	48	-0.98	-10.78
4	37	1.48	96	0.17	-6.15
5	30	1.65	82	0.72	-7.03
6	14	1.48	27	8.10	-11.56
7	27	1.68	84	15.68	0.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	48	0.10	-11.88
2	18	1.78	68	1.88	-8.03
3	32	2.12	48	7.98	-9.25
4	36	1.62	97	13.58	-9.22
5	28	1.66	81	12.91	-6.61
6	14	1.98	38	15.19	-2.88
7	27	2.27	91	21.88	10.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.86	76	1.68	-2.68
2	18	2.20	60	6.98	-1.48
3	32	3.78	66	2.62	-3.52
4	36	1.78	48	3.21	-7.15
5	28	2.07	48	10.62	6.88
6	14	2.35	43	18.68	5.55
7	27	2.48	85	25.81	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.92	51	2.98	-6.83
2	18	2.35	60	2.68	-4.52
3	32	2.90	59	-0.10	-7.20
4	36	1.57	48	-3.22	-12.50
5	28	2.21	45	16.80	4.27
6	14	4.19	60	9.99	2.10
7	27	4.10	72	15.85	10.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	47	2.98	-7.98
2	18	2.71	51	3.00	-6.54
3	31	2.53	59	0.96	-8.39
4	37	1.97	88	-3.51	-12.23
5	30	3.20	72	10.67	5.65
6	14	2.68	54	5.15	-3.45
7	27	3.19	84	8.83	-3.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.12	43	3.48	-8.05
2	18	1.52	66	4.35	-4.11
3	31	2.34	57	2.39	-5.57
4	37	2.08	81	-1.48	-10.88
5	30	2.03	51	10.25	0.26
6	14	2.65	53	5.27	-3.88
7	27	4.94	76	1.78	-2.85

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.32	42	7.21	-6.06
2	18	1.69	45	6.64	-4.98
3	32	2.54	54	2.52	-0.22
4	38	2.14	48	2.17	-0.87
5	38	3.78	68	8.48	2.38
6	14	7.82	79	5.78	0.23
7	27	4.03	77	5.20	-0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.52	90	8.83	-4.10
2	18	2.62	61	6.17	-4.62
3	32	3.08	45	4.21	-8.71
4	38	2.04	47	4.80	-8.77
5	38	4.86	77	10.86	8.62
6	14	5.08	78	7.08	2.18
7	27	4.03	74	8.78	1.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.48	42	8.82	-6.84
2	18	2.61	48	8.28	-6.28
3	32	3.42	47	8.82	-3.81
4	38	2.88	48	8.28	-4.88
5	38	3.48	61	12.38	6.42
6	14	3.12	58	10.87	-0.47
7	27	4.08	76	8.74	2.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.17	48	8.83	-2.38
2	18	3.17	45	7.36	-4.20
3	31	3.58	55	8.84	-2.48
4	37	1.53	34	11.55	-4.18
5	39	4.98	66	12.98	6.06
6	14	3.61	58	11.88	2.65
7	27	3.48	84	10.83	9.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.21	48	7.99	-2.98
2	18	2.22	48	8.06	-2.54
3	31	1.82	45	7.98	-3.45
4	37	2.01	31	15.04	-2.08
5	39	2.02	42	17.68	3.77
6	14	2.58	59	15.74	1.82
7	27	3.41	52	14.83	6.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.89	44	8.21	-3.06
2	17	1.98	59	11.50	-2.29
3	32	1.98	29	8.31	-5.48
4	38	1.43	34	7.84	-7.93
5	39	2.17	43	20.18	8.83
6	14	2.91	47	15.51	3.48
7	27	8.52	74	19.98	8.82

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	40	9.00	-8.04
2	18	2.46	64	4.50	-6.55
3	32	2.42	50	5.04	-5.08
4	38	1.52	44	8.77	-8.17
5	38	3.48	50	14.00	5.01
6	16	4.03	87	11.82	8.08
7	27	3.48	84	10.38	8.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	42	1.00	-10.10
2	17	2.70	65	3.00	-5.07
3	32	3.37	65	0.51	-5.42
4	38	2.07	80	1.44	-8.21
5	38	2.60	69	14.26	6.01
6	16	1.90	48	9.40	-1.50
7	27	1.67	48	19.45	0.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.64	44	2.60	-9.00
2	17	3.23	53	1.44	-7.67
3	31	2.58	69	-1.05	-7.58
4	37	1.46	53	-1.47	-10.18
5	38	2.08	48	8.11	-5.36
6	16	1.82	43	5.27	-8.82
7	27	1.81	36	11.38	-3.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	44	4.85	-7.05
2	17	3.16	56	1.66	-6.66
3	31	3.55	62	-1.73	-8.18
4	37	2.32	58	-0.77	-8.59
5	30	1.00	38	8.01	-6.76
6	16	1.72	55	5.71	-7.21
7	27	1.08	48	13.12	2.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.20	50	3.33	-8.33
2	18	3.71	55	1.10	-7.63
3	32	4.98	87	-0.83	-5.91
4	38	1.68	48	8.31	-9.38
5	39	2.48	42	10.80	-2.68
6	16	2.05	44	11.88	-0.91
7	27	2.54	58	16.29	7.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.80	48	3.10	-7.55
2	17	2.40	60	2.71	-6.50
3	34	3.59	68	7.42	1.21
4	38	2.32	55	0.82	-0.32
5	38	1.86	46	15.66	3.46
6	16	2.47	57	15.90	7.57
7	27	2.83	71	10.22	12.62

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.01	58	0.00	0.10
2	18	3.73	63	11.72	4.41
3	32	8.92	85	7.99	5.00
4	38	4.00	79	-1.70	-6.67
5	39	4.04	67	16.30	9.86
6	14	8.71	88	12.97	10.50
7	27	2.00	57	21.41	11.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.00	67	13.00	7.55
2	18	2.97	77	12.97	8.06
3	31	2.90	78	1.01	-2.54
4	37	1.70	62	-12.57	-18.00
5	38	6.13	83	19.63	16.44
6	14	8.22	84	18.78	14.17
7	27	4.07	68	7.03	2.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.00	60	0.77	3.04
2	18	8.07	66	7.42	5.26
3	31	4.15	68	-7.61	-12.97
4	37	1.70	62	-12.05	-20.02
5	38	8.36	90	10.44	16.60
6	14	7.30	88	4.88	2.80
7	27	2.75	67	-1.20	-7.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	9.50	89	1.27	-0.18
2	18	5.50	79	-2.30	-5.58
3	32	3.73	64	-10.72	-18.31
4	38	2.00	58	-9.80	-17.08
5	39	3.68	77	0.14	4.21
6	14	2.09	66	-3.29	-8.92
7	27	1.88	41	2.95	-9.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	51	-3.77	-12.77
2	18	2.13	56	-6.07	-13.82
3	32	4.55	81	-8.88	-15.20
4	38	2.92	65	-5.00	-10.94
5	39	2.35	50	2.09	-6.90
6	14	1.80	47	0.23	-9.95
7	27	1.61	36	7.09	-8.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	49	-3.10	-12.71
2	18	2.04	54	-2.43	-11.34
3	32	4.57	67	-4.97	-10.18
4	38	2.75	66	-5.15	-10.62
5	39	1.92	46	7.03	-4.42
6	14	1.55	44	7.45	-4.44
7	27	2.10	51	0.60	-0.73

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.00	76	2.10	-2.10
2	18	8.00	87	-0.67	-6.60
3	31	3.87	56	-12.05	-19.05
4	38	2.51	60	-7.22	-19.00
5	38	9.20	48	10.32	-1.10
6	14	1.94	49	8.66	-3.70
7	27	1.70	45	10.01	-1.20

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	91	-11.02	-20.77
2	18	1.52	60	-8.70	-17.07
3	31	7.37	85	-8.29	-14.94
4	37	9.52	60	-0.01	-8.51
5	38	1.57	42	7.67	-4.67
6	14	1.72	48	7.33	-3.90
7	27	1.00	35	14.70	-0.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.90	57	-0.60	-14.80
2	18	6.01	60	-2.74	-8.80
3	32	3.74	71	-5.37	-9.63
4	38	2.57	67	-1.80	-7.62
5	38	2.08	51	11.44	1.40
6	14	2.18	48	10.63	-0.63
7	27	2.70	51	18.04	2.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.09	59	-2.22	-9.40
2	18	2.06	60	-0.02	-7.36
3	32	8.51	76	-3.41	-7.14
4	39	7.75	75	-2.87	-6.80
5	38	2.32	51	12.26	2.09
6	14	2.18	45	11.10	-0.59
7	27	5.00	70	19.00	7.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.95	55	-1.44	-9.40
2	18	2.57	56	2.82	-5.17
3	32	7.77	76	-0.41	-4.30
4	38	3.51	60	-10.04	-16.10
5	39	6.03	74	10.63	5.03
6	14	5.03	82	7.93	4.87
7	27	5.03	82	10.00	6.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.08	65	8.82	8.18
2	18	4.57	60	6.02	3.56
3	31	2.89	64	-8.50	-14.22
4	37	4.53	60	-8.99	-18.50
5	38	5.32	67	12.04	10.65
6	14	8.37	87	4.38	2.41
7	27	1.87	52	8.87	-4.23

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	48	-7.04	-17.06
2	10	1.04	56	-8.00	-15.56
3	31	4.01	88	-9.20	-14.50
4	37	3.34	80	-9.44	-15.04
5	30	3.73	61	5.25	-2.14
6	14	3.62	50	1.15	-8.20
7	27	1.70	80	11.20	-2.73

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	98	-10.44	-23.90
2	10	2.00	55	-4.00	-13.12
3	32	3.01	88	-4.21	-9.35
4	37	3.52	81	0.31	-8.89
5	30	1.77	47	7.04	-3.06
6	14	1.95	48	5.39	-5.11
7	27	1.00	53	14.72	4.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.01	94	0.00	-8.10
2	10	1.63	48	6.01	-4.44
3	32	3.75	88	0.00	-4.40
4	38	2.80	64	-10.00	-10.41
5	30	2.11	53	13.00	4.37
6	14	2.70	65	10.31	5.00
7	27	4.00	70	15.79	8.16

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.51	43	0.49	-11.55
2	10	1.62	46	1.72	-9.29
3	32	3.07	64	-5.50	-11.50
4	38	1.61	55	-1.95	-10.50
5	30	7.77	81	14.74	11.32
6	14	10.00	90	9.20	7.77
7	27	0.72	70	7.38	5.43

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.60	78	3.71	-2.22
2	10	6.70	82	9.05	0.99
3	31	5.20	80	-1.52	-4.45
4	37	1.96	81	-2.87	-8.96
5	39	8.44	88	16.69	14.61
6	14	13.77	95	10.62	9.95
7	27	5.40	73	10.01	4.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.70	38	-11.27	-23.71
2	10	3.57	49	-8.53	-18.10
3	31	1.07	55	-9.13	-18.04
4	37	1.83	60	-1.60	-8.70
5	30	1.96	51	11.12	0.60
6	14	2.41	64	4.20	-1.90
7	27	3.41	70	9.44	9.06

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.34	44	-0.10	-10.00
2	10	1.56	44	-0.92	-11.31
3	32	1.02	50	5.72	-0.14
4	30	1.40	69	8.70	-3.70
5	30	2.60	55	10.10	0.06
6	16	1.83	48	8.20	-1.00
7	27	4.26	70	8.11	4.15

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.70	47	8.10	-8.06
2	10	2.08	66	6.20	-3.50
3	32	4.85	68	9.10	-2.55
4	30	1.80	55	4.40	-4.66
5	30	5.05	80	12.07	8.50
6	16	3.42	72	10.19	5.03
7	27	3.60	66	11.01	6.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.81	60	2.90	-8.00
2	10	3.40	66	4.46	-1.77
3	32	7.59	70	0.30	-9.22
4	30	1.40	47	8.75	-4.80
5	30	3.33	67	15.61	8.07
6	16	2.25	50	9.71	1.54
7	27	1.81	44	14.07	1.60

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.52	82	0.72	-2.22
2	10	7.47	76	1.45	-2.41
3	31	2.25	85	2.84	-3.40
4	37	1.55	53	7.65	-2.05
5	30	1.54	37	13.07	-0.92
6	13	1.50	30	13.50	-0.95
7	27	2.76	47	14.79	2.30

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	54	-1.05	-9.38
2	10	2.22	56	1.10	-7.27
3	31	2.49	63	2.80	-3.81
4	37	1.01	49	8.40	-3.50
5	30	1.72	30	14.03	0.46
6	16	1.97	41	14.07	1.50
7	27	3.74	61	18.67	8.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	48	-2.85	-12.10
2	10	1.05	53	5.50	-3.47
3	32	5.00	70	7.80	1.54
4	30	3.90	69	1.11	-4.20
5	30	1.06	46	17.04	5.04
6	16	2.94	50	16.42	5.78
7	27	8.55	73	17.07	11.53

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.30	70	-0.11	-8.96
2	10	5.07	80	6.67	3.21
3	32	7.10	74	-4.50	-8.00
4	30	1.05	52	-0.20	-17.52
5	30	4.05	81	13.60	10.20
6	16	4.71	81	8.20	3.25
7	27	1.07	46	7.00	-4.74

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.77	60	-0.20	-12.00
2	10	4.72	58	-7.90	-16.50
3	32	3.32	81	-10.10	-18.45
4	30	1.96	48	-5.50	-15.15
5	30	2.42	41	3.30	-11.26
6	16	1.58	47	-3.30	-19.00
7	27	1.60	86	8.70	-10.22

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.05	42	-0.80	-17.50
2	10	1.46	52	-4.70	-12.06
3	31	3.04	62	-4.24	-10.62
4	37	2.10	62	0.06	-0.93
5	30	1.47	43	4.50	-7.20
6	16	1.95	50	-0.35	-8.03
7	27	1.00	80	7.62	-5.20



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.10	80	-1.00	-0.10
2	10	3.66	57	0.73	-7.53
3	31	5.05	64	-0.72	-15.51
4	37	1.37	53	-5.35	-13.05
5	30	2.13	40	0.20	-2.61
6	16	2.31	89	4.83	-5.39
7	27	2.25	40	10.22	-1.31



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	40	-2.22	-12.10
2	10	2.22	51	-4.26	-13.24
3	32	1.07	50	-5.39	-11.22
4	30	1.55	52	3.90	-6.90
5	30	1.63	30	6.83	-7.32
6	16	1.71	30	5.39	-0.40
7	27	2.55	52	12.83	2.46

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.80	53	-0.50	-0.27
2	10	2.17	45	0.72	-0.70
3	32	3.10	71	0.19	-4.54
4	30	1.50	57	0.30	-7.60
5	30	1.07	55	11.40	2.57
6	16	0.73	50	5.11	3.00
7	27	4.00	80	12.46	0.13

CAPITA


NUMBER OF STATIONS 177
ADJUSTED STATIONS 0
Bave= 3.28
DEC. 26 1976


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 2.53
DEC. 27 1976


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 3.21
DEC. 28 1976


NUMBER OF STATIONS 177
ADJUSTED STATIONS 0
Bave= 2.90
DEC. 29 1976


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.58
DEC. 30 1976


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.75
DEC. 31 1976

CAPITA


REGION 1, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 5, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

276

CAPITA


EUS MEAN, QTR 1 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1976
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1976
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1976
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.00	[illegible]	-0.04	-15.00
2	18	6.02	[illegible]	-0.03	-12.71
3	32	5.76	[illegible]	-10.00	-18.07
4	38	5.20	[illegible]	-10.31	-21.30
5	39	1.67	[illegible]	3.00	-10.00
6	14	1.79	[illegible]	-4.04	-15.00
7	27	0.04	[illegible]	0.00	-11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	[illegible]	-0.00	-0.00
2	18	0.70	[illegible]	-3.50	-0.00
3	32	5.02	[illegible]	-7.07	-10.21
4	38	5.00	[illegible]	-0.00	-15.00
5	39	1.03	[illegible]	5.22	-0.70
6	14	2.10	[illegible]	-2.07	-11.70
7	27	0.20	[illegible]	0.01	-0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	[illegible]	-0.04	-0.00
2	18	0.66	[illegible]	-0.70	-0.02
3	32	0.02	[illegible]	-0.00	-7.00
4	38	0.40	[illegible]	-0.00	-10.07
5	39	0.60	[illegible]	0.00	1.00
6	14	7.15	[illegible]	0.07	-1.02
7	27	0.02	[illegible]	0.01	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.10	77	-3.77	-5.32
2	18	3.60	66	-0.89	-6.13
3	32	5.33	70	-9.77	-9.42
4	38	0.35	66	-9.30	-12.29
5	39	5.20	76	7.09	2.51
6	14	5.00	65	3.00	1.76
7	27	5.59	66	11.51	0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.69	55	-1.71	-9.55
2	18	3.40	65	-3.00	-8.76
3	32	5.52	69	-5.27	-10.16
4	38	6.52	70	-11.01	-15.47
5	39	6.93	77	8.70	6.57
6	14	6.09	78	6.50	2.45
7	27	2.00	63	0.91	0.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.46	66	-5.68	-12.21
2	18	3.69	69	-3.47	-9.47
3	32	8.47	77	-0.22	-3.60
4	38	9.27	68	-8.73	-13.60
5	39	5.25	73	7.58	2.06
6	14	10.50	66	3.44	1.22
7	27	0.77	74	6.25	1.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	13.20	87	-1.00	-3.02
2	10	8.86	77	-2.57	-6.01
3	32	3.07	81	-11.95	-18.20
4	37	3.77	66	-8.70	-14.01
5	30	2.46	60	7.83	0.47
6	14	2.50	65	-0.04	-5.00
7	30	2.05	47	8.30	-2.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	94	-4.50	-12.00
2	10	1.70	57	-7.89	-16.46
3	32	5.55	60	-9.83	-15.10
4	37	2.06	50	-10.44	-24.04
5	30	1.00	47	5.17	-6.65
6	14	2.50	50	2.83	-5.13
7	20	4.20	60	0.00	3.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	47	-7.10	-18.00
2	10	3.37	57	-6.04	-19.00
3	32	4.04	64	-14.47	-19.02
4	30	5.00	62	-10.04	-26.21
5	30	4.90	64	7.70	1.21
6	14	10.05	60	3.41	1.00
7	20	4.40	72	-3.21	-6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	14.12	87	-4.00	-9.72
2	10	10.31	80	-1.65	-9.00
3	32	8.67	70	-12.00	-17.10
4	30	1.00	53	-10.22	-20.47
5	30	2.05	61	5.06	-1.77
6	14	5.00	82	-0.30	-12.00
7	27	1.50	46	-0.24	-11.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.04	53	-8.33	-18.30
2	10	5.00	64	-8.50	-14.70
3	32	3.37	59	-15.83	-21.94
4	30	2.00	57	-14.54	-21.20
5	30	1.51	40	-0.41	-12.76
6	14	1.03	46	-0.02	-10.14
7	27	1.00	54	9.40	-5.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	55	-8.00	-17.40
2	10	4.20	62	-10.37	-16.40
3	32	3.39	58	-15.58	-21.97
4	30	1.00	60	-14.20	-20.40
5	30	1.03	30	4.67	-0.05
6	14	2.06	42	-0.15	-11.90
7	27	0.40	71	4.70	-0.00

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.15	48	-10.94	-20.00
2	10	2.36	67	-10.06	-17.07
3	32	5.09	70	-11.30	-18.02
4	30	5.01	70	-6.14	-9.47
5	30	1.77	43	5.22	-8.62
6	14	1.93	48	3.57	-7.85
7	27	7.07	84	7.05	5.16

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.21	70	-8.94	-19.21
2	10	8.00	74	-4.70	-8.70
3	32	8.00	70	-7.09	-10.37
4	30	8.00	72	-7.87	-11.02
5	30	8.00	84	8.57	5.02
6	14	10.30	82	8.00	4.99
7	27	9.10	74	7.00	3.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.40	83	-7.27	-19.21
2	10	5.04	72	-3.60	-8.10
3	32	5.62	68	-11.94	-17.19
4	30	4.04	62	-17.30	-22.01
5	30	3.54	73	0.00	3.43
6	14	3.45	65	3.01	-2.87
7	27	3.07	62	0.87	1.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.18	65	-8.43	-11.09
2	10	8.05	72	-10.34	-14.64
3	32	4.21	58	-20.75	-27.21
4	30	1.44	53	-16.82	-27.07
5	30	3.63	56	4.87	-3.60
6	14	1.91	51	-7.21	-15.79
7	27	2.18	58	0.14	-7.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.35	48	-13.85	-22.05
2	10	5.30	57	-16.25	-22.94
3	32	5.01	57	-18.24	-24.78
4	30	3.13	61	-13.33	-19.35
5	30	1.54	38	-4.40	-16.63
6	14	1.72	44	-10.15	-20.35
7	27	1.60	48	2.75	-8.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.25	45	-14.10	-23.82
2	10	3.01	54	-14.50	-22.07
3	32	4.70	62	-12.44	-18.23
4	30	2.73	62	-12.10	-18.00
5	30	3.30	46	-2.50	-13.41
6	14	7.03	84	-0.80	-14.20
7	27	1.50	41	0.70	-11.39

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.09	40	-0.10	-17.30
2	18	3.00	66	-0.00	-12.40
3	32	4.10	73	-0.30	-12.40
4	30	5.02	71	-0.02	-0.03
5	30	2.63	67	-2.09	-13.34
6	16	2.71	50	-0.30	-14.47
7	27	1.00	42	5.04	-7.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	87	-2.30	-0.77
2	18	3.50	67	-5.30	-8.01
3	32	3.04	70	-7.50	-12.14
4	30	1.46	66	-2.09	-5.00
5	30	2.24	40	2.42	-7.03
6	16	4.57	80	1.03	-8.28
7	27	1.74	97	11.20	-8.26

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	90	-2.40	-0.04
2	18	6.04	70	-5.62	-10.40
3	32	3.90	80	-0.95	-11.00
4	30	2.40	80	-3.00	-0.04
5	30	2.35	44	0.30	-0.13
6	16	2.25	53	1.00	-7.13
7	27	2.44	44	12.00	0.00

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.02	52	-0.00	-10.00
2	18	3.76	60	-0.40	-16.30
3	32	2.31	81	-0.59	-15.91
4	30	3.13	73	-3.36	-7.77
5	30	1.63	36	3.00	-10.45
6	16	2.40	47	0.35	-10.27
7	27	0.00	72	0.55	0.37



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	57	-3.40	-10.00
2	17	1.61	62	-6.56	-12.06
3	32	4.60	75	-0.19	-9.92
4	30	3.70	72	-0.00	-4.04
5	30	1.05	42	4.31	-7.52
6	16	2.30	40	2.05	-8.52
7	27	0.43	85	0.02	0.35

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.29	55	-1.03	-0.03
2	18	6.79	68	-2.07	-0.03
3	32	8.70	65	-2.10	-4.40
4	30	1.01	67	-0.67	-0.94
5	30	8.01	73	6.00	1.01
6	16	11.32	91	3.33	1.00
7	27	2.46	64	0.00	2.90

CAPITA

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.07	89	0.22	-2.00
2	10	7.20	78	-0.73	-4.11
3	32	5.01	73	-3.51	-7.75
4	30	1.03	85	-2.00	-0.22
5	30	0.33	62	6.07	-0.79
6	16	2.44	62	3.33	-3.52
7	27	1.00	40	11.04	-1.01

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.50	84	-1.10	-0.30
2	10	9.05	62	-3.05	-0.07
3	32	0.07	74	-4.00	-0.03
4	30	6.17	52	-7.05	-10.04
5	30	1.03	45	7.05	-6.00
6	16	1.07	50	7.57	-2.05
7	27	1.01	51	24.27	0.47

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.70	40	-2.06	-13.04
2	10	2.40	60	-7.30	-17.71
3	32	3.00	55	-14.11	-21.40
4	30	0.00	60	-5.23	-12.00
5	30	2.73	60	0.05	0.01
6	16	3.72	63	0.00	-0.15
7	27	2.00	60	10.50	4.70

REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	60	-5.32	-16.77
2	10	6.57	60	-4.55	-8.04
3	32	11.07	63	-15.74	-24.59
4	30	3.60	60	-11.02	-20.22
5	30	5.10	73	11.61	0.00
6	16	2.40	57	3.61	-4.04
7	27	2.13	62	10.62	-3.00



REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	51	-11.77	-20.21
2	10	4.77	55	-14.00	-22.36
3	32	5.15	50	-18.03	-22.51
4	30	2.40	47	-11.32	-20.00
5	30	1.60	37	0.76	-12.03
6	16	1.40	30	-0.62	-10.72
7	27	1.54	33	2.34	-12.00



REGION	# STNS	NEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.40	40	-0.00	-10.00
2	10	4.40	56	-10.36	-18.07
3	32	4.00	50	-13.77	-20.23
4	37	1.70	53	-11.00	-13.50
5	30	1.67	33	3.31	-12.05
6	16	1.77	30	-0.07	-13.04
7	27	0.42	74	2.01	-2.06

CAPITA


Bavg= 2.58
JAN. 31 1977

Bavg= 2.30
FEB. 1 1977


Bavg= 3.03
FEB. 2 1977


Bavg= 4.91
FEB. 3 1977


Bavg= 4.05
FEB. 4 1977


Bavg= 2.91
FEB. 5 1977

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.71	81	-8.10	-16.77
2	18	2.01	87	-10.86	-17.74
3	32	2.88	58	-12.33	-18.02
4	38	1.98	80	-8.87	-18.26
5	30	1.56	36	8.15	-11.68
6	14	1.38	68	-0.38	-12.83
7	27	1.94	68	11.67	-0.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.66	52	-8.10	-16.55
2	18	2.78	58	-6.95	-16.20
3	32	2.81	60	-10.76	-17.16
4	38	1.74	68	-4.68	-12.74
5	30	1.85	35	4.17	-10.85
6	16	1.89	58	-0.67	-13.58
7	27	2.87	61	6.72	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	46	-2.88	-12.46
2	18	1.81	54	-4.80	-18.12
3	32	3.32	35	-7.35	-16.12
4	38	1.88	64	2.68	-8.77
5	30	2.11	38	6.36	-7.61
6	16	2.58	58	3.17	-11.36
7	27	2.84	64	10.26	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.81	47	-0.88	-11.38
2	18	4.71	58	-1.43	-8.87
3	32	4.27	65	1.62	-4.23
4	38	1.87	51	7.70	-3.02
5	30	2.28	38	10.70	-4.76
6	16	2.38	36	10.82	-4.71
7	27	2.81	68	14.78	2.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.81	58	1.84	-8.21
2	18	5.67	68	3.53	-2.65
3	32	5.85	65	4.70	-0.57
4	38	2.02	52	9.58	-1.22
5	30	2.36	36	15.78	0.10
6	16	2.78	56	14.67	-1.66
7	27	5.15	72	14.15	7.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.03	84	3.48	-2.77
2	18	3.60	58	8.24	0.36
3	32	3.24	66	8.54	0.58
4	38	2.80	84	9.33	0.74
5	30	2.68	33	17.36	0.61
6	16	3.11	49	14.38	1.58
7	27	5.38	78	16.18	10.57

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.97	63	4.30	-2.44
2	18	3.00	62	6.51	-0.20
3	32	10.90	62	4.21	1.35
4	38	2.87	50	6.30	-2.01
5	38	2.70	48	16.05	5.12
6	14	5.00	62	11.70	8.00
7	27	2.27	61	15.50	7.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	19.05	61	1.40	0.18
2	18	3.50	60	5.67	-0.70
3	32	4.95	63	0.30	-4.75
4	38	1.00	58	6.20	-3.47
5	38	2.45	55	14.30	6.70
6	14	1.71	45	10.11	-0.01
7	27	1.64	58	17.10	1.95



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.90	54	2.44	-0.21
2	18	2.44	63	3.00	-6.76
3	32	4.00	60	-2.63	-8.29
4	38	2.00	60	-3.28	-10.00
5	38	1.04	38	13.00	-0.48
6	14	2.74	48	15.60	1.00
7	27	1.06	49	15.60	2.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.70	75	0.00	-4.27
2	18	4.07	58	-2.07	-10.00
3	32	2.51	57	-8.57	-15.84
4	38	1.50	53	-6.59	-14.11
5	38	2.00	46	11.37	-0.54
6	14	3.04	50	9.75	-8.18
7	27	1.68	43	8.21	-2.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.48	56	-8.27	-13.77
2	18	2.00	53	-7.01	-15.34
3	32	2.15	51	-8.20	-18.74
4	38	2.20	53	-0.30	-9.55
5	38	2.67	45	4.60	-6.88
6	14	1.80	41	1.30	-10.79
7	27	1.83	37	13.12	-1.82



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.23	50	-7.44	-10.10
2	18	2.45	53	-6.10	-14.61
3	32	2.50	58	-2.77	-9.98
4	38	2.53	51	7.23	-3.51
5	38	1.73	32	3.94	-11.01
6	14	1.90	42	5.35	-8.10
7	27	1.75	36	10.50	2.70

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	50	-2.71	-11.00
2	18	2.08	46	-0.89	-11.00
3	32	4.40	65	1.88	-4.35
4	30	1.50	61	6.70	-4.40
5	30	3.30	54	8.70	0.20
6	14	2.29	54	15.21	9.00
7	27	1.00	42	20.00	8.70



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.10	74	0.27	-3.00
2	17	4.63	74	1.04	-2.40
3	32	5.01	65	-1.20	-7.20
4	30	1.50	52	1.50	-7.07
5	30	2.43	58	14.07	6.10
6	14	3.04	54	15.15	9.37
7	27	1.04	45	16.90	8.16



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.20	84	-0.80	-3.44
2	18	10.00	87	-1.40	-3.30
3	32	3.03	63	-3.90	-10.10
4	30	1.46	47	3.00	-7.21
5	30	2.07	46	8.17	-2.00
6	14	1.97	44	5.35	-8.00
7	27	1.01	28	16.70	-3.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.40	50	-1.81	-8.00
2	18	2.65	60	-4.26	-11.10
3	32	2.40	58	-5.55	-10.75
4	30	1.52	37	10.40	-4.02
5	30	1.00	35	7.01	-8.06
6	14	2.10	41	7.53	-5.90
7	27	1.00	42	16.51	4.77



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.20	60	-1.77	-8.77
2	18	2.50	56	2.83	-6.31
3	32	3.12	58	7.25	-0.69
4	30	2.07	55	9.40	0.14
5	30	1.06	37	16.03	0.92
6	14	1.89	43	18.40	5.55
7	27	3.24	54	21.40	10.22



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.27	54	-0.80	-8.27
2	18	4.04	58	7.22	-0.87
3	32	5.55	73	8.20	3.54
4	30	6.04	70	3.80	0.10
5	30	2.02	45	10.53	6.03
6	14	3.34	57	17.25	7.57
7	27	4.54	51	20.38	8.57

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.20	70	-2.11	-6.06
2	18	7.60	86	4.70	2.67
3	32	4.95	79	4.80	1.50
4	38	3.70	61	3.80	-4.00
5	30	5.00	61	17.71	0.00
6	16	7.80	43	15.19	2.20
7	27	8.74	20	22.77	-1.50

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.20	72	3.94	-1.18
2	18	2.55	61	7.50	-0.97
3	32	2.22	81	2.50	-4.04
4	38	1.60	58	2.40	-0.91
5	30	6.50	28	20.62	1.05
6	16	7.23	31	19.87	2.18
7	27	8.50	30	21.42	0.00

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.24	94	4.00	-4.18
2	18	2.01	51	0.00	-2.18
3	32	4.00	84	0.72	-5.00
4	38	2.00	62	0.29	-0.00
5	30	2.05	37	29.18	6.05
6	16	2.47	50	21.00	10.19
7	27	9.18	60	19.04	3.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.93	60	4.05	-1.22
2	18	2.00	63	10.63	3.70
3	32	4.67	74	-1.50	-5.00
4	38	2.52	61	-0.03	-7.08
5	30	4.04	75	10.84	14.25
6	16	1.90	69	6.42	1.07
7	27	1.60	30	12.19	-2.18



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.42	55	3.27	-4.03
2	18	3.57	58	1.56	-6.10
3	32	2.18	50	-0.97	-8.00
4	38	2.08	51	1.00	-0.30
5	30	2.06	46	10.49	-0.05
6	16	1.78	43	7.09	-4.12
7	27	1.52	30	15.01	-2.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.39	48	1.30	-0.00
2	18	2.70	61	2.40	-7.04
3	32	1.73	50	-1.94	-11.45
4	38	1.07	54	-1.45	-10.15
5	30	2.62	36	12.63	-3.27
6	16	1.95	44	10.39	-1.90
7	27	1.85	37	16.94	1.00

CAPITA


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 2.25
MAR. 2 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 4.47
MAR. 3 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 15
Bave= 4.94
MAR. 4 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 1
Bave= 2.64
MAR. 5 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 2
Bave= 3.00
MAR. 6 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 2
Bave= 2.56
MAR. 7 1977

CAPITA


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 1.63
MAR. 8 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 0
Bave= 1.94
MAR. 9 1977

NUMBER OF STATIONS 178
ADJUSTED STATIONS 2
Bave= 2.87
MAR. 10 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 36
Bave= 4.87
MAR. 11 1977


NUMBER OF STATIONS 177
ADJUSTED STATIONS 7
Bave= 4.58
MAR. 12 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 8
Bave= 3.87
MAR. 13 1977

CAPITA


Bave= 3.34
MAR. 14 1977


Bave= 3.03
MAR. 15 1977

Bave= 2.29
MAR. 16 1977


Bave= 2.76
MAR. 17 1977


Bave= 4.04
MAR. 18 1977


Bave= 2.55
MAR. 19 1977

CAPITA


Bavg= 3.20
MAR. 20 1977


Bavg= 3.72
MAR. 21 1977


Bavg= 3.09
MAR. 22 1977


Bavg= 2.36
MAR. 23 1977


Bavg= 2.27
MAR. 24 1977


Bavg= 1.83
MAR. 25 1977

CAPITA


MAR. 26 1977


MAR. 27 1977


MAR. 28 1977


MAR. 29 1977


MAR. 30 1977


MAR. 31 1977

CAPITA


Rmax= 3.02
APR. 1 1977


Rmax= 6.40
APR. 2 1977

Rmax= 2.51
APR. 3 1977


Rmax= 4.83
APR. 4 1977


Rmax= 3.56
APR. 5 1977


Rmax= 1.93
APR. 6 1977

CAPITA


APR. 7 1977
APR. 8 1977
APR. 9 1977
APR. 10 1977
APR. 11 1977
APR. 12 1977
CAPITA


APR. 13 1977


APR. 14 1977


APR. 15 1977


APR. 16 1977


APR. 17 1977


APR. 18 1977

CARTA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	27	17.77	-2.40
2	18	2.42	34	22.30	5.60
3	32	4.20	53	23.61	12.00
4	30	8.00	70	14.40	10.00
5	30	3.30	49	26.67	12.00
6	14	3.40	61	23.06	15.56
7	27	2.41	60	24.01	17.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	42	18.40	2.40
2	18	2.40	46	20.22	7.33
3	32	5.03	65	22.44	15.29
4	30	3.70	70	14.04	9.67
5	30	3.23	50	25.22	13.76
6	14	3.29	52	25.03	16.91
7	27	3.04	74	21.10	15.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.06	35	24.27	7.40
2	18	2.00	41	24.20	10.17
3	32	5.97	63	20.00	13.70
4	30	2.27	61	13.70	8.00
5	30	2.00	66	25.56	16.05
6	14	3.92	70	22.53	16.40
7	27	2.62	72	10.40	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.97	40	25.30	13.32
2	18	4.00	61	23.81	15.22
3	32	5.00	75	14.80	10.15
4	30	2.00	40	18.69	4.36
5	30	2.26	58	25.93	16.26
6	14	4.77	60	21.90	17.57
7	27	2.12	52	21.70	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.07	75	10.55	6.77
2	18	4.90	75	17.03	12.03
3	31	4.21	84	15.42	7.61
4	30	1.72	40	18.22	9.43
5	30	2.80	60	24.05	17.70
6	14	2.17	60	22.39	18.14
7	27	1.05	51	22.03	10.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.70	80	7.10	3.00
2	18	8.36	63	8.50	8.53
3	32	2.75	61	12.20	4.37
4	30	1.42	55	14.07	-0.00
5	30	2.47	65	22.42	15.15
6	14	2.12	53	19.32	10.90
7	27	1.73	46	22.54	10.22

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.89	78	7.44	2.00
2	18	2.63	73	8.86	5.00
3	32	2.67	61	10.67	2.54
4	38	1.57	80	16.77	-1.90
5	30	1.86	46	20.70	8.10
6	14	1.89	45	18.62	4.32
7	27	1.58	37	22.19	8.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.08	67	10.00	4.04
2	18	3.64	75	9.66	4.83
3	32	1.83	58	14.90	0.31
4	38	1.98	25	21.65	0.60
5	30	1.86	43	17.57	4.07
6	14	1.83	57	17.20	2.53
7	27	1.88	37	23.10	7.44

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.74	58	13.71	3.48
2	18	2.21	52	14.35	4.41
3	31	1.80	55	22.40	8.05
4	38	1.40	36	24.40	7.28
5	30	1.70	33	21.10	3.82
6	14	1.65	58	22.25	8.56
7	27	1.82	40	25.77	12.94



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.84	58	14.77	3.98
2	18	1.88	56	12.86	3.91
3	32	3.28	66	7.23	0.76
4	38	1.53	46	18.24	5.80
5	30	1.84	38	24.73	8.52
6	14	2.08	56	22.65	13.01
7	27	1.83	50	25.60	14.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.50	27	10.88	-7.82
2	18	1.24	34	11.87	-4.32
3	32	1.72	35	14.80	-1.31
4	38	2.42	58	18.60	8.82
5	30	1.88	44	20.62	7.29
6	14	2.00	58	20.75	11.98
7	27	2.15	57	25.42	16.08



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	25	17.49	-2.83
2	18	1.45	33	16.80	0.02
3	32	1.93	55	18.80	2.91
4	38	3.20	52	20.04	8.97
5	30	2.58	47	22.14	9.50
6	14	2.04	51	23.84	12.53
7	27	2.06	64	23.62	15.00

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	30	20.21	1.44
2	17	1.44	26	22.62	3.61
3	28	2.05	47	22.31	9.00
4	31	3.70	67	19.01	9.86
5	36	2.86	64	24.80	13.60
6	13	2.56	53	25.21	16.05
7	26	8.20	70	24.12	17.40



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.06	71	16.27	10.00
2	17	4.69	75	16.07	12.21
3	29	4.92	58	17.77	8.25
4	31	2.40	48	19.04	7.04
5	36	3.00	55	25.97	15.53
6	13	3.50	64	23.87	18.40
7	26	8.17	80	24.61	17.56

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	28	16.00	-3.00
2	17	1.36	34	16.41	0.16
3	31	3.11	53	16.66	8.66
4	31	3.38	69	20.33	12.40
5	37	2.01	64	25.86	15.74
6	14	3.32	74	22.05	18.05
7	25	8.70	84	26.65	18.00



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.10	27	16.27	-3.10
2	17	3.05	58	14.20	5.02
3	30	7.17	74	17.95	12.82
4	30	3.45	69	21.60	15.00
5	36	3.03	66	24.32	17.07
6	13	3.62	71	23.97	18.24
7	27	2.57	60	26.62	17.65



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.58	63	16.71	7.88
2	17	6.05	78	17.40	13.57
3	30	2.79	62	23.58	15.40
4	31	1.83	51	21.38	8.87
5	37	2.08	58	26.83	17.58
6	14	2.81	68	27.09	18.52
7	24	2.41	64	25.41	17.95



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.18	68	18.83	12.32
2	17	2.72	54	25.82	14.68
3	29	2.18	51	21.27	9.94
4	30	1.88	59	20.21	11.21
5	36	2.41	50	20.67	18.04
6	14	2.21	58	27.85	18.52
7	27	2.38	58	26.88	17.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	81	16.85	-0.66
2	17	1.27	63	16.68	3.08
3	28	1.64	52	15.09	5.23
4	30	2.22	64	20.27	10.46
5	36	2.81	56	27.77	17.68
6	12	2.87	66	28.24	19.02
7	26	2.66	62	27.17	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.16	98	12.71	-0.22
2	17	1.31	87	16.56	8.81
3	27	1.61	78	18.28	8.56
4	30	2.04	84	22.47	11.98
5	35	1.86	65	25.80	12.66
6	16	2.39	58	28.50	18.42
7	26	2.56	68	27.67	18.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.87	88	9.98	-1.11
2	17	0.96	88	8.38	0.38
3	27	1.44	83	10.88	-1.41
4	30	2.00	69	20.16	8.48
5	35	1.73	63	20.46	5.65
6	16	1.83	59	20.87	9.06
7	27	2.13	86	27.21	18.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.10	75	7.10	0.71
2	17	1.31	62	12.83	0.03
3	29	1.48	59	15.30	1.91
4	30	1.82	68	19.87	7.55
5	37	2.02	62	19.57	6.68
6	16	1.42	58	19.06	6.26
7	26	2.26	85	25.62	19.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	98	14.71	2.27
2	17	1.25	36	17.36	1.86
3	30	1.73	32	20.10	2.77
4	30	1.78	43	22.36	8.84
5	37	2.16	48	22.06	7.26
6	16	1.59	38	22.55	7.69
7	27	2.17	54	23.82	15.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.22	26	22.27	2.77
2	17	1.41	32	21.28	3.82
3	28	1.87	35	23.87	7.06
4	30	1.77	38	25.88	9.88
5	35	1.87	37	24.86	7.88
6	16	1.80	36	24.85	9.09
7	27	0.37	88	25.40	19.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	81	16.71	-1.71
2	17	1.79	82	21.16	9.06
3	27	2.29	58	26.35	10.57
4	30	1.81	48	26.61	11.73
5	37	1.96	36	26.04	8.48
6	13	2.22	35	26.57	9.78
7	26	2.58	56	26.12	16.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	58	14.30	-2.00
2	17	1.10	27	17.76	-1.47
3	28	2.15	58	24.65	8.50
4	30	2.16	52	26.18	15.16
5	36	2.23	35	27.48	10.58
6	14	2.07	40	26.57	12.08
7	26	2.48	52	27.10	16.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.01	52	10.00	0.04
2	16	1.15	27	10.17	-0.08
3	31	2.27	56	25.12	8.48
4	31	1.84	48	26.68	13.40
5	35	2.11	34	27.10	8.64
6	14	2.03	41	26.40	14.06
7	26	2.41	55	27.48	18.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.24	25	24.10	2.48
2	17	1.57	28	23.84	6.38
3	28	3.18	39	28.58	13.24
4	28	2.08	51	25.60	14.53
5	37	2.76	40	27.48	12.45
6	13	3.20	40	29.78	14.58
7	25	2.49	60	27.68	17.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.05	36	28.83	12.44
2	17	2.04	36	28.03	12.40
3	29	3.76	51	27.80	18.29
4	31	1.87	62	24.27	16.08
5	35	3.48	40	28.36	16.23
6	14	3.52	42	29.58	15.55
7	27	2.87	58	27.05	17.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.05	55	20.80	10.71
2	17	3.77	51	26.87	16.46
3	28	3.15	53	27.53	17.29
4	32	2.32	58	26.36	17.96
5	35	4.10	41	29.67	15.21
6	14	3.85	44	28.30	15.71
7	28	2.74	58	27.40	17.78

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.38	65	18.35	8.00
2	17	4.18	62	22.62	14.68
3	29	3.29	47	28.83	18.12
4	30	2.72	67	25.06	15.04
5	36	3.50	44	20.82	15.86
6	14	4.10	43	30.07	18.08
7	26	2.60	62	28.83	17.50

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.58	48	23.88	11.21
2	17	3.14	48	25.73	14.25
3	29	3.18	44	29.21	15.28
4	30	2.87	60	20.80	14.06
5	36	3.66	47	28.09	15.40
6	14	3.38	42	30.47	15.98
7	26	8.00	64	28.38	18.47

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.20	66	23.38	13.18
2	17	2.68	47	28.11	15.38
3	29	3.17	45	29.24	15.78
4	30	2.80	60	30.82	18.18
5	36	3.37	62	27.38	18.17
6	14	3.18	48	29.31	18.42
7	27	2.29	58	25.00	14.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.48	41	30.44	15.32
2	16	1.78	42	27.21	13.18
3	30	3.85	47	27.80	15.29
4	30	2.23	64	18.88	12.20
5	36	3.32	53	27.38	16.86
6	13	5.87	65	25.48	17.98
7	26	2.27	58	27.75	17.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.12	38	29.99	13.88
2	16	2.83	55	26.75	16.72
3	29	3.45	47	27.42	15.01
4	31	1.70	60	23.62	15.53
5	37	3.31	58	26.73	17.90
6	14	3.71	55	27.85	17.89
7	26	2.58	54	28.15	17.34



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.19	48	28.99	18.27
2	17	3.68	56	26.81	17.27
3	29	3.07	48	28.29	18.29
4	30	2.22	58	28.58	17.86
5	37	3.01	67	24.78	17.78
6	12	3.07	54	27.72	17.58
7	26	2.87	54	28.45	17.58

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.60	45	20.40	14.50
2	16	2.37	48	26.27	14.34
3	28	3.05	45	28.40	15.57
4	31	3.08	64	27.60	17.57
5	36	3.20	70	24.67	18.00
6	15	3.20	81	28.40	18.15
7	27	2.84	53	28.66	17.76

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.11	26	22.96	2.10
2	17	1.26	34	23.87	6.00
3	29	2.52	42	26.49	12.62
4	31	3.39	60	26.17	18.00
5	37	3.17	61	26.21	17.53
6	15	2.52	50	26.79	17.60
7	28	3.74	64	28.50	18.02

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	28	22.10	2.99
2	17	1.43	51	26.66	8.07
3	31	2.18	54	27.41	10.28
4	30	3.50	62	23.04	16.71
5	36	2.84	57	26.63	16.81
6	15	2.62	55	27.96	17.05
7	27	2.73	51	28.31	17.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.91	54	20.21	9.93
2	16	2.13	33	28.48	10.06
3	30	2.03	35	29.20	11.92
4	31	2.17	50	24.51	15.04
5	36	2.88	54	27.60	16.92
6	12	3.14	55	28.80	18.08
7	28	2.90	55	28.04	18.75



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.12	48	17.10	5.00
2	17	1.32	47	18.16	7.46
3	29	3.32	47	25.79	13.44
4	32	1.96	63	23.12	15.63
5	34	2.02	53	28.70	18.00
6	14	3.13	51	30.39	19.12
7	27	2.70	58	28.69	18.23

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	36	20.62	4.88
2	17	1.77	58	20.30	8.13
3	27	2.84	48	25.13	13.12
4	28	2.58	71	21.81	18.03
5	35	4.36	62	26.80	18.51
6	15	3.69	51	31.31	19.98
7	28	2.59	51	31.94	19.56

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.25	57	24.00	8.82
2	16	2.08	47	23.10	10.71
3	27	3.53	55	24.81	14.08
4	31	1.08	54	21.61	11.28
5	36	4.72	64	26.83	18.38
6	14	3.18	58	31.20	19.47
7	28	2.70	66	29.78	19.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.79	69	19.94	11.40
2	18	4.58	70	21.60	15.00
3	32	2.80	58	20.32	10.48
4	38	1.54	48	25.74	10.71
5	36	3.26	57	28.80	18.17
6	14	1.80	58	29.38	16.16
7	27	2.14	48	29.72	17.58



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.58	62	19.60	10.18
2	18	2.45	54	23.63	12.16
3	32	2.30	58	17.13	8.48
4	38	1.94	45	24.42	11.36
5	36	2.55	48	27.95	16.10
6	14	1.72	41	28.13	13.33
7	27	1.08	42	32.23	17.38



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.74	54	18.86	6.33
2	18	1.25	48	17.81	2.60
3	32	1.70	58	21.15	8.07
4	38	1.48	47	26.12	19.40
5	36	2.38	42	27.17	12.52
6	14	1.81	37	28.78	12.43
7	27	2.48	44	32.48	18.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.67	46	20.77	8.44
2	18	1.32	33	23.33	8.18
3	32	1.95	38	27.48	11.82
4	38	1.58	47	29.38	16.23
5	36	2.13	42	28.66	13.54
6	14	1.97	33	30.94	13.08
7	27	2.67	44	32.05	18.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.79	63	20.32	12.06
2	18	2.82	47	23.68	11.48
3	32	4.04	67	23.45	18.45
4	38	1.65	44	31.00	18.84
5	36	2.59	45	29.83	16.33
6	14	2.55	58	32.05	18.02
7	27	2.48	58	32.38	18.16

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.78	84	16.32	8.71
2	18	3.76	68	13.67	10.08
3	32	1.08	62	17.07	9.31
4	38	1.38	41	29.18	8.06
5	36	3.41	52	20.71	10.32
6	14	2.38	43	32.89	10.00
7	27	2.48	56	32.65	10.68



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.48	88	12.77	10.44
2	18	1.48	66	14.64	5.61
3	32	1.48	42	16.99	3.48
4	38	1.44	37	25.98	6.61
5	36	1.86	46	23.10	10.62
6	14	1.59	37	23.16	7.49
7	27	2.08	85	28.74	14.41

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.94	61	14.27	8.71
2	18	1.39	41	16.61	2.68
3	32	2.05	62	18.71	[illegible]
4	38	1.30	44	28.71	11.78
5	36	1.86	41	23.81	8.40
6	14	1.97	34	24.91	7.25
7	27	1.89	50	30.88	18.78

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.40	68	17.09	10.06
2	18	6.08	07	13.47	11.26
3	32	1.47	43	18.90	3.01
4	38	1.48	45	23.51	10.58
5	36	2.51	54	24.88	13.93
6	14	1.76	37	28.74	10.83
7	27	2.48	42	32.54	17.78



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.53	66	15.49	9.71
2	18	1.02	60	16.92	8.70
3	32	1.78	47	20.10	8.08
4	38	1.01	45	28.51	14.05
5	36	1.09	44	25.65	11.55
6	14	1.78	35	27.49	10.59
7	27	2.08	43	32.50	18.18

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.62	62	15.71	12.38
2	18	1.26	50	21.38	10.36
3	32	3.68	70	19.89	14.08
4	38	2.39	58	25.75	16.36
5	36	2.32	41	28.11	13.15
6	14	2.06	45	30.83	18.28
7	27	2.07	48	32.21	18.95

CAPITA


NUMBER OF STATIONS 175
ADJUSTED STATIONS 1
Bave= 3.26
JUN. 12 1977


NUMBER OF STATIONS 176
ADJUSTED STATIONS 1
Bave= 3.44
JUN. 13 1977


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 3.77
JUN. 14 1977


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 3.83
JUN. 15 1977


NUMBER OF STATIONS 176
ADJUSTED STATIONS 0
Bave= 3.83
JUN. 16 1977


NUMBER OF STATIONS 176
ADJUSTED STATIONS 2
Bave= 4.05
JUN. 17 1977

CAPITA


JUN. 18 1977


JUN. 19 1977

JUN. 20 1977


JUN. 21 1977

JUN. 22 1977


JUN. 23 1977

CAPITA


JUN. 24 1977


JUN. 25 1977


JUN. 26 1977


JUN. 27 1977


JUN. 28 1977


JUN. 29 1977

CAPITA


Bavg= 2.30
JUN. 30 1977


Bavg= 2.04
JUL. 1 1977


Bavg= 1.87
JUL. 2 1977


Bavg= 2.11
JUL. 3 1977


Bavg= 2.75
JUL. 4 1977


Bavg= 3.39
JUL. 5 1977

CAPITA


Bavg= 3.23
JUL. 6 1977


Bavg= 3.66
JUL. 7 1977


Bavg= 3.60
JUL. 8 1977


Bavg= 3.07
JUL. 9 1977

Bavg= 2.92
JUL. 10 1977


Bavg= 2.98
JUL. 11 1977

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	0.22	70	22.01	17.06
2	14	5.22	60	26.51	21.70
3	20	3.27	64	26.49	20.85
4	34	1.51	62	27.60	19.49
5	30	2.01	64	32.11	21.61
6	12	2.57	60	31.01	22.40
7	23	1.91	48	28.00	20.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	7.43	77	28.82	22.97
2	15	3.28	68	28.63	20.66
3	12	1.75	51	28.70	17.56
4	34	1.61	47	31.07	18.79
5	37	3.13	55	32.60	22.17
6	13	2.06	56	32.06	22.26
7	24	2.06	48	32.00	19.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.47	61	28.12	17.19
2	14	1.58	51	27.67	16.66
3	20	2.56	48	32.27	20.05
4	31	1.48	48	28.88	18.75
5	38	3.15	48	32.87	20.41
6	13	3.48	50	34.20	22.47
7	23	1.98	48	32.06	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.98	43	28.80	15.69
2	12	2.33	48	30.41	18.46
3	22	3.22	56	31.83	21.71
4	34	1.68	52	28.80	17.52
5	38	3.48	51	32.23	20.40
6	10	3.90	47	34.80	21.55
7	23	2.48	48	32.06	20.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.93	54	31.10	20.03
2	15	6.77	58	31.90	22.40
3	19	3.51	61	29.20	20.79
4	34	1.68	50	32.07	19.47
5	38	3.57	50	32.37	20.06
6	11	4.28	48	34.03	21.36
7	24	2.43	48	32.96	19.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	8.63	57	31.31	21.62
2	13	4.46	58	30.51	21.18
3	18	3.93	60	29.47	20.08
4	34	2.15	48	31.85	18.18
5	37	3.41	57	31.30	21.36
6	13	5.28	48	34.09	21.43
7	22	2.48	50	32.42	20.07

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.05	60	31.55	19.80
2	16	2.73	51	30.81	18.40
3	17	5.47	68	27.75	21.15
4	32	1.80	42	34.31	18.89
5	38	3.10	55	31.67	21.23
6	9	5.85	53	32.09	21.41
7	25	2.02	47	32.80	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.89	48	34.45	20.52
2	13	4.66	60	30.26	20.72
3	20	4.66	56	32.91	22.05
4	33	1.79	41	35.48	18.17
5	38	2.60	64	32.15	21.30
6	15	2.75	58	30.84	21.08
7	25	2.18	52	31.77	20.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.10	48	34.71	21.29
2	16	5.25	66	30.84	22.68
3	18	5.18	55	32.71	22.33
4	32	2.28	68	29.39	18.87
5	37	3.08	62	32.68	21.22
6	14	2.19	57	31.68	22.05
7	28	2.81	68	30.62	21.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.30	48	33.20	20.30
2	16	4.30	55	31.42	20.94
3	18	4.14	60	27.80	18.84
4	33	2.77	56	28.76	18.87
5	37	4.08	48	33.71	21.18
6	11	2.02	51	32.87	21.41
7	25	1.97	52	32.21	21.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.17	97	22.37	7.04
2	15	1.11	48	24.66	10.18
3	18	1.68	48	26.32	14.07
4	30	2.58	52	28.10	18.90
5	37	2.67	56	30.79	19.85
6	14	2.69	61	30.35	21.70
7	25	2.12	52	31.80	20.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.04	91	24.44	8.52
2	12	1.16	56	26.63	10.13
3	18	1.84	47	27.18	14.84
4	31	3.16	52	30.74	19.24
5	37	2.82	51	28.63	16.90
6	15	2.77	52	31.45	20.33
7	26	2.16	46	33.88	20.22

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.97	46	27.77	19.06
2	18	1.54	38	20.45	19.02
3	21	0.51	70	20.45	20.10
4	36	2.41	56	30.46	18.71
5	36	2.26	48	20.04	17.62
6	11	2.95	58	31.40	22.08
7	29	2.20	41	34.60	18.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	7.58	94	20.34	18.44
2	12	6.72	88	24.71	18.46
3	22	5.48	58	24.04	15.45
4	34	1.77	88	26.17	14.48
5	36	2.66	61	28.63	20.14
6	19	3.45	80	29.62	22.05
7	24	2.19	44	34.29	18.71

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.18	41	21.17	7.27
2	15	1.18	44	21.77	8.07
3	17	1.54	42	22.87	9.54
4	32	1.76	58	29.28	12.42
5	38	2.04	56	28.41	10.35
6	19	3.40	50	28.20	15.85
7	28	2.18	48	30.01	20.38

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.11	49	23.00	8.32
2	18	1.07	40	21.91	7.72
3	18	1.39	43	23.79	10.38
4	32	1.01	53	25.01	14.61
5	37	2.03	55	26.00	16.51
6	11	2.59	55	29.00	19.33
7	29	2.70	53	32.10	20.50

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	0	1.22	96	25.41	8.05
2	14	1.42	48	24.69	10.27
3	21	2.44	53	25.20	14.67
4	33	2.29	53	27.20	18.82
5	37	3.04	58	26.99	17.57
6	19	3.79	68	27.64	21.14
7	23	2.59	54	31.60	20.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	1.32	52	23.32	12.77
2	14	2.68	56	25.82	16.06
3	22	0.58	71	24.00	19.11
4	32	1.71	48	29.57	18.34
5	37	5.16	67	26.00	18.65
6	10	5.38	79	28.89	22.82
7	28	2.47	56	31.32	21.13

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	9.20	80	21.02	17.90
2	12	9.64	60	23.03	17.01
3	20	3.78	61	28.02	18.52
4	20	1.81	43	29.00	16.07
5	37	3.61	60	28.01	20.05
6	11	5.32	84	28.04	22.42
7	28	1.01	46	30.05	20.11

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	7	2.90	51	28.00	15.03
2	16	4.30	53	30.57	18.12
3	15	2.90	58	27.21	18.21
4	31	1.41	40	26.47	10.78
5	39	3.75	60	30.40	21.13
6	14	3.41	63	30.19	22.53
7	24	1.60	44	34.52	18.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.07	66	27.10	18.04
2	10	5.16	60	26.04	19.67
3	32	1.44	45	24.58	11.92
4	38	1.40	40	26.00	11.00
5	38	3.37	60	30.62	21.71
6	14	2.36	56	29.07	20.23
7	27	1.04	62	31.04	19.74



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.71	53	27.71	17.05
2	10	1.31	47	26.20	14.17
3	32	2.11	58	23.91	14.43
4	38	1.40	45	26.02	13.44
5	39	3.05	62	28.72	20.25
6	14	2.38	49	30.07	18.01
7	27	1.00	40	32.17	19.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.08	58	28.60	17.27
2	10	5.30	72	23.62	17.95
3	32	2.61	56	26.14	18.52
4	38	1.48	48	27.21	14.90
5	39	3.15	70	27.70	21.56
6	14	2.53	58	28.60	19.32
7	27	1.98	44	33.45	19.09

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.02	56	28.32	18.27
2	10	5.13	58	28.65	19.58
3	32	3.13	56	27.53	18.31
4	38	1.70	60	24.77	18.26
5	39	2.20	60	30.25	21.51
6	14	2.89	62	29.20	21.18
7	27	2.94	48	33.20	19.15

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.00	99	20.00	20.04
2	18	4.32	66	27.07	21.25
3	32	3.99	64	27.11	20.83
4	38	2.46	60	29.90	16.56
5	38	1.06	63	31.10	22.14
6	16	1.53	55	31.56	21.62
7	27	2.69	86	31.60	30.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.00	87	27.77	20.04
2	18	4.20	60	27.03	21.22
3	32	3.77	71	26.90	18.58
4	38	1.05	68	26.70	18.46
5	38	1.00	66	31.01	21.02
6	16	1.71	53	32.40	21.30
7	27	1.61	84	31.80	30.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	65	20.77	10.27
2	18	4.37	72	26.60	21.22
3	32	5.57	74	25.50	20.09
4	38	1.92	59	27.07	10.07
5	38	1.00	57	31.01	21.02
6	16	2.04	50	31.02	21.36
7	27	1.69	81	32.07	30.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.39	57	20.02	10.27
2	18	3.51	63	20.20	20.60
3	32	3.09	73	26.30	10.03
4	38	1.72	57	20.00	16.05
5	38	2.10	50	31.47	21.00
6	16	1.35	53	32.03	21.00
7	27	1.71	46	33.30	20.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.03	43	20.94	13.30
2	18	2.10	50	27.10	17.12
3	32	4.05	73	26.26	10.00
4	38	1.00	60	20.20	17.32
5	38	2.25	57	31.20	21.00
6	16	2.10	50	31.10	22.01
7	27	1.00	46	33.30	20.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.03	69	23.00	10.33
2	18	5.00	60	25.31	21.45
3	32	2.03	74	25.44	20.37
4	38	1.00	55	22.07	12.00
5	38	2.70	60	31.37	22.17
6	16	2.03	63	30.10	22.00
7	27	1.77	52	32.17	20.00

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.08	68	25.71	19.22
2	10	3.04	62	28.60	20.07
3	32	2.83	67	22.44	15.00
4	30	1.86	52	21.28	0.80
5	30	2.18	68	31.23	21.71
6	16	2.28	56	30.51	21.16
7	27	2.15	58	30.13	20.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.48	84	23.05	18.80
2	10	2.51	67	24.41	17.71
3	32	1.87	51	23.79	12.77
4	30	1.62	50	24.00	19.00
5	30	2.32	58	30.32	21.13
6	16	3.02	61	29.75	21.10
7	27	2.21	61	28.07	21.08

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.88	50	24.44	16.00
2	10	3.02	72	26.02	19.28
3	32	3.08	69	24.21	18.05
4	30	1.62	[illegible]	23.80	19.60
5	30	2.08	67	28.04	21.82
6	16	2.58	64	29.40	21.60
7	27	2.15	57	31.20	21.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.93	77	24.30	20.18
2	10	4.46	69	23.24	20.23
3	32	2.59	56	23.80	14.17
4	30	1.92	56	22.87	12.87
5	30	2.52	71	28.21	22.27
6	16	2.36	67	28.80	21.70
7	27	2.02	50	31.14	21.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	44	23.44	10.30
2	10	1.40	47	24.44	12.33
3	32	2.23	55	24.43	14.70
4	30	2.84	68	24.57	17.46
5	30	2.36	64	29.60	22.13
6	16	3.05	68	29.95	22.97
7	27	2.08	55	32.11	21.82

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	58	22.03	14.27
2	10	5.20	72	24.76	18.35
3	32	4.62	78	24.50	20.58
4	30	2.12	68	22.17	15.00
5	30	3.10	64	30.13	22.60
6	16	2.55	63	31.20	23.52
7	27	1.90	50	33.34	21.10

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.83	88	22.80	20.71
2	10	4.69	76	23.50	19.52
3	32	1.75	58	22.16	12.67
4	30	1.76	61	22.11	11.10
5	30	3.10	67	20.90	22.70
6	16	3.21	72	20.05	22.37
7	27	2.10	60	31.59	20.00

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	48	21.00	8.44
2	10	1.24	50	20.52	8.04
3	32	1.44	45	19.97	7.90
4	30	1.43	52	22.36	11.60
5	30	2.07	66	26.10	19.06
6	16	2.48	57	27.60	18.17
7	27	2.48	66	20.52	20.04

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.09	44	20.55	8.43
2	10	1.37	48	20.43	8.76
3	32	1.62	50	19.45	10.00
4	30	1.77	56	20.40	10.87
5	30	2.00	63	26.00	18.11
6	16	3.10	58	26.60	17.40
7	27	3.15	60	30.54	21.00

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	47	22.10	10.05
2	10	1.43	48	20.63	8.17
3	32	2.20	55	21.26	11.73
4	30	2.60	63	23.95	15.05
5	30	2.92	58	26.05	17.74
6	16	3.07	56	27.37	17.29
7	27	3.30	65	29.02	21.95



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	48	21.10	8.40
2	10	1.04	53	21.57	11.54
3	32	7.20	70	21.14	10.97
4	30	1.30	55	24.10	14.33
5	37	3.41	60	27.01	18.34
6	16	3.57	56	29.12	18.00
7	27	3.56	60	20.43	21.00

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.25	62	20.05	10.77
2	10	2.66	63	23.58	15.90
3	32	1.00	56	22.75	13.30
4	30	2.21	57	22.14	19.40
5	30	3.00	61	20.05	20.40
6	16	3.40	57	25.32	19.95
7	27	2.54	62	30.57	21.97

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.77	67	29.55	14.21
2	18	3.22	56	23.30	13.70
3	32	2.96	64	21.17	13.95
4	38	2.31	65	21.32	14.00
5	38	3.64	68	20.23	20.60
6	14	3.77	58	30.87	21.10
7	27	2.29	60	32.59	22.60

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.07	83	20.40	17.86
2	18	6.86	81	20.37	16.82
3	32	2.43	58	19.70	10.75
4	38	2.86	58	22.67	18.01
5	38	3.72	74	27.06	21.01
6	14	3.10	68	28.68	21.68
7	27	2.02	68	32.60	22.40

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	46	21.10	8.27
2	18	1.20	46	20.08	8.06
3	32	1.60	53	21.99	11.00
4	38	4.44	64	24.70	18.01
5	38	2.67	63	27.01	19.16
6	14	4.08	63	29.20	21.40
7	27	2.43	63	32.66	21.69



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	44	21.93	9.21
2	18	1.99	58	23.82	12.65
3	32	5.13	67	25.72	18.97
4	38	3.38	63	27.60	19.43
5	38	3.38	66	27.61	20.46
6	14	3.97	63	30.59	22.05
7	27	2.13	58	32.73	20.57

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.05	55	26.43	16.71
2	18	3.82	63	27.10	19.61
3	32	3.92	64	30.69	23.08
4	37	2.15	63	25.50	17.69
5	38	2.75	67	28.81	21.95
6	14	2.40	61	30.55	22.09
7	27	1.91	58	31.72	21.47



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.29	59	31.82	22.03
2	18	4.41	61	30.66	22.33
3	32	3.12	66	28.27	21.01
4	38	2.15	66	20.20	19.37
5	38	2.01	63	30.86	22.37
6	14	2.01	57	31.14	21.82
7	27	2.70	67	28.53	21.36

CAPITA

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.00	58	32.94	21.55
2	18	3.06	63	28.20	21.38
3	32	2.25	69	25.19	18.98
4	38	1.64	65	28.82	14.01
5	38	2.04	62	30.03	21.77
6	14	2.20	58	30.98	20.98
7	27	2.51	65	28.39	21.78

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.21	66	26.10	18.00
2	18	2.43	63	26.71	18.81
3	32	2.72	63	24.38	18.82
4	38	2.18	62	26.60	17.18
5	38	2.60	62	30.20	21.04
6	14	2.32	58	30.65	21.30
7	27	1.60	67	30.01	21.22

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.77	67	22.90	18.06
2	18	1.62	70	25.87	18.70
3	32	4.74	65	28.83	21.04
4	38	1.90	65	25.86	18.30
5	38	2.06	59	30.75	21.78
6	14	2.07	58	32.40	20.88
7	27	1.02	66	31.23	21.28

REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.00	71	25.21	18.04
2	18	6.58	68	27.83	21.20
3	32	3.00	70	25.90	19.54
4	38	1.02	67	21.60	15.15
5	38	2.42	60	30.13	21.28
6	14	2.42	58	32.00	20.31
7	27	1.70	56	30.04	21.12



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	6.00	63	27.60	18.71
2	18	5.32	68	27.60	21.38
3	32	3.38	74	24.90	19.78
4	38	2.38	67	21.01	15.25
5	38	3.31	63	28.45	21.23
6	14	2.70	48	32.13	19.71
7	27	1.06	51	31.78	20.38



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.31	67	24.30	17.71
2	18	3.56	58	26.00	17.04
3	32	2.18	61	22.73	14.78
4	38	2.29	67	24.00	17.02
5	38	2.07	66	28.01	21.04
6	14	2.02	54	30.00	20.31
7	27	1.07	46	32.07	18.88

CAPITA


Bave= 3.12
SEP. 4 1977


Bave= 3.51
SEP. 5 1977


Bave= 3.38
SEP. 6 1977


Bave= 4.40
SEP. 7 1977


Bave= 4.21
SEP. 8 1977


Bave= 3.56
SEP. 9 1977

CAPITA


Bavg= 2.82
SEP. 10 1977


Bavg= 2.03
SEP. 11 1977


Bavg= 3.28
SEP. 12 1977


Bavg= 3.98
SEP. 13 1977


Bavg= 3.12
SEP. 14 1977


Bavg= 3.38
SEP. 15 1977

CAPITA


Bavg= 3.78
SEP. 16 1977


Bavg= 4.09
SEP. 17 1977


Bavg= 3.25
SEP. 18 1977


Bavg= 3.11
SEP. 19 1977


Bavg= 2.41
SEP. 20 1977


Bavg= 2.83
SEP. 21 1977

CAPITA


SEP. 22 1977


SEP. 23 1977


SEP. 24 1977


SEP. 25 1977


SEP. 26 1977


SEP. 27 1977

CAPITA


SEP. 28 1977


SEP. 29 1977


SEP. 30 1977


OCT. 1 1977


OCT. 2 1977


OCT. 3 1977

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	40	14.40	2.00
2	17	1.30	50	16.47	5.00
3	32	1.55	44	17.00	5.30
4	30	1.60	54	18.00	6.90
5	30	1.64	43	20.00	7.74
6	14	1.50	42	19.47	8.30
7	20	2.17	62	22.00	11.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.14	43	10.30	8.27
2	17	1.73	50	10.30	7.60
3	32	2.50	62	15.04	8.25
4	30	2.07	54	11.45	8.22
5	30	1.70	46	22.34	8.46
6	14	1.75	45	21.00	9.44
7	20	2.40	58	29.50	14.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.71	70	13.77	0.00
2	18	2.67	64	14.96	7.27
3	32	1.54	52	13.05	3.20
4	30	2.30	50	10.00	8.00
5	30	3.00	64	22.80	12.20
6	14	2.50	52	21.22	10.71
7	20	3.00	67	24.60	16.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.33	44	12.27	0.10
2	18	1.34	50	12.77	2.36
3	32	2.40	65	10.70	4.12
4	30	6.75	81	10.65	7.07
5	30	2.30	51	22.26	11.50
6	14	2.52	53	21.02	11.00
7	20	3.00	50	20.40	17.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.19	53	10.60	1.33
2	18	3.67	74	11.37	6.60
3	32	4.78	80	13.34	9.90
4	30	1.74	65	8.81	2.02
5	30	4.02	74	20.07	15.00
6	14	8.07	85	20.15	17.37
7	20	1.86	52	26.06	15.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.10	81	15.30	13.00
2	18	3.02	60	14.30	12.56
3	32	2.35	70	9.49	4.10
4	30	1.40	62	13.60	3.43
5	30	2.40	60	22.01	16.61
6	14	1.65	53	18.50	8.93
7	20	1.01	30	22.70	7.90

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	56	14.10	6.21
2	18	1.62	58	13.41	5.31
3	32	1.90	57	14.99	8.40
4	38	2.68	60	8.44	2.61
5	39	1.78	52	18.93	10.16
6	14	1.84	53	17.85	7.08
7	28	2.54	61	23.58	14.63



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.47	52	14.80	4.77
2	18	1.92	53	18.54	6.00
3	32	2.01	60	7.75	2.13
4	38	1.86	54	7.80	-1.81
5	39	2.98	60	22.24	13.87
6	14	3.26	66	16.10	9.58
7	28	2.56	45	18.17	4.88

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.27	72	16.10	9.88
2	18	1.67	55	11.40	2.36
3	32	1.74	58	8.78	0.72
4	38	1.41	41	12.74	-0.88
5	39	2.83	58	18.30	9.22
6	14	1.52	43	13.78	0.75
7	28	1.41	28	18.14	-1.08

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	48	12.05	1.38
2	18	1.52	59	10.46	2.71
3	32	2.03	52	11.86	1.83
4	38	1.42	34	18.70	1.89
5	39	2.87	58	14.08	5.63
6	14	1.78	43	13.40	0.87
7	28	1.61	25	22.08	0.08

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.57	78	7.38	3.71
2	18	3.66	77	8.24	4.28
3	32	2.31	48	15.19	4.02
4	38	1.43	44	18.88	4.20
5	39	3.10	58	14.52	5.33
6	14	1.98	41	15.86	2.45
7	28	1.68	30	24.35	4.88

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.40	68	8.48	0.21
2	18	1.97	57	13.21	4.61
3	32	2.74	63	12.18	4.92
4	38	1.96	44	11.61	-0.48
5	39	1.91	40	20.40	6.35
6	14	2.07	46	20.63	8.40
7	28	2.07	42	22.30	8.73

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.00	71	19.95	8.92
2	10	3.02	77	11.45	7.36
3	32	1.08	51	8.80	-1.78
4	38	1.31	38	15.62	0.81
5	30	2.26	55	16.42	8.50
6	14	1.58	48	14.88	1.76
7	26	1.87	80	80.91	2.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.84	92	8.10	8.27
2	10	2.64	76	6.94	1.62
3	32	1.68	45	12.83	0.84
4	38	1.38	37	16.25	1.06
5	30	1.54	35	15.15	-0.42
6	14	1.51	35	15.88	0.47
7	26	1.76	82	25.89	7.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.21	47	12.82	1.46
2	10	1.76	68	12.07	2.66
3	32	2.06	60	12.85	4.42
4	38	1.30	40	15.38	0.80
5	30	1.58	36	20.53	6.86
6	14	1.77	40	20.38	8.34
7	26	1.87	41	28.86	11.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.34	74	12.27	7.88
2	10	4.63	77	11.63	7.66
3	32	2.48	67	12.23	6.08
4	38	1.52	38	18.44	3.03
5	30	1.90	45	19.82	7.16
6	14	1.96	48	19.12	6.36
7	26	1.06	40	27.38	12.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.70	84	10.05	7.44
2	10	2.48	64	12.77	6.02
3	32	2.71	56	15.28	6.48
4	38	1.82	41	19.89	5.48
5	30	1.98	43	19.76	6.51
6	14	2.16	48	18.32	5.86
7	28	2.07	44	27.38	13.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.38	48	18.27	3.71
2	10	2.48	66	16.38	7.16
3	32	2.77	52	18.32	8.18
4	38	1.72	47	18.43	6.73
5	30	2.38	46	20.86	8.68
6	14	2.12	43	21.28	8.21
7	28	2.23	58	28.48	16.17

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.75	81	10.00	7.00
2	18	2.77	67	12.00	0.10
3	32	2.02	52	13.57	5.00
4	30	0.32	68	11.40	4.20
5	30	2.00	48	22.71	10.00
6	14	2.14	45	22.77	9.51
7	20	0.67	70	22.10	10.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.00	96	10.71	-0.04
2	18	1.25	46	11.40	-0.01
3	32	3.12	67	10.00	4.75
4	30	0.00	70	11.10	5.00
5	30	2.05	60	21.76	11.42
6	14	3.05	50	22.17	11.02
7	20	2.00	64	22.04	10.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	81	13.32	-0.40
2	18	1.02	47	16.00	3.70
3	32	5.15	62	17.00	10.10
4	30	0.97	77	12.50	7.70
5	30	2.70	60	23.04	13.06
6	14	2.00	50	21.00	12.01
7	20	0.40	67	22.40	15.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.62	44	10.30	5.03
2	18	2.55	52	10.50	0.50
3	32	5.50	73	10.61	11.00
4	30	3.30	04	15.91	7.01
5	30	4.12	73	21.59	16.30
6	14	7.50	00	10.00	10.10
7	20	3.47	03	23.30	15.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.27	71	17.16	11.27
2	18	5.03	74	17.30	12.36
3	32	0.00	75	15.20	10.62
4	30	3.15	51	10.50	0.04
5	30	5.00	76	21.01	17.33
6	14	4.02	77	10.04	14.07
7	20	2.04	47	20.10	13.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.07	57	20.10	11.10
2	18	4.55	75	19.41	14.76
3	32	0.20	00	14.20	10.02
4	30	2.70	47	10.70	0.00
5	30	4.04	71	21.61	15.67
6	14	5.07	00	19.51	13.40
7	20	2.45	05	24.00	14.00

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.03	48	17.55	8.06
2	18	2.30	56	17.30	8.95
3	32	4.01	65	14.78	7.69
4	38	5.13	61	18.60	8.18
5	39	3.72	65	22.78	15.71
6	14	4.36	68	20.59	14.38
7	28	2.88	58	24.63	15.23

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.17	49	13.40	0.77
2	18	1.60	56	14.26	5.26
3	32	3.48	63	13.48	8.26
4	38	5.37	65	17.28	10.01
5	39	3.32	58	21.18	12.78
6	14	4.18	63	21.10	13.68
7	28	2.66	52	26.81	15.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.11	38	12.06	-1.04
2	18	1.96	43	13.70	1.26
3	32	4.24	62	13.48	5.82
4	38	4.44	67	16.69	8.04
5	39	2.56	63	18.67	8.30
6	14	3.85	61	21.62	13.70
7	28	3.37	61	26.36	18.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.07	43	11.99	-0.44
2	18	1.36	46	13.21	1.46
3	32	6.61	69	15.48	9.23
4	38	2.99	59	15.12	5.88
5	39	1.92	54	18.55	8.72
6	14	2.99	59	20.03	11.66
7	28	2.91	57	28.10	16.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.36	52	13.49	3.55
2	18	1.52	60	15.34	7.30
3	32	8.80	76	15.38	10.87
4	38	2.52	62	10.77	3.12
5	39	2.77	66	19.81	13.05
6	14	1.85	50	21.68	10.78
7	28	4.30	70	20.12	13.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.71	64	15.18	8.27
2	18	3.56	73	17.60	12.50
3	32	3.73	66	18.64	11.08
4	38	3.08	57	13.50	3.60
5	39	3.84	78	20.79	16.50
6	14	2.51	68	20.75	14.08
7	28	2.63	52	15.55	3.80

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.84	71	14.80	9.86
2	18	4.18	73	18.88	13.87
3	32	4.13	77	18.78	14.94
4	38	2.84	83	13.70	9.42
5	38	5.56	81	22.14	18.61
6	14	4.29	72	20.59	14.78
7	26	1.88	61	16.88	8.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.80	81	17.66	14.27
2	18	6.83	86	18.20	16.77
3	32	3.84	80	15.23	8.89
4	38	1.86	58	14.18	3.66
5	38	3.82	70	23.44	18.61
6	14	5.11	82	19.47	16.30
7	26	1.87	68	20.48	10.66

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.87	88	11.44	8.86
2	18	5.12	83	16.64	13.67
3	32	2.89	71	14.68	9.40
4	38	4.82	71	12.70	7.14
5	38	3.84	76	20.38	16.82
6	14	5.11	75	21.14	18.30
7	26	2.42	88	22.24	12.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.48	88	11.89	6.10
2	18	5.65	85	14.70	12.27
3	32	5.51	81	15.81	12.47
4	38	9.83	81	13.04	9.71
5	38	5.41	76	21.26	16.42
6	14	3.65	78	20.31	15.78
7	26	3.30	58	22.30	12.43



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.30	66	9.38	2.84
2	18	4.93	88	13.29	11.64
3	32	3.89	89	14.78	12.94
4	38	6.64	80	13.18	8.51
5	39	4.05	72	21.19	15.75
6	14	4.97	81	19.38	15.82
7	26	3.82	66	21.44	14.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.34	82	10.32	7.33
2	18	4.07	87	12.71	10.55
3	32	8.84	87	15.55	13.39
4	38	7.84	82	8.88	8.82
5	39	4.81	69	21.64	15.52
6	14	3.82	73	21.10	15.98
7	26	3.85	72	18.17	12.48

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.92	67	13.49	11.44
2	10	6.39	70	15.40	11.72
3	32	5.66	77	16.87	12.48
4	30	4.11	64	3.89	-3.88
5	30	3.07	66	23.82	16.20
6	14	3.44	70	20.43	16.18
7	28	1.86	46	11.44	-0.47



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.14	66	19.82	11.94
2	10	6.23	63	14.79	11.92
3	32	3.97	71	2.85	-2.20
4	30	1.77	50	9.40	-8.00
5	30	2.04	60	17.84	9.45
6	14	1.45	39	9.80	-4.91
7	28	1.42	26	19.67	-6.95

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	63	8.99	-0.22
2	10	2.94	66	4.78	-1.06
3	32	2.88	60	2.79	-4.84
4	30	1.97	40	4.80	-6.04
5	30	1.40	32	13.81	-3.00
6	14	1.44	29	12.17	-5.86
7	28	1.43	28	17.88	-1.19



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.18	46	7.27	-3.80
2	10	2.72	60	3.65	-3.79
3	32	2.13	54	0.95	-7.47
4	30	1.43	52	3.70	-5.88
5	30	1.73	36	11.56	-4.23
6	14	1.55	34	10.59	-5.11
7	28	1.41	33	10.48	2.54

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.32	75	3.55	-0.88
2	10	2.77	61	1.72	-5.11
3	32	2.09	55	1.59	-8.50
4	30	1.52	52	7.00	-1.04
5	30	1.54	38	9.83	-4.15
6	14	1.45	35	8.40	-6.50
7	28	1.84	45	19.05	6.38

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.30	48	1.72	-8.49
2	10	1.41	53	2.13	-6.63
3	32	2.78	65	5.10	-1.17
4	30	2.40	60	10.31	1.44
5	30	1.76	37	12.87	-1.08
6	14	1.57	33	14.12	-2.25
7	28	1.97	50	20.10	10.83

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.32	47	8.06	-4.71
2	18	1.96	48	8.58	-0.76
3	32	3.72	74	9.75	5.01
4	38	2.22	61	9.88	1.62
5	38	1.87	48	18.07	3.86
6	14	1.52	48	17.53	8.08
7	20	2.38	64	22.16	12.91

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.26	88	10.46	9.21
2	17	2.32	83	14.26	6.22
3	32	5.43	86	10.46	5.57
4	37	1.48	66	7.80	-0.74
5	38	2.43	66	21.16	11.68
6	14	4.01	78	17.21	12.65
7	20	1.80	68	20.97	12.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.00	68	19.32	11.40
2	18	2.78	61	12.38	0.16
3	32	2.29	61	8.59	-0.58
4	38	2.38	67	8.28	-0.10
5	38	2.17	61	21.88	10.81
6	14	1.93	48	17.81	8.10
7	20	2.68	46	20.91	8.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.20	50	7.04	-1.80
2	18	1.80	54	6.05	-2.15
3	32	1.81	61	4.19	-2.93
4	38	1.58	58	4.89	-5.38
5	38	1.62	35	16.57	0.25
6	14	1.45	32	14.88	-2.77
7	20	2.08	51	18.20	7.73

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.26	42	0.55	-5.48
2	19	1.46	54	6.36	-2.71
3	32	2.41	64	4.81	-1.68
4	38	9.24	78	5.01	-0.42
5	38	1.83	40	16.67	2.46
6	14	1.78	48	14.67	2.53
7	20	3.17	66	21.23	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.14	40	5.00	-0.71
2	18	1.39	50	7.13	-2.91
3	32	4.11	80	10.81	7.25
4	38	5.07	64	2.10	-4.56
5	38	1.91	48	17.97	6.85
6	14	3.38	69	17.33	10.90
7	20	2.36	62	24.16	15.76

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.01	78	7.88	0.10
2	18	4.56	86	9.58	8.85
3	52	1.32	59	1.05	-5.44
4	38	1.00	56	-8.83	-15.03
5	38	2.95	68	18.53	13.12
6	14	8.06	82	13.83	10.38
7	20	2.70	84	12.98	1.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.13	49	7.08	-4.08
2	18	1.53	66	6.96	-2.48
3	52	1.98	61	0.78	-5.91
4	38	1.85	59	0.81	-6.87
5	38	8.01	77	17.48	13.16
6	14	8.48	85	13.34	8.88
7	20	9.85	89	14.58	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.54	61	4.08	-0.06
2	18	6.01	83	4.84	1.82
3	52	10.72	88	5.88	2.08
4	38	9.21	88	0.18	-4.53
5	38	7.88	88	16.88	13.78
6	14	8.87	88	10.58	14.38
7	20	9.82	88	10.01	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	4.78	85	7.18	4.77
2	18	3.07	88	7.33	4.03
3	52	3.72	71	0.91	-5.03
4	38	4.01	83	-8.28	-12.42
5	38	5.88	88	16.99	13.98
6	14	2.85	73	15.67	10.82
7	20	4.15	78	18.57	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.58	52	5.88	-3.71
2	18	2.38	68	6.68	-1.13
3	52	7.58	78	-2.41	-5.78
4	38	1.68	55	-8.28	-17.14
5	38	5.31	73	14.82	10.78
6	14	4.12	77	11.82	7.73
7	20	2.67	68	17.62	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	0.88	81	0.88	0.03
2	18	0.85	73	0.67	-3.85
3	32	2.78	68	-7.37	-13.88
4	38	3.13	58	-0.22	-13.48
5	38	2.38	43	6.21	-6.26
6	14	1.53	45	0.38	-10.58
7	20	1.88	41	16.78	1.88

CAPITA



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.08	41	-1.71	-10.06
2	18	1.61	55	-2.51	-10.55
3	32	9.14	70	-4.88	-8.05
4	37	9.44	83	-2.98	-8.01
5	38	1.96	45	6.14	-2.04
6	14	4.47	70	7.87	2.38
7	20	2.00	48	10.73	7.47



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.95	88	0.28	-4.88
2	17	4.17	79	1.35	-3.14
3	32	2.84	69	-4.37	-9.28
4	37	2.68	68	-1.60	-8.87
5	38	4.14	67	16.22	8.66
6	14	5.11	74	8.80	4.10
7	20	2.11	58	18.89	7.28



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.81	60	1.10	-8.04
2	17	6.60	77	0.88	-3.51
3	32	3.88	68	-1.28	-8.54
4	38	8.88	78	2.77	-2.58
5	38	6.63	80	14.61	10.70
6	14	8.77	82	12.77	8.48
7	20	2.74	78	10.27	5.70



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.51	88	2.38	-2.98
2	17	11.32	80	3.20	1.81
3	32	12.75	87	1.28	-0.85
4	38	4.29	70	3.37	-1.87
5	38	10.60	80	14.86	13.31
6	14	7.45	85	14.75	12.97
7	20	3.65	65	12.00	4.52



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	10.21	88	5.83	4.05
2	18	8.06	81	8.83	7.58
3	32	4.83	62	3.61	0.15
4	38	4.56	64	0.71	-5.78
5	38	3.49	76	10.07	13.61
6	14	1.83	88	10.31	4.83
7	20	2.08	54	13.60	4.07



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.33	57	7.38	-0.06
2	18	1.76	56	6.88	-1.66
3	32	2.98	67	1.38	-4.14
4	38	1.84	64	-0.88	-8.44
5	38	2.07	68	13.97	5.64
6	14	2.19	59	11.88	3.92
7	20	2.44	48	10.45	5.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.24	48	8.32	-4.21
2	18	6.69	60	4.04	-0.87
3	32	2.80	70	-2.29	-7.08
4	38	4.58	71	-4.17	-7.50
5	30	1.82	62	17.16	7.08
6	14	3.43	79	14.70	8.98
7	20	2.00	61	21.00	8.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.21	46	2.00	-8.10
2	18	2.38	66	2.64	-6.04
3	32	3.50	65	-2.60	-8.43
4	38	8.21	70	-1.04	-6.53
5	30	2.63	64	16.00	9.03
6	14	6.61	60	15.35	11.74
7	20	9.20	66	21.70	10.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.50	60	-1.22	-8.77
2	17	11.06	66	-0.77	-2.71
3	32	8.88	66	-0.88	-3.88
4	38	8.03	64	-10.09	-14.02
5	30	4.40	66	10.22	14.51
6	14	2.32	60	15.70	9.00
7	20	2.20	62	18.00	7.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	11.39	86	-2.83	-4.83
2	18	9.22	78	-0.64	-3.86
3	32	8.08	70	-9.71	-14.19
4	38	2.63	57	-14.17	-20.88
5	30	3.53	54	9.31	-0.12
6	14	3.59	57	0.23	-7.05
7	20	1.52	41	5.42	-7.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.85	62	-2.40	-8.00
2	18	4.07	66	-4.49	-10.43
3	32	3.53	68	-9.50	-14.70
4	38	4.24	61	-8.58	-15.05
5	30	1.55	39	2.36	-10.69
6	14	1.62	47	-3.21	-13.44
7	20	1.60	48	11.70	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.28	51	-4.77	-13.55
2	18	2.60	59	-3.44	-10.58
3	32	11.15	62	-6.15	-8.83
4	38	8.50	60	-11.34	-18.10
5	30	1.76	45	8.27	-3.16
6	14	2.27	58	7.33	-3.41
7	20	2.26	67	20.12	8.44

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	7.00	80	1.88	-0.11
2	10	6.21	77	0.26	-3.42
3	32	8.00	70	-13.95	-18.31
4	37	9.45	40	-18.78	-27.00
5	30	2.71	66	12.00	8.30
6	14	1.70	50	1.00	-8.25
7	20	1.60	80	0.60	-0.52

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	8.21	46	-7.77	-18.36
2	10	4.72	58	-7.50	-16.02
3	32	5.92	87	-14.17	-19.08
4	30	1.85	61	-13.07	-21.30
5	30	1.62	46	3.62	-0.06
6	14	1.00	48	-2.00	-12.73
7	20	1.67	56	4.70	-0.41

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.04	48	-12.10	-21.06
2	10	3.30	54	-0.70	-17.01
3	32	2.76	66	-11.35	-18.50
4	30	2.58	54	-2.00	-11.90
5	30	1.00	41	6.10	-0.72
6	14	1.00	38	5.01	-10.70
7	20	1.04	62	0.20	-0.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	5.40	52	-12.00	-21.21
2	10	7.56	64	-6.63	-12.50
3	32	2.39	63	1.10	-3.30
4	37	2.54	60	3.02	-1.72
5	30	1.04	45	9.01	-1.97
6	14	1.00	38	0.00	-4.39
7	20	4.50	66	16.00	0.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.03	75	-9.49	-13.10
2	10	7.50	70	0.75	-2.74
3	32	9.20	89	3.55	1.92
4	30	4.37	66	4.81	-1.04
5	30	2.06	60	15.60	7.73
6	14	3.17	73	12.97	0.13
7	20	4.00	62	10.07	0.24



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	14.77	81	-4.10	-9.33
2	17	13.49	84	5.10	4.34
3	32	11.43	92	2.50	1.50
4	30	5.07	68	3.04	-2.23
5	30	7.40	89	17.33	15.50
6	14	2.04	82	14.95	11.02
7	20	1.04	30	17.47	1.17

CAPITA


NUMBER OF STATIONS 177
ADJUSTED STATIONS 10
Bave= 4.93
DEC. 15 1977


NUMBER OF STATIONS 177
ADJUSTED STATIONS 5
Bave= 4.26
DEC. 16 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 11
Bave= 5.50
DEC. 17 1977


NUMBER OF STATIONS 178
ADJUSTED STATIONS 8
Bave= 4.10
DEC. 18 1977


NUMBER OF STATIONS 177
ADJUSTED STATIONS 5
Bave= 3.83
DEC. 19 1977


NUMBER OF STATIONS 177
ADJUSTED STATIONS 25
Bave= 5.98
DEC. 20 1977

CAPITA


DEC. 21 1977
DEC. 22 1977
DEC. 23 1977
DEC. 24 1977
DEC. 25 1977
DEC. 26 1977

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	1.27	47	-8.10	-18.09
2	18	2.15	58	-6.07	-14.46
3	32	2.43	81	-11.71	-17.00
4	30	1.61	66	-6.05	-10.06
5	30	2.38	41	3.07	-8.03
6	14	2.05	49	1.05	-9.12
7	20	1.04	36	8.32	-5.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.06	84	-8.00	-15.40
2	18	1.82	54	-6.83	-16.56
3	32	4.52	88	-8.12	-11.12
4	30	1.43	56	-1.60	-10.16
5	30	1.62	40	3.31	-8.47
6	14	1.97	45	0.11	-11.20
7	20	4.07	84	8.48	1.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	3.40	48	-4.80	-15.40
2	18	3.07	66	-2.67	-10.78
3	32	5.06	66	-1.84	-8.82
4	30	2.41	66	-0.44	-8.00
5	30	1.88	30	8.68	-6.00
6	14	3.62	36	3.82	-5.35
7	20	7.58	66	8.78	7.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.53	59	-0.38	-7.66
2	18	2.99	55	3.12	-5.43
3	32	4.25	73	-1.07	-5.38
4	30	5.21	68	-4.21	-9.81
5	30	7.68	78	9.00	4.90
6	14	8.78	93	5.70	4.71
7	20	7.10	82	10.87	7.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	10	2.30	80	0.33	-6.83
2	18	3.15	61	2.33	-6.61
3	32	5.76	73	-1.24	-5.55
4	30	9.95	76	-7.04	-10.85
5	30	6.50	78	11.15	7.23
6	14	6.98	83	7.85	5.03
7	20	9.14	88	12.83	8.90

CAPITA


REGION 1, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1977
100 15 30
RH BEXT TEMP
0 0 -20
JAN FEB MAR
REGION 2, QTR 2 1977
100 15 40
RH BEXT TEMP
0 0 -10
APR MAY JUN
REGION 2, QTR 3 1977
100 15 50
RH BEXT TEMP
0 0 0
JUL AUG SEP
REGION 2, QTR 4 1977
100 15 30
RH BEXT TEMP
0 0 -20
OCT NOV DEC
CAPITA


REGION 3, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1977
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1977
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1977
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA